

PAPER • OPEN ACCESS

## Optically-triggered deterministic spiking regimes in nanostructure resonant tunnelling diode-photodetectors

To cite this article: Qusay Raghieb Ali Al-Taai *et al* 2023 *Neuromorph. Comput. Eng.* **3** 034012

View the [article online](#) for updates and enhancements.

You may also like

- [Spikes: Exploring the Neural Code](#)  
Daniel Reich
- [A data-driven spike sorting feature map for resolving spike overlap in the feature space](#)  
J Wouters, F Kloosterman and A Bertrand
- [NeuSort: an automatic adaptive spike sorting approach with neuromorphic models](#)  
Hang Yu, Yu Qi and Gang Pan



## PAPER

## OPEN ACCESS

RECEIVED  
7 June 2023REVISED  
21 August 2023ACCEPTED FOR PUBLICATION  
1 September 2023PUBLISHED  
21 September 2023

Original Content from  
this work may be used  
under the terms of the  
[Creative Commons  
Attribution 4.0 licence](#).

Any further distribution  
of this work must  
maintain attribution to  
the author(s) and the title  
of the work, journal  
citation and DOI.



## Optically-triggered deterministic spiking regimes in nanostructure resonant tunnelling diode-photodetectors

Qusay Raghīb Ali Al-Taai<sup>1</sup> , Matěj Hejda<sup>2</sup> , Weikang Zhang<sup>2</sup>, Bruno Romeira<sup>3</sup> , José M L Figueiredo<sup>4</sup> , Edward Wasige<sup>1</sup> and Antonio Hurtado<sup>2,\*</sup> <sup>1</sup> High Frequency Electronics Group, University of Glasgow, Glasgow, United Kingdom<sup>2</sup> Institute of Photonics, SUPA Dept of Physics, University of Strathclyde, Glasgow, United Kingdom<sup>3</sup> INL—International Iberian Nanotechnology Laboratory, Ultrafast Bio- and Nanophotonics Group, Av. Mestre José Veiga s/n, Braga, 4715-330, Portugal<sup>4</sup> Centra-Ciências and Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal

\* Author to whom any correspondence should be addressed.

E-mail: [antonio.hurtado@strath.ac.uk](mailto:antonio.hurtado@strath.ac.uk)**Keywords:** photonic spiking neuron, optoelectronic neuron, excitability, spiking, neuromorphic photonics, optical computing**Abstract**

This work reports a nanostructure resonant tunnelling diode-photodetector (RTD-PD) device and demonstrates its operation as a controllable, optically-triggered excitable spike generator. The top contact layer of the device is designed with a nanopillar structure (500 nm in diameter) to restrain the injection current, yielding therefore lower energy operation for spike generation. We demonstrate experimentally the deterministic optical triggering of controllable and repeatable neuron-like spike patterns in the nanostructure RTD-PDs. Moreover, we show the device's ability to deliver spiking responses when biased in either of the two regions adjacent to the negative differential conductance region, the so-called 'peak' and 'valley' points of the current–voltage ( $I$ – $V$ ) characteristic. This work also demonstrates experimentally key neuron-like dynamical features in the nanostructure RTD-PD, such as a well-defined threshold (in input optical intensity) for spike firing, as well as the presence of spike firing refractory time. The optoelectronic and chip-scale character of the proposed system together with the deterministic, repeatable and well controllable nature of the optically-elicited spiking responses render this nanostructure RTD-PD element as a highly promising solution for high-speed, energy-efficient optoelectronic artificial spiking neurons for novel light-enabled neuromorphic computing hardware.

**1. Introduction**

The current dramatic increase in data processing demands requires new computing systems for artificial intelligence functionalities that enable increased processing speeds as well as optimised power consumption. However, traditional digital computing systems conventionally based on the Von Neumann architecture are not well suited for the massively-parallel character of artificial neural network (ANN) algorithms. Neuromorphic computing is among the main research avenues investigating novel computing architectures, drawing inspiration from the brain and aiming at reproducing its energy efficiency, extensive parallelism and powerful computational capabilities. The human brain has a topological structure consisting of billions of neurons connected by trillions of synapses through axons and dendrites [1]. Neurons are the fundamental building blocks of information processing in the brain, typically using signal propagation in the form of time-dependent sparse spikes. Spiking is an event-driven computation scheme that primarily consumes energy only when information processing occurs. In particular, neuromorphic computing realised with photonics shows the potential to outperform digital electronic counterparts in computing speed, bandwidth and energy efficiency [2]. Among the photonic neuromorphic approaches, those that offer the functionality of neuron-like spiking and excitability are of significant interest. Excitability represents a type of behaviour observed in dynamical systems, characterised by all-or-nothing responses (typically called spikes). Excitable systems typically exhibit two essential properties: *thresholding* and *refractoriness*. Thresholding indicates the

ability of a system (such as a biological neurons) to fire spikes only in response to super-threshold stimuli while it remains quiescent otherwise. Thresholding plays an essential role in controlling the states in neuromorphic processing elements for both the filtering and processing of incoming signals, as well as for allowing the system to decide whether to elicit a spike to be propagated to other neurons [3]. On the other hand, refractoriness is commonly exhibited as a period of inactivity after an excitable response is elicited in the dynamical system. During this period, the system is considered as recovering and even strong (super-threshold) perturbations cannot trigger a spiking response in the system.

Spiking has been shown in all-optical approaches such as vertical cavity surface emitting lasers under injection locking [4, 5], two-section lasers [6, 7] and phase-change material based architectures [8]. Furthermore, optoelectronic approaches utilising photodetectors for spike activation provide good degree of flexibility by combining excitable electronic devices with photonic components. Such systems have been demonstrated in superconducting Josephson junctions [9], biomimetic circuits based on multilayer MoS<sub>2</sub> 2D material with silicon photodetector [10], Ge/Si photonic crystal-enhanced photodiodes coupled to excitable circuitry and a quantum-dot laser [11], high-speed integrated balanced photodetectors coupled to an on-chip, two-section DFB laser [12], as well as optoelectronic circuits based upon resonant tunnelling diodes (RTDs) [13].

The RTD is an active semiconductor device typically based on an embedded, double-barrier quantum well (DBQW) heterostructure that introduces ultrafast quantum tunnelling phenomena [14]. Thanks to the filtering effect of the DBQW on charge carriers wavefunction, the RTD exhibits unusual, *N*-shaped current–voltage (*I*–*V*) characteristic with a negative differential conductance (NDC) region. This highly nonlinear *I*–*V* leads to a range of nonlinear dynamical behaviours including excitability, which allows for generation of high speed neuron-like spiking signals [15]. This functionality was utilised to experimentally realise a self-feedback, neuron-like autaptic cell [13], and to numerically demonstrate a feedforward spiking ANN numerical model powered by optoelectronic RTD nodes [16]. In addition, the RTD has a high optical sensitivity when being designed as a photodetector thanks to the intrinsic gain and wide frequency bandwidth operating up to terahertz (THz) range. Various modes of operation for optically modulated RTDs have been previously demonstrated for photodetection [17] and wireless systems, allowing the measurement of light responsivity (e.g. as reviewed in [18]) with choice of a suitable epitaxial structure enhancing light sensitivity [19].


This work focuses on the fabrication, experimental characterisation and dynamical analysis of a nanostructure photo-detecting RTD device (RTD-PD) for use as a light-driven optoelectronic spiking neuron. The embedded nanopillar permits operation with reduced bias currents [20] for more energy efficient operation, with a micrometre-scale optical window for enhanced light detection and deterministic optical triggering of electrical spiking. Furthermore, the operation can be extended from optical-to-electrical (O/E) spiking to fully opto-electro-optical O/E/O node by coupling such node to a light source, such as a laser [21].

## 2. Nanostructure RTD-PD: design and fabrication

This section describes the design and fabrication of the nanostructure RTD-PD, with device layers being described here under the assumption of forward biasing. We will refer to two design parameters that describe the scale of RTD devices: the area of the top contact  $S_{TC}$  and a total area of light absorption region  $S_{total}$  (without any metal contact).

To reduce the power consumption and enable energy-efficient operation and spike generation in the RTD, a new design is presented where the top collector of the RTD-PD is shrunken down to the shape of a nanopillar (also be referred to as a nano-injector [22]). When compared to RTD-PD devices with uniform micrometre-scaled layers, the nanopillar structure reduces the current on the collector side and reintroduces the current path into the DBQW region of the device, therefore reducing the peak current ( $I_p$ ). The characterisation of the electrical static properties of similar nanostructure RTD-PDs has been reported in our previous work [23] showing that this new nanopillar-incorporating design introduces an important reduction in the peak current of the device, thus significantly decreasing overall power consumption.

The RTD epitaxial wafer is grown on a semi-insulating InP substrate using molecular beam epitaxy. Figure 1(a) presents the detailed layer structure of the wafer. The core of the RTD-PD employs a DBQW structure comprising a 5.7 nm In<sub>0.53</sub>Ga<sub>0.47</sub>As quantum well sandwiched by two 1.7 nm AlAs barriers. A 250 nm lightly doped InGaAs spacer layer was incorporated on the collector side of the DBQW region for light absorption in the infrared wavelength range. The collector and emitter layers are made of 100 nm Si-doped InAlAs layers. The RTD incorporates a nanopillar top contact region with a diameter of  $D_{TC} = 500$  nm, corresponding to top contact area  $S_{TC} = 0.2 \mu\text{m}^2$ . The structure is visualised on scanning electron microscope (SEM) images in figures 1(c)–(e). To improve the photodetection response, a sufficient





illumination area is required. Therefore, the top optical window of the photoconductive spacer layer of the device is purposely kept with a micrometre-scaled size, with total star-shaped device area of  $S_{\text{total}} = 46 \mu\text{m}^2$ .

For comparison, peak (dark) current value for the nanopillar-incorporating device presented in this work (figure 3) is  $I_p = 11 \text{ mA}$  (see figure 3), yielding current density (per  $S_{\text{TC}}$ ) as  $I_p/S_{\text{TC}} = 55 \text{ mA } \mu\text{m}^{-2}$  and current per total device area  $I_p/S_{\text{total}} = 0.24 \text{ mA } \mu\text{m}^{-2}$ . For comparison, in previous work [24], we have designed and fabricated RTD-PD devices built with the same epilayer structure, but with micrometre-scale mesa sizes of  $S_{\text{total}} = 20 \times 20 \mu\text{m}^2$  and  $S_{\text{total}} = 10 \times 10 \mu\text{m}^2$ . These larger micrometre-scale RTD-PDs exhibited exhibit  $I-V$  curves with peak currents of up to 60 mA for the  $10 \times 10 \mu\text{m}^2$  samples and nearly 250 mA for the  $20 \times 20 \mu\text{m}^2$  samples respectively. This  $10 \times 10 \mu\text{m}^2$  RTD device without nanopillar with same spacer size [24] exhibited  $I_p/S_{\text{total}} = 0.6 \text{ mA } \mu\text{m}^{-2}$ . Therefore, the new design is estimated to reduce the total current per device area by  $\approx 60\%$ .

In addition, since the photoconductive spacer layer remains unchanged with a micrometre-scaled mesa size, the generated photocurrent becomes prominent compared to the dark current, is less affected by thermal noise and can therefore result in the enhancement of optical responsivity. We have also observed comparable improvement in bias stability using the nanopillar mesa. Moreover, further downscaling can lead to RTDs with ultra-low currents [25].

### 3. Device characterisation under dark and light-illumination conditions


First, we characterise the photodetection properties of the fabricated RTD-PD under the injection of an optical signal from a continuous wave (CW) laser at the telecom wavelength of 1310 nm. The experimental setup is depicted in figure 2. This shows the elements to drive the nanostructure RTD-PD as well as the pathway of the optical input signal. The latter is injected into the device from its top surface using a lens-ended optical fibre (with a spot diameter of  $6.5 \mu\text{m}$ ,  $\approx 92\%$  of the size of the device's optical window). An average optical power of approx. 1 mW is used for characterising the photodetection performance and the dynamical modulation evaluation of the nanostructure RTD-PD in this work. For input optical powers between darkness and 1 mW (at 1310 nm), we have experimentally observed the  $I-V$  shifting linearly between the two curves in figure 3. For the dynamical analysis of the light-induced spiking regimes in the device, the incoming light from the 1310 nm laser is externally modulated by a Mach-Zehnder modulator.



This encodes the optical input with intensity perturbations generated by an arbitrary waveform generator. The nanostructure RTD-PD under test has been designed with ground-signal-ground (GSG) bond pads connecting to the emitter (two ground pads) and collector (the signal pad) electrodes (both are  $n$ -doped) of the device's epi-layer structure. The RTD-PD is connected to the voltage source via a GSG RF probe landed on the corresponding bond pads. A DC voltage is applied to the device in the reverse biasing direction, which is defined as the RTD collector electrode being linked to the negative pole of the DC source whose voltage is swept from 0 V up to 800 mV.

Figure 3 illustrates the static  $I$ - $V$  curve of the nanostructure RTD-PD, measured under dark conditions (without input light signal, blue trace) and when subject to illumination from a 1310 nm CW laser light with average optical power of 1 mW (orange trace). Both  $I$ - $V$  response curves in figure 3 exhibit the characteristic  $N$ -shape exhibited by RTDs [26], with different regions of PDC and NDC defining the two distinct operation points. These are commonly referred to as the 'peak' and 'valley' operation points and are located at the inflexions between the first PDC and the NDC, and the NDC and the second PDC, respectively. Under dark conditions, the  $I$ - $V$  curve of the device exhibits an NDC region with a peak point of  $\approx 11$  mA and voltage of 593 mV.

Under illumination, the  $I$ - $V$  curve typically exhibits both a horizontal (up) and a vertical (towards left) shift. The effect of the  $I$ - $V$  shift can be attributed to the photogenerated hole accumulation in the collector region in the vicinity of the resonant tunnelling structure (DBQW), as well as the enhanced photoconductivity [27, 28]. For the tested device under illumination, the peak point under illumination is located at (587 mV and 12 mA) with no significant horizontal shift of the  $I$ - $V$  observed. This corresponds to estimated observed photoresponsivity at 1310 nm as approx.  $1.1 \text{ A W}^{-1}$ . The demonstrated capability of photodetection and the light-induced  $I$ - $V$  shifting underpin the functionality of the nanostructure RTD-PD of this work as optically excitable spike generator. The choice of 1 mW was made to observe a strong, well-defined light-induced shift in the device's  $I$ - $V$  curve during aligning with the current, proof-of-concept



version of the setup (where losses are present due to fibre-coupling, surface reflectivity, etc which allow for only fraction of the total optical input light to be absorbed in the device). With further optimisation of the experimental setup, operation at sub-mW (and below) optical injection powers can be achieved with current devices. Multiple nanopillar injectors may also be utilised to increase total current and allowing for better device performance in terms of responsivity.

#### 4. Optically induced excitability in nanostructure RTD-PDs: deterministic spike generation

In this work, we focus on deterministic optical triggering of individual spiking responses, which occurs at the  $I$ - $V$  inflection points (peak, valley operation points). For biasing within the NDR region, the RTD typically responds with continuous oscillations with varying oscillation frequency. Therefore, to operate the nanostructure RTD-PD as an optically excitable spiking neuron, the device is reverse biased at either the peak or valley operation regions, in close proximity to the NDC boundary. In our experiments, we reverse biased the nanostructure RTD-PD with voltage values of  $V_0 = 593$  mV,  $V_0 = 690$  mV for operating in the 'peak' or 'valley' operation point respectively. In both cases, the device is directly subjected to the injection of optical input signal (stimuli) in the form of square-shaped optical pulses. The incoming optical perturbations briefly shift the  $I$ - $V$  curve of the device (see figure 3), which in turn momentarily shifts the device's operation point (in both peak or valley biasing cases) into the NDC region. As a result of this brief transition induced by the incoming optical perturbation, an excitable response is elicited and the device fires an electrical spike. This effect underpins the mechanism whereby the nanostructure RTD-PD of this work can behave as an excitable spike generator (acting in fact as an optoelectronic spiking neuron). Importantly, the incoming optical stimuli are referred to as 'super-threshold' (or sub-threshold), when their optical intensity exceeds (or does not exceed) a given threshold power required for excitability in the nanostructure RTD-PD device. To obtain the desirable spike firing behaviour in both cases of operation (peak and valley regions), the transition edge of the output electrical spikes is matched to that of the incoming pulse-shaped optical stimuli. Therefore, positive input optical pulses are employed when setting the bias voltage of the nanostructure RTD-PD at the 'valley' region, while negative optical pulses (power drops) are used when the device is biased at the 'peak'. Multiple optical stimuli variations are investigated (see figures 4–6) to demonstrate and experimentally evaluate the performance of the nanostructure RTD-PD as an excitable spike generator.





Figure 4 shows experimentally captured time series demonstrating the deterministic, controllable and repeatable firing of excitable (electrical) spikes in the nanostructure RTD-PD in response to input optical perturbations. Specifically, figures 4(a) and (b) respectively plot the cases when the device is biased at the peak and valley regions. To illustrate the deterministic spike firing behaviour, the system was tested under the injection of a sequence of consecutive optical perturbations, shown in the top plots (orange time traces) in figures 4(a) and (b). These were configured as optical input rectangular-shaped pulses (with positive/negative amplitudes for operation in the peak/valley) with a temporal length of 15 ns and a repetition interval of 500 ns. The bottom plots in figures 4(a) and (b) show the recorded electrical time series measured at the output of the nanostructure RTD-PD, when this was operated in the peak (figure 4(a)) and valley (figure 4(b)) regions, respectively. These demonstrate for both cases of operation that the nanostructure RTD-PD produces deterministic and repeatable all-or-nothing spike events, all with the same shape and temporal features, in response to every single one of the incoming optical perturbations. Figures 4(a) and (b) also show that as expected, the device fires spikes of opposite polarity for both cases of operation (peak or valley). In the case of valley operation, slightly more pronounced relaxation oscillations can be observed. We believe that these can be mainly attributed to the more shallow shape of the  $I$ - $V$  in the valley region. During our experiments, we have not observed discernible spike shape differences for responses activated with optical (case studied in this work) or electrical input perturbations. This is in agreement with previous reports [29], where the output power of an RTD oscillator depends on the difference(s) of peak-valley voltage (current)  $\Delta V$ ,  $\Delta I$  which remain without significant alteration during illumination of our RTD-PD.

Figure 5 plots measured time traces at the output of the nanostructure RTD-PD when biased in the peak (figure 5(a)) and valley (figure 5(b)) regions and under the injection of optical input perturbations of gradually increasing intensity.

Specifically, the bottom plots in figures 5(a) and (b) each include an overlay of  $n = 10$  recorded output time traces, when the device is reverse biased in the peak and the valley points, respectively. The input optical signal (at the wavelength of 1310 nm with 1 mW of average optical power) is modulated with a sequence of perturbations (15 ns long optical pulses at 500 ns repetition period). The amplitude of these input optical pulses (negative or positive, for peak or valley device operation) increases monotonically, until a threshold is reached upon which the nanostructure RTD-PD elicits all-or-nothing excitable electrical spikes. Incoming perturbations below the threshold level (sub-threshold) are not able to elicit spike firing and the system therefore remains quiescent. We must note here that when the strength of the incoming optical brings the



**Figure 6.** Refractoriness of optically-induced spike firing in the nanostructure RTD-PD when reverse biased in the peak (a) and valley (b) regions. Top plots in (a) and (b) show (in orange) the input optical signals encoded with optical perturbations in the form of pulse doublets with increasing temporal perturbations between the individual pulses. Bottom plots in (a) and (b) show measured time traces at the device's output when operated in the peak (a) and valley (b) points. The device was reverse biased with  $V_0 = 593$  mV and  $V_0 = 690$  mV, when operated in the peak and valley respectively. Based on the response of the RTD-PD, the refractory period is estimated as  $T_{Rp} \approx 120$  ns in the peak, and  $T_{Rv} \approx 70$  ns in the valley.

system just at the spike firing threshold level, stochastic spike firing may occur. Such is the case for the system's response to the third input optical perturbation in figures 5(a) and (b). In that specific case, as the incoming perturbations bring the system just at the excitability threshold, spike events are achieved with probability below unity (both for peak and valley operation). Hence, for that case figures 5(a) and (b) show that spikes are only elicited for some of the  $n = 10$  superimposed measured output traces. However, as soon as the optical inputs exceed the excitability threshold (4th and 5th optical perturbations) consistent and deterministic spike events are elicited by the nanostructure RTD-PD element. Again, the shape and temporal features of the elicited electrical spikes are independent of the amplitude of the incoming optical perturbations. We must also note that the spike thresholding level (for both peak and valley operation) can be tuned at will simply by acting on the voltage applied to the nanostructure RTD-PD, to either bias it closer or further from the NDC transition. Hence, the strength of the optical input stimuli required to elicit spike firing events would be lower if the bias voltage is set closer to the boundary of the NDC region, and vice versa. This offers a simple, yet powerful mechanism to control the system's spiking response.

Figure 6 provides the experimental evaluation of the refractory period of the spiking responses in the nanostructure RTD-PD. Again, results are given for the cases of system operation in the peak (figure 6(a)) and valley (figure 6(b)) regions. If an excitable system (such as a biological neuron) fires a spike event in response to an incoming perturbation, it does not fully recover immediately. Instead, it takes a period of time (known as the refractory period), in which it cannot elicit new spiking events even if new super-threshold perturbations enter the system [21]. Hence, this refractory period practically governs the maximum achievable spike firing rate of an excitable system. Figure 6 evaluates whether this neuron-like dynamical property, refractoriness, is also observed in the nanostructure RTD-PD of this work. To do so, input optical perturbations in the form of super-threshold square optical pulse doublets are injected into the device. The top plots (orange traces) in figures 6(a) and (b) show that individual pulses in the doublets are provided with gradually increasing temporal separation. In the case of device operated in the peak region (figure 6(a)), the doublets consist of two individual 40 ns long pulses, and their temporal separation (measured between pulse rising edges) is gradually increased from 98 ns to 134 ns in steps of 7 ns. The purple trace in the bottom plot of figure 6(a) shows the recorded output from the nanostructured RTD-PD when biased in the peak region with a reverse bias voltage of  $V_0 = 593$  mV. This shows that at first when the optical pulses in the doublet are very close to each other, the system only fires a spike in response to the first optical input pulse. The second input pulse arrives within the refractory period of the system and therefore a second spike is not produced.



**Table 1.** Comparison of the peak and valley operation points.

	Peak op. point	Valley op. point
Bias voltage $V_0$	Lower	Higher
Current	Higher	Lower
Power consumption	Typically higher ( $I-V$ dependent)	Typically lower ( $I-V$ dependent)
Excitability	More common	Less common
Spike polarity	Negative (rev. bias)	Positive (rev. bias)
Spike shape (our RTD)	Pronounced single-polarity	Dual-polarity
Refract. time (our RTD)	Longer ( $\approx 120$ ns)	Shorter ( $\approx 70$ ns)

As the temporal separation between the individual pulses in the doublet is increased, a clear transition can be observed and the system's output changes from a single spike to a double spike firing pattern. This transition demonstrates the existence of a refractory period in the system (as in biological neurons) below which it cannot elicit a second spike after firing a first spike event. Based on the experimental findings in figure 6(a), this refractory period for the nanostructure RTD-PD when operated in the peak is estimated as  $T_{Rp} \approx 120$  ns. The same dynamical behaviour is also observed when the device is operated in the valley region (see figure 6(b)). In this case, optical input pulse doublets formed by 30 ns long pulses with gradually increasing temporal separation from 55 ns to 85 ns in increments of 5 ns. A clear refractory period is also observed in the valley operation case, with the system transitioning from a single spike to a two-spike pattern output when the temporal separation between pulses exceeds approx.  $T_{Rv} \approx 70$  ns. A shorter refractory period is observed when the system is operated in the valley than when it is operated in the peak. This difference in the measured refractory periods in both cases is believed to be due to circuit parameters (such as capacitance and series resistance [15]) being dependent on the applied bias. Furthermore, the asymmetric character of the NDC region (figure 3) in the nanostructure RTD-PD also contributes to variation in the character of dynamical behaviours between the two operation points. Comparison of performance and characteristics of both the peak and valley operation points in the RTD-PD are provided in table 1.

These experimentally measured refractory periods are in the order of 100 ns, defining readily demonstrated maximum firing rates of approx. 10 MHz in our system. Whilst being already orders of magnitude faster than those of biological neurons and also significantly faster than previously reported in a similar, non-nanostructure system [30], these firing rates are by no means the maximum achievable speeds expected for this new nanostructure device class. The refractory time is limited here by parasitic effects arising from the external electrical circuitry (e.g. cables, bias-tees, etc) used in our laboratory setup to characterise the system's light-induced spiking functionality. However, the resonant tunnelling effect underpinning the operation of RTD systems is an ultrafast phenomena shown to enable RTDs oscillators at up to THz rates at room temperatures [31]. For PD RTD, carrier dynamics will likely impose limitations to bandwidth of optical response to few tens of GHz, which still presents potential for significant increase in operation speeds of these nanopillar RTD-PD devices.

Moreover, recent numerical reports from our group [21] have shown that nanostructure RTD-PDs are able to achieve (light-induced) high-speed spiking rates down to sub-ns regimes, with numerically predicted refractory times as low as 300 ps, hence enabling multi-GHz spiking rates. Therefore, future work aiming at developing optimised nanostructure RTD-PD elements with optimised, high-speed circuitry is expected to dramatically improve the speed operation for light-induced spiking regimes in nanostructure RTD-PD systems, beyond the current fast (approx. 10 MHz) spiking rates demonstrated already in this first proof-of-concept demonstration. Similarly, whilst this work demonstrates light-induced spiking generation using optical powers of approx. 1 mW, further optimisation stages to reduce coupling losses in the setup as well as to improve light absorption in the device are expected to yield operation at significantly lower optical injection powers, well below the current 1 mW level. This added to the reduced bias voltages and current enabled by the nanopillar-based design of this new nanostructure device class, will permit the realisation of high-speed (>GHz rates) optoelectronic spiking neurons for novel light-enabled neuromorphic computing hardware.

## 5. Conclusions

This work focuses on nanostructure resonant tunnelling diodes with integrated photo-detecting capability (RTD-PD) and reports, for the first time in this device, on deterministic, optically-triggered generation of neural-like excitable spiking signals. The RTD-PD is formed by a single 500 nm diameter nanopillar on top conductor structure of the RTD, resulting in a reduced peak operation point current of only 11 mA. This is about 60% lower than comparable devices without a nanopillar structure, allowing for more efficient

operation as a spike generator. The embedded light absorptive spacer layer adjacent to the DBQW structure at the device core endows the device with high-responsivity photodetection, therefore enabling light-induced excitability. The static characterisation of the device under dark conditions and when subject to infrared light illumination reveals a light-induced shift in the device's region of NDC. This key feature underpins the optical triggering of excitable regimes and allows operation of the device as an optoelectronic spiking neuron. Importantly, this new system exhibits a wide range of neural-like behaviours. Among these, we have experimentally demonstrated deterministic optical activation of all-or-nothing spike events at ns-rates, both when the device is operated at the so-called peak and valley points of its  $I$ - $V$  curve (close to the NDC region boundaries). Furthermore, as in biological neurons, we have also shown that the optically-triggered spiking signals from the nanostructure RTD-PD exhibit a clear threshold for spike firing, as well as well-defined refractoriness. Our experimental findings reveal already in this first proof-of-concept demonstration refractory periods in the order of 100 ns, hence enabling firing rates of  $\approx 10$  MHz; thus, already multiple orders of magnitude faster than in biological neurons. Current operation speed is mainly imposed by limitations of the external circuitry in our current setup, and it is by no means the limit in the expected spike firing rates in this system. Resonant tunnelling is an ultrafast phenomena with reported RTD bandwidth exceeding one THz at room temperature. Hence, as documented in previous numerical works [21], optically-triggered firing rates at GHz rates (and possibly higher) should be possible in the nanostructure RTD-PD with future device and system optimisation stages. These exciting neuromorphic features, added to their light-enabled capabilities, render this nanostructure RTD-PD as a promising new device class for the realisation of novel fast, energy-efficient optoelectronic neurons for light-enabled neuromorphic computing architectures.

### Data availability statement

The data that support the findings of this study are openly available at the following URL/DOI: <https://doi.org/10.15129/8def9efd-a509-4d5b-aa4e-3abc345680cb> [32].

### Acknowledgment

The authors acknowledge support from the European Commission (Grant 828841-ChipAI-H2020-FETOPEN-2018-2020) and by the UK Research and Innovation (UKRI) Turing AI Acceleration Fellowships Program (EP/V025198/1).

### ORCID iDs

Qusay Raghیب Ali Al-Taai  <https://orcid.org/0000-0001-5741-0527>

Matěj Hejda  <https://orcid.org/0000-0003-4493-9426>

Bruno Romeira  <https://orcid.org/0000-0002-1485-6665>

José M L Figueiredo  <https://orcid.org/0000-0001-5668-7073>

Antonio Hurtado  <https://orcid.org/0000-0002-4448-9034>

### References

- [1] Liang P, Gu F and Wu S 2016 *An Introduction to Neural Information Processing* 1st edn (Springer)
- [2] Shastri B J, Tait A N, de Lima T F, Pernice W H P, Bhaskaran H, Wright C D and Prucnal P R 2021 Photonics for artificial intelligence and neuromorphic computing *Nat. Photon.* **15** 102–14
- [3] Prucnal P R, Shastri B J, de Lima T F, Nahmias M A and Tait A N 2016 Recent progress in semiconductor excitable lasers for photonic spike processing *Adv. Opt. Photonics* **8** 228
- [4] Robertson J, Hejda M, Bueno J and Hurtado A 2020 Ultrafast optical integration and pattern classification for neuromorphic photonics based on spiking VCSEL neurons *Sci. Rep.* **10** 6098
- [5] Skalli A, Robertson J, Owen-Newns D, Hejda M, Porte X, Reitzenstein S, Hurtado A and Brunner D 2022 Photonic neuromorphic computing using vertical cavity semiconductor lasers *Opt. Mater. Express* **12** 2395
- [6] Song Z, Xiang S, Ren Z, Han G and Hao Y 2020 Spike sequence learning in a photonic spiking neural network consisting of VCSELs-SA with supervised training *IEEE J. Sel. Top. Quantum Electron.* **26** 1–9
- [7] Ma P Y, Shastri B J, de Lima T F, Huang C, Tait A N, Nahmias M A, Peng H-T and Prucnal P R 2018 Simultaneous excitatory and inhibitory dynamics in an excitable laser *Opt. Lett.* **43** 3802–5
- [8] Chakraborty I, Saha G, Sengupta A and Roy K 2018 Toward fast neural computing using all-photonic phase change spiking neurons *Sci. Rep.* **8** 12980
- [9] Shainline J M, Buckley S M, McCaughan A N, Chiles J, Jafari-Salim A, Mirin R P and Nam S W 2018 Circuit designs for superconducting optoelectronic loop neurons *J. Appl. Phys.* **124** 152130
- [10] Subbulakshmi Radhakrishnan S, Sebastian A, Oberoi A, Das S and Das S 2021 A biomimetic neural encoder for spiking neural network *Nat. Commun.* **12** 2143
- [11] Lee Y-J, On M B, Xiao X, Proietti R and Ben Yoo S J 2022 Photonic spiking neural networks with event-driven femtojoule optoelectronic neurons based on Izhikevich-inspired model *Opt. Express* **30** 19360

- [12] Peng H-T, Angelatos G, de Lima T F, Nahmias M A, Tait A N, Abbaslou S, Shastri B J and Prucnal P R 2020 Temporal information processing with an integrated laser neuron *IEEE J. Sel. Top. Quantum Electron.* **26** 1–9
- [13] Romeira B, Avó R, Figueiredo J M L, Barland S and Javaloyes J 2016 Regenerative memory in time-delayed neuromorphic photonic resonators *Sci. Rep.* **6** 19510
- [14] Feiginov M, Sydlo C, Cojocari O and Meissner P 2011 Resonant-tunnelling-diode oscillators operating at frequencies above 1.1 THz *Appl. Phys. Lett.* **99** 233506
- [15] Romeira B, Javaloyes J, Ironside C N, Figueiredo J M L, Balle S and Piro O 2013 Excitability and optical pulse generation in semiconductor lasers driven by resonant tunneling diode photo-detectors *Opt. Express* **21** 20931
- [16] Hejda M, Alanis J A, Ortega-Piwonka I, Lourenço J ao, Figueiredo J, Javaloyes J, Romeira B and Hurtado A 2022 Resonant tunneling diode nano-optoelectronic excitable nodes for neuromorphic spike-based information processing *Phys. Rev. Appl.* **17** 024072
- [17] Rothmayr F, Castro E D G, Hartmann F, Knebl G, Schade A, Höfling S, Koeth J, Pfenning A, Worschech L and Lopez-Richard V 2022 Resonant tunneling diodes: mid-infrared sensing at room temperature *Nanomaterials* **12** 1024
- [18] Watson S, Zhang W, Tavares J, Figueiredo J M L, Cantú H I, Wang J, Wasige E, Salgado H, Pessoa L and Kelly A 2019 Resonant tunneling diode photodetectors for optical communications *Microw. Opt. Technol. Lett.* **61** 1121–5
- [19] Wang J, Al-Khalidi A, Figueiredo J, Wasige E and Rodrigues G 2017 Resonant tunnelling diode based high speed optoelectronic transmitters *Proc. SPIE* **10453** 209
- [20] Al-Taai Q R A, Wang J, Morariu R, Ofiare A, Al-Khalidi A and Wasige E 2021 Analysis of stability of nano- vs micro-sized resonant tunnelling diode (RTD) devices for future neuromorphic computing applications *Int. J. Nanoelectron. Mater.* **14** 149–55
- [21] Hejda M et al 2022 Artificial optoelectronic spiking neuron based on a resonant tunnelling diode coupled to a vertical cavity surface emitting laser *Nanophotonics* **12** 857–67
- [22] Pfenning A, Krüger S, Jabeen F, Worschech L, Hartmann F and Höfling S 2022 Single-photon counting with semiconductor resonant tunneling devices *Nanomaterials* **12** 2358
- [23] Al-Taai Q R A, Wang J, Morariu R, Ofiare A, Al-Khalidi A, Wang J, Romeira B, Figueiredo J M L and Wasige E 2021 Extremely low-power consumption nano-RTD photodetectors for future neuromorphic computing *44th Workshop on Compound Semiconductor Devices and Integrated Circuits Held in Europe (Bristol, UK, 14–17 June 2021)* p 3
- [24] Lourenço J, Al-Taai Q R A, Al-Khalidi A, Wasige E and Figueiredo J M L 2022 Resonant tunnelling diode—photodetectors for spiking neural networks *J. Phys.: Conf. Ser.* **2407** 012047
- [25] Al-Taai Q R A, Morariu R, Wang J, Al-Khalidi A, Al-Moathin A, Romeira B, Figueiredo J and Wasige E 2022 Towards an excitable microwave spike generator for future neuromorphic computing *2021 16th European Microwave Integrated Circuits Conf. (EuMIC)* pp 386–9
- [26] Cornescu A C, Morariu R, Ofiare A, Al-Khalidi A, Wang J, Figueiredo J M L and Wasige E 2019 High-efficiency bias stabilization for resonant tunneling diode oscillators *IEEE Trans. Microw. Theory Tech.* **67** 3449–54
- [27] Pfenning A, Hartmann F, Langer F, Kamp M, Höfling S and Worschech L 2016 Sensitivity of resonant tunneling diode photodetectors *Nanotechnology* **27** 355202
- [28] Hartmann F, Langer F, Bisping D, Musterer A, Höfling S, Kamp M, Forchel A and Worschech L 2012 GaAs/AlGaAs resonant tunneling diodes with a GaInNAs absorption layer for telecommunication light sensing *Appl. Phys. Lett.* **100** 172113
- [29] Wang J, Khalidi A, Alharbi K, Ofiare A, Zhou H and Wasige E 2016 G-band MMIC resonant tunneling diode oscillators *2016 Compound Semiconductor Week (CSW) [Includes 28th Int. Conf. on Indium Phosphide & Related Materials (IPRM) & 43rd Int. Symp. on Compound Semiconductors (ISCS)]* pp 1–2
- [30] Zhang W, Al-Khalidi A, Figueiredo J M L, Al-Taai Q R A, Wasige E and Hadfield R H 2021 Analysis of excitability in resonant tunneling diode-photodetectors *Nanomaterials* **11** 1590
- [31] Asada M and Suzuki S 2016 Room-temperature oscillation of resonant tunneling diodes close to 2 THz and their functions for various applications *J. Infrared Millim. Terahertz Waves* **37** 1185–98
- [32] M Hejda 2023 *Optically-triggered deterministic spiking regimes in nanostructure resonant tunnelling diode-photodetectors* (University of Strathclyde Knowledge Base link) (<https://doi.org/10.15129/8def9efd-a509-4d5b-aa4e-3abc345680cb>)