

Digital Object Identifier 10.1109/ACCESS.2019.2942728

EDITORIAL

IEEE ACCESS SPECIAL SECTION EDITORIAL: WEARABLE AND IMPLANTABLE DEVICES AND SYSTEMS

Circuit techniques, sensors, antennas and communications systems are envisioned to help build new technologies over the next several years. Advances in the development and implementation of such technologies have already shown us their unique potential in realizing next-generation sensing systems. Applications include wearable consumer electronics, healthcare monitoring systems, and soft robotics, as well as wireless implants. There have been some interesting developments in the areas of circuits and systems, involving studies related to low-power electronics, wireless sensor networks, wearable circuit behaviour, security, real-time monitoring, connectivity of sensors, and Internet of Things (IoT). The direction for the current technology is electronics systems on large area electronics, integrated implantable systems and wearable sensors. So far, the research in the field has focused on materials, new processing techniques and one-off devices, such as diodes and transistors. However, current technology is not sufficient for future electronics to be useful in new applications; a great demand exists to scale up the research towards circuits and systems. Recent developments indicate that, in addition to fabrication technology, special attention should also be given to design, simulation and modeling of electronics, while keeping sensing system integration, power management, and sensors network under consideration.

The Special Section consists of 23 contributions, including 4 survey articles covering a variety of topics in line with the call for papers.

In the article, "A review on EEG-based automatic sleepiness detection systems for driver," by Balandong, *et al.*, a review on different types of measures used in sleepiness detection systems (SDSs) is presented, with their advantages and drawbacks. The review also includes several techniques proposed in ESDSs to optimize the number of EEG electrodes, increasing the sleepiness level resolution and incorporation of circadian information. Finally, the review discusses future directions in the development of ESDS.

In the article, "A survey on the roles of communication technologies in IoT-based personalized healthcare applications," by Alam *et al.*, the authors propose a survey on emerging healthcare applications, including detailed technical aspects required for the realization of a complete end-to-end solution for each application. The survey explores the

key application-specific requirements from the perspective of communication technologies. Furthermore, a detailed exploration from the existing to the emerging technologies and standards that would enable such applications is presented, highlighting the critical consideration of short-range and long-range communications. Finally, the survey highlights important open research challenges and issues specifically related to IoT-based future healthcare systems.

In the article, "A review on the role of nano-communication in future healthcare systems: A big data analytics perspective," by Rizwan *et al.*, a first-time review of the open literature focused on the significance of big data generated within nano-sensors and nano-communication networks intended for future healthcare and biomedical applications. It is aimed toward the development of modern smart healthcare systems enabled with P4, i.e., predictive, preventive, personalized, and participatory capabilities to perform diagnostics, monitoring, and treatment. Finally, the open challenges and future directions for researchers in the evolving healthcare domain are presented.

In the article, "Wearable ultrawideband technology—A review of ultrawideband antennas, propagation channels, and applications in wireless body area networks," by Yan *et al.*, the authors review the latest results in the field of wearable ultrawideband antennas, propagation channels, and their respective applications in WBAN systems. Future directions have been identified for further research as well.

In the article, "Analysis of vertical loop antenna and its wide and flat variant performance in wearable use," by Berg *et al.*, an analysis is presented of the input impedance and radiation pattern behavior for a rectangular loop antenna, when it is reshaped from a narrow square to wide and flat. Measured radiation efficiency for the antenna in contact with a human tissue phantom was -5.0 dB at 2 GHz and the obtainable bandwidth potential is >10%.

In the article, "Integrated design of wideband omnidirectional antenna and electronic components for wireless capsule endoscopy systems," by Duan *et al.*, a wideband antenna with omnidirectional radiation pattern for wireless capsule endoscopy (WCE) systems has been proposed. The proposed antenna radiates as a slot structure formed between a central



copper cylinder and a copper strip attached to the interior surface of a biocompatible polyimide shell. The integrated design concept, wideband impedance matching, and stable omnidirectional radiation patterns make the proposed antenna a promising candidate for future WCE systems.

In the article, "Dynamic evaluation and treatment of the movement amplitude using kinect sensor," by Neto et al., a hybrid solution (software and hardware) named GoNet v2, integrating the computer and the Kinect sensor, has been proposed for biomechanical rehabilitation processes. Experimental tests to evaluate the range of motion of body joints, especially for elbow flexion, elbow extension, shoulder abduction, shoulder flexion, radial deviation, and ulnar deviation, are presented and discussed. According to the evaluation of the specialists, the GoNet v2 gave better results for the flexion/extension of the shoulder (3.61%) and elbow (3.17%), and also the abduction (2.11%) of the shoulder compared with the goniometer. The results showed that the GoNet v2 had high reproducibility, except for radial deviation. The accuracy results were good for the abduction measurements of the shoulder and the flexion/extension measurements of the elbow and shoulder.

In the article, "Mathematical modeling of ultra wideband $in\ vivo$ radio channel," by Ilyas $et\ al.$, a novel mathematical model for an $in\ vivo$ radio channel at ultra-wideband frequencies (3.1–10.6 GHz) is proposed, which can be used as a reference model for $in\ vivo$ channel response without performing intensive experiments or simulations. The proposed model was applied to the blind data, and the statistic of error prediction was RMSE = 7.76, which also shows a reasonable model accuracy. This model will save time and cost on simulations and experiments, and will help in designing an accurate link budget calculation for a future enhanced system for ultra-wideband body-centric wireless systems.

In the article, "An automated remote cloud-based heart rate variability monitoring system," by Hussein *et al.*, a healthcare monitoring service to people living in remote areas was proposed, which was otherwise very difficult owing to the small doctor-to-patient ratio. The researchers also analyzed their monitoring system using two different databases. After analyzing the performance of the proposed scheme, the obtained results for accuracy, sensitivity, and specificity were 99.02%, 98.78%, and 99.17%, respectively. The achieved results concluded that the proposed system was quite reliable, robust, and valuable.

In the article, "Power generation for wearable electronics: designing electrochemical storage on fabrics," Vilkhu *et al.*, presented a new class of textiles with electrochemical functions which, when moistened by a conductive liquid (saline solution, sweat, and wound fluid), generate DC voltage and current levels capable of powering wearable electronics on the go. The proposed technology is expected to be of utmost significance for healthcare, sports, military, and consumer applications, among others.

In the article, "Adaptive beaconing based mac protocol for sensor based wearable system," by Xu et al., an adaptive

beaconing medium access control (AB-MAC) protocol has been proposed to reduce communication delay and improve throughput and energy efficiency for duty cycle-based wearable systems. Experimental results showed that compared with RI-MAC protocol, AB-MAC protocol can reduce the delay by 32%–51%, increase the throughput by 45%–116%, and improve the energy efficiency by 12%–21% without sacrificing the network lifetime.

In the article, "Nano-ferrite near-field microwave imaging for in-body applications," Ren *et al.*, demonstrated that iron oxide nanoparticles were appropriate for use as contrast agents in biological imaging. They used iron oxide nanoparticles as a nanoprobe because they are widely used in clinical MRI and other molecular imaging techniques.

In the article, "Breathing rhythm analysis in body centric networks," Fan *et al.*, presented a noncontact and economically viable respiratory rhythm-detection system using *S*-band sensing technique. The system leverages a microwave sensing platform to capture the minute variations caused by breathing. The experimental results not only validate the feasibility of respiratory rhythm detection using *S*-band sensing technique, but also demonstrate that the S-Breath system provides good performance.

In the article, "A wireless implantable sensor design with subcutaneous energy harvesting for long-term IoT healthcare applications," Wu *et al.*, proposed a wireless implantable sensor prototype with subcutaneous solar energy harvesting, which consists of a power management circuit, a temperature sensor, and a Bluetooth low energy module. An application is developed for data visualization on mobile devices, which can be a gateway for future IoT-based healthcare applications. The entire device is embedded in a transparent silicone housing (38 mm \times 32 mm \times 4 mm), including a 7 mAh rechargeable battery for energy storage. The average power consumption of the implants is about 30 μ W in a 10 min operation cycle. Two worst-case scenarios (no exposure to light and battery depletion) are considered with ex-vivo experiment simulations.

In the article, "Towards smart work clothing for automatic risk assessment of physical workload," by Yang et al., a wearable system integrating textrodes, motion sensors, and real-time data processing through a mobile application was developed as a demonstrator of risk assessment related to different types and levels of workload and activities. The system was demonstrated in eight subjects from four occupations with various workload intensities, during which the heart rate and leg motion data were collected and analyzed with real-time risk assessment and feedback. The system showed good functionality and usability as a risk assessment tool. The results contribute to the design and development of future wearable systems and bring new solutions for the prevention of work-related disorders.

In the article, "Wearable depth camera: Monocular depth estimation via sparse optimization under weak supervision," He *et al.* propose a depth estimation method with a monocular camera. The main idea lies in the weak-supervised learning

VOLUME 7, 2019 139513



model of monocular depth estimation based on left and right consistency. Compared with several state-of-the-art monocular camera depth estimators, the proposed method obtains the highest depth accuracy.

In the article, "WE-safe: A self-powered wearable IoT sensor network for safety applications based on LoRa," Wu et al., proposed a sensor node, called the WE-Safe node, based on a customized sensor node, and is self-powered, low-power, and supports multiple environmental sensors. Environmental data is monitored by the sensor node in real-time and transmitted to a remote cloud server. The experimental results indicate that the presented safety monitoring network works reliably using energy harvesting.

In the article, "An ultra low power personalizable wrist worn ECG monitor integrated with IoT infrastructure," by Beach *et al.*, the authors present a wrist worn ECG sensor which integrates with the SPHERE IoT platform—the UK's demonstrator platform for health monitoring in the home environment—combining a range of on-person and ambient sensors. The design and heart sensing performance of the device are presented in detail, together with the integration with the SPHERE IoT platform.

In the article, "Power management using photovoltaic cells for implantable devices," by Oo Htet *et al.*, the authors present a novel inductor-less switched capacitor (SC) DC–DC converter, which generates simultaneous dual-output voltages for implantable electronic devices. The proposed monolithically integrated PV powered circuit achieves a conversion efficiency of 85.26% and provides extra flexibility in terms of gain, which is advantageous for future implantable applications that have a range of inputs. This research is, therefore, an important step in achieving truly autonomous implantable electronic devices.

In the article, "Power control algorithms for media transmission in remote healthcare systems," by Sohdro *et al.*, the authors propose a transmission power control (TPC)-based energy-efficient algorithm (EEA) for when a subject is in different postures, i.e., standing, walking, and running, in wireless body sensor networks. A hardware platform was developed on the Intel Galileo board to test and compare the proposed EEA and conventional adaptive TPC (ATPC) in terms of energy and channel reliability or packet loss ratio (PLR). Experimental results revealed that the proposed EEA obtained energy savings of 42.5% with an acceptable PLR compared with that of the traditional ATPC method.

In the article, "Ion-sensitive field-effect transistors with micropillared gates for measuring cell ion exchange at molecular levels," by Abdallah *et al.*, the authors present a novel, ion-sensitive field-effective transistor (ISFET) modality to measure cell behavior during the change of cell properties at molecular levels. ISFETs produce low resistance signals and consume low power. The small size of ISFETs enables miniature diagnosis devices that can be affordably fabricated in a massive array format.

In the article, "Exploiting smallest error to calibrate non-linearity in SAR ADCs," by Fan $et\ al.$, the authors propose a statistics-optimized organization technique to achieve better element matching in successive approximation register (SAR) analog-to-digital converter (ADC) in smart sensor systems. The authors demonstrated the proposed technique's ability to achieve a significant improvement of around 23 dB on a spurious free dynamic range (SFDR) of the ADC than the conventional, testing with a capacitor mismatch $\sigma u = 0.2\%$ in a 14-bit SAR ADC system.

In the article, "Performance evaluation of routing protocols in electromagnetic nanonetworks," AbuAli *et al.*, investigated three routing protocols: controlled flooding, coordinate/routing for nanonetworks, and hierarchical ad hoc on demand distance vector for nano-networks. Performance of the three protocols with respect to energy consumption and network delay against transmission range and network density hasbeen presented.

The Guest Editors hope that this Special Section will benefit the scientific community and contribute to the knowledge base, and would like to take this opportunity to applaud the contribution of the authors to this Special Section. The efforts of the reviewers to enhance the quality of the manuscripts are also much appreciated.

QAMMER HUSSAIN ABBASI, Guest Editor University of Glasgow Glasgow G12 8QQ, U.K. Queen Mary University of London London E1 2AD, U.K.

ASIMINA KIOURTI, Guest Editor Department of Electrical and Computer Engineering The Ohio State University Columbus, OH 43210, USA

> HADI HEIDARI, Guest Editor James Watt School of Engineering University of Glasgow Glasgow G12 8QQ, U.K.

YEJUN HE, Guest Editor College of Electronics and Information Engineering Shenzhen University Shenzhen 518060, China

> MAJID WARKIANI, Guest Editor School of Biomedical Engineering University of Technology Sydney (UTS) Sydney, NSW 2007, Australia

AKRAM ALOMAINY, Guest Editor School of Electronic Engineering and Computer Science Queen Mary University of London London E1 4NS, U.K.

139514 VOLUME 7, 2019





QAMMER HUSSAIN ABBASI (S'08–M'12–SM'16) is currently a Lecturer (Assistant Professor) with the School of Engineering, University of Glasgow, and also a Visiting Lecturer with Queen Mary University of London (QMUL). He has a research portfolio of around £3.5 million and contributed to a patent, 7 books, and more than 200 leading international technical journals and peer reviewed conference papers and received several recognitions for his research. His research interests include nano communication, RF design and radio propagation, biomedical applications of millimeter and terahertz communication, wearable and flexible sensors, compact antenna design, antenna interaction with human body, implants, body centric wireless communication issues, wireless body sensor networks, noninvasive health care solutions, and physical layer security for wearable/implant communication.

Prof. Abbasi is a member of IET and a Committee Member of the IET Antenna & Propagation and Healthcare Network. He has been a member of the technical program committees of several IEEE flagship conferences and technical reviewer for several IEEE and top-notch

journals including as a John Wiley & Sons book reviewer. His awards include: the URSI Young Scientist Award 2019; two consecutive University Research Excellence Awards from TAMUQ; Reward for Excellence from the University of Glasgow, U.K.; an exceptional talent endorsement, awarded to early career world-leading innovators and scientists from the Royal Academy of Engineering; National Interest Waiver from the USA for world leaders and innovators, the most downloaded paper in the IEEE TERAHERTZ TRANSACTIONS; the Best Representative Image for an Outcome (BRIO) Award by then Qatar National Research Fund in 2018; the Best Reviewer Award from the IEEE Antenna and Propagation Society in 2018; he was a co-recipient of the Abu Dhabi Department of Education and Knowledge (ADEK) Award for Research Excellence in 2017; and the Best Paper Award in IEEE IMBIOC and IEEE WCNC. He has also received media coverage from *Analog IC Tips, Microwaves & RF Newsletters*, and *Vertical News*. He is an Associate Editor of IEEE Access, the IEEE JOURNAL OF ELECTROMAGNETICS, RF AND MICROWAVES IN MEDICINE AND BIOLOGY, the *Journal of Applied Electromagnetics*, and acted as a Guest Editor for numerous special issues in top notch journals. He is an Expert Reviewer of the U.K. National Commission for UNESCO's, ESPRC, U.K. Qatar national research funds, and Research Foundation Falunder (FWO), Belgium. He contributes regularly in organizing workshops and special sessions in IEEE Conferences, in addition to organizing the EurAAP European School of Antenna's course on body-centric communication.



ASIMINA KIOURTI received the M.Sc. degree from University College London, U.K., in 2009, and the Ph.D. degree in electrical and computer engineering from the National Technical University of Athens, Greece, in 2013. From 2013 to 2016, she served as a Postdoctoral Researcher and a Senior Research Associate with the ElectroScience Laboratory, The Ohio State University (OSU), where she became an Assistant Professor of electrical and computer engineering in Fall 2016. Her research interests include wearable and implantable antennas, bioelectromagnetics, sensors for body area applications, and flexible e-textiles. Her publication record includes 8 book chapters, 8 patents, 46 journal papers, and more than 85 conference papers. Her work has been recognized with more than 40 scholarly awards, including the 2018 URSI Young Scientist Award, the 2014 IEEE EMB-S BRAIN Young Investigator Award, the 2012 IEEE MTT-S Graduate Fellowship for Medical Applications, and the 2011 IEEE AP-S Doctoral Research Award. Her research has gained an international reputation and has been featured by *TechCrunch, Gizmodo, Times of India, Australia Network News*, and the *ALN Magazine*,

among others. She is currently serving as an Associate Editor for the IEEE TRANSACTIONS ON ANTENNAS AND PROPAGATION, the IEEE JOURNAL OF ELECTROMAGNETICS RF AND MICROWAVES IN MEDICINE AND BIOLOGY and Advanced Electromagnetics.

VOLUME 7, 2019 139515





HADI HEIDARI received the Ph.D. degree. He is currently an Assistant Professor (Lecturer) with the School of Engineering, University of Glasgow, U.K. He leads the Microelectronics Laboratory and his research includes developing microelectronics and sensors for neurotechnology devices. He has authored more than 90 articles in tier-1 journals and conferences.

Dr Heidari is a member of the IEEE Circuits and Systems Society Board of Governors (BoG) and the IEEE Sensors Council Administrative Committee (AdCom). He was a recipient of a number of awards, including the Rewards for Excellence prize from the University of Glasgow in 2018, the IEEE CASS Scholarship (NGCAS'17), and Best Paper Awards from the ISSCC'16, ISCAS'14, and PRIME'14. He is the General Chair of 27th IEEE ICECS 2020 in Glasgow. He is an Associate Editor of the IEEE JOURNAL OF ELECTROMAGNETICS, RF AND MICROWAVES IN MEDICINE AND BIOLOGY, IEEE ACCESS, Elsevier *Microelectronics Journal*, and a Guest Editor of the IEEE SENSORS Journal. He served on the organizing committee for several conferences including the U.K.–China Emerging Technologies (UCET), IEEE SENSORS'16 and '17,

NGCAS'17, BioCAS'18, PRIME'15 and '19, and is an Organizer for several special sessions on the IEEE Conferences. As PI, he has received £1m+ funding from major research councils and funding organizations, including the European Commission, EPSRC, Royal Society, and Scottish Funding Council. He is involved in the €8.4M EU H2020 FET Proactive on Hybrid Enhanced Regenerative Medicine Systems (HERMES).



YEJUN HE (SM'09) received the Ph.D. degree in information and communication engineering from the Huazhong University of Science and Technology (HUST), Wuhan, China, in 2005. From 2005 to 2006, he was a Research Associate with the Department of Electronic and Information Engineering, The Hong Kong Polytechnic University, Hong Kong. From 2006 to 2007, he was a Research Associate with the Department of Electronic Engineering, Faculty of Engineering, The Chinese University of Hong Kong, Hong Kong. In 2012, he was a Visiting Professor with the Department of Electrical and Computer Engineering, University of Waterloo, Waterloo, ON, Canada. From 2013 to 2015, he was an Advanced Visiting Scholar (Visiting Professor) with the School of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA, USA. Since 2011, he has been a Full Professor with the College of Information Engineering, Shenzhen University, Shenzhen, China, where he is currently the Director of the Guangdong Provincial Engineering Research Center of Base Station Antennas and Propagation, and the Director of the Shenzhen Key Laboratory of Antennas and Propaga-

tion, Shenzhen, China. He authored and coauthored more than 120 technical publications, and two books. His research interests include wireless mobile communication, antennas, and RF.

Dr. He is a Fellow of the IET. He has also served as a Technical Program Committee Member. He received the second-class Science and Technology Progress Prize issued by Shenzhen City and the three-class Science and Technology Progress Prize issued by the Guangdong Province Government. He has also served as a Session Chair for various conferences, including the IEEE Global Communications Conference (GLOBECOM), the IEEE International Conference on Communications (ICC), the IEEE Wireless Communication Networking Conference (WCNC), and the IEEE Vehicular Technology Conference (VTC). He is the IEEE Antennas and Propagation Society-Shenzhen Chapter Chair. He served as a Technical Program Committee Co-Chair for the Wireless and Optical Communication Conference (WOCC) in 2015. He is acting as General Chair of Com-ComAp2019. He is an Associate Editor for the IEEE NETWORK, IEEE ACCESS, and the *International Journal of Communication Systems*. He has served as a Reviewer for various journals, such as the IEEE TRANSACTIONS ON ANTENNAS AND PROPAGATION, the IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY, the IEEE TRANSACTIONS ON INDUSTRIAL ELECTRONICS, the IEEE TRANSACTIONS, and the IEEE WIRELESS COMMUNICATIONS, and the IEEE NETWORK, the IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS. He is the Principal Investigator for more than 20 current or finished research projects, including NSFC of China, the Integration Project of Production Teaching and Research by Guangdong Province, and the Ministry of Education and Science and Technology Program of Shenzhen City.

139516 VOLUME 7, 2019





MAJID WARKIANI received the Ph.D. degree in mechanical engineering from Nanyang Technological University (NTU), Singapore. He undertook postdoctoral training with the Massachusetts Institute of Technology (MIT), USA. He is currently an Associate Professor with the School of Biomedical Engineering, UTS Sydney, Sydney, Australia. He is also a member of the Institute for Biomedical Materials & Devices (IBMD) and the Center for Health Technologies (CHT), UTS. His current research interests include microfluidics involving the design and development of novel microfluidic systems for particle and cell sorting (e.g., circulating tumor cells, fetal cells, and stem cells) for diagnostic and therapeutic applications, bio-MEMSinvolving the fabrication and characterization of novel 3D lab-on-a-chip systems to model physiological functions of tissues and organs, and 3D printing involving the design and development of novel miniaturized systems (e.g., micro-mixers and micro-cyclones) for basic and applied research.



AKRAM ALOMAINY received the M.Eng. degree in communication engineering and the Ph.D. degree in electrical and electronic engineering (specialized in antennas and radio propagation) from the Queen Mary University of London (QMUL), U.K., in July 2003 and July 2007, respectively. He joined the School of Electronic Engineering and Computer Science, in 2007, where he is currently a Reader in antennas and applied EM, and is also a member of the Institute of Bioengineering, Centre for Intelligent Sensing. His current research interests include small and compact antennas for wireless body area networks, radio propagation characterization and modelling, antenna interactions with the human body, computational electromagnetic, advanced antenna enhancement techniques for mobile and personal wireless communications, nano-scale networks and communications, THz material characterization and communication links, and advanced algorithm for smart and intelligent antenna and cognitive radio system. He secured various research projects funded by research councils, charities, and industrial partners on projects ranging from fundamental electromagnetic to nano-scale wearable and

in-vivo technologies. He is the lead of wearable creativity research with the Queen Mary University of London. He was invited to participate at the Wearable Technology Show, 2015, Innovate U.K., 2015, and the recent Wearable Challenge organized by Innovate UK IC Tomorrow as a leading challenge partner to support SMEs and industrial innovation. He has authored and coauthored two books, 6 book chapters, and more than 300 technical papers (4800+ citations and an H-index of 33) in leading journals and peer-reviewed conferences.

Dr. Alomainy a member of the IET, a Fellow of the Higher Education Academy, U.K., and also a College Member for Engineering and Physical Sciences Research (EPSRC), U.K., and its ICT prioritization panels. He is an Elected Member of the U.K. URSI (International Union of Radio Science) panel to represent the U.K. interests of URSI Commission B from September 2014 to 31 August 2020. He was a recipient of the Isambard Brunel Kingdom Award in 2011 for being an outstanding young science and engineering communicator. He was selected to deliver a TEDx talk about the science of electromagnetic and also participated in many public engagement initiatives and festivals. He is also a Reviewer for many funding agencies around the world, including Expert Swiss National Science Foundation (SNSF) Research, EPSRC, and the Medical Research Council (MRC), U.K. He is a Chartered Engineer.

• • •

VOLUME 7, 2019 139517