



Stevely, A. K., Holmes, J. and Meier, P. S. (2020) Contextual characteristics of adults' drinking occasions and their association with levels of alcohol consumption and acute alcohol-related harm: a mapping review. *Addiction*, 115(2), pp. 218-229.

There may be differences between this version and the published version. You are advised to consult the publisher's version if you wish to cite from it.

<http://eprints.gla.ac.uk/222947/>

Deposited on: 26 November 2020

Enlighten – Research publications by members of the University of Glasgow
<http://eprints.gla.ac.uk>

ADDICTION

SSA SOCIETY FOR THE
STUDY OF
ADDICTION

Contextual characteristics of adults' drinking occasions and their association with levels of alcohol consumption and acute alcohol-related harm: A mapping review

Journal:	<i>Addiction</i>
Manuscript ID	ADD-19-0324.R2
Manuscript Type:	Review
Date Submitted by the Author:	n/a
Complete List of Authors:	Stevely, Abigail; University of Sheffield School of Health and Related Research, Sheffield Alcohol Research Group Holmes, John; University of Sheffield, School of Health and Related Research Meier, Petra; University of Sheffield, School of Health and Related Research
SUBSTANCE:	alcohol
METHOD:	Narrative review
FIELD OF STUDY:	social sciences
Keywords:	Drinking occasions, Contexts, Alcohol Drinking, Adverse Effects

SCHOLARONE™
Manuscripts

Contextual characteristics of adults' drinking occasions and their association with levels of alcohol consumption and acute alcohol-related harm: A mapping review

Abigail K Stevely¹, John Holmes¹, Petra S Meier^{1,2}

¹Sheffield Alcohol Research Group, School of Health and Related Research (SchARR), University of Sheffield, UK

²UK Centre for Tobacco and Alcohol Studies (UKCTAS)

Corresponding author: Abigail K Stevely (astevely1@sheffield.ac.uk)

Running head: Characteristics of adults' drinking occasions

Word count: 4000

Declarations of competing interest: PSM and JH have received research funding from Systembolaget and Alko, the government-owned alcohol retail monopolies in Sweden and Finland.

ABSTRACT

Background and Aims

There is a growing literature using event-level methods to estimate associations between contextual characteristics of drinking occasions, consumption levels, and acute harms. This literature spans many research traditions and has not been brought together as a whole. This mapping review aims to identify and describe the theoretical approaches to conceptualising drinking occasions, study designs, predictors, and outcome measures used in existing research with a view to identifying dominant approaches, research gaps and areas for further synthesis.

Methods

Eligible papers studied adults' drinking occasions using quantitative event-level methods, considered one or more contextual characteristics (e.g. venue, timing, or company), and at least one event-level consumption or acute alcohol-related harm outcome. We systematically searched Ovid MEDLINE, PsycInfo, and the Web of Science Social Sciences Citation Index, extracting data on studies' theoretical approach, data collection methods, settings, populations, drinking occasion characteristics, and outcome measures.

Results

Searches identified 278 eligible papers (from 1975 to 2019), predominantly published after 2010 (n=181; 65.1%). Most papers reported research conducted in the United States (n=170; 61.2%) and half used student participants (n=133; 47.8%). Papers typically lacked a stated theoretical approach (n=203; 73.0%). Consistent with this, only 53 (19.1%) papers studied three or more occasion characteristics and most used methods that assume occasion characteristics do not change during an occasion (n=189; 68.0%). The most common outcome type considered was consumption (n=224; 80.6%) and only a few papers studied specific acute harm outcomes such as unprotected sex (n=24; 8.6%), drink driving (n=14; 5.0%) or sexual violence (n=9; 3.2%).

Conclusions

The reviewed literature is largely focused on students and consumption outcomes. Most papers considered a limited range of contextual characteristics. Future work should synthesise the findings on emerging and well-covered topics, such as venue type, and use theory-informed approaches to ensure more consistent analyses of contextual characteristics.

Key words: Drinking occasions, Contexts, Alcohol Drinking, Adverse Effects

For Review Only

INTRODUCTION

Globally, alcohol consumption was the seventh leading risk factor for death and disability in 2016 (1). Acute health conditions, such as injuries from violence and road traffic accidents, account for a large proportion of this burden, for example, they account for an estimated 54% of alcohol-related deaths and 65% of years of life lost in the United States (US) (2–4). Recent evidence suggests that both consumption levels and acute harmful outcomes are directly linked to the context of drinking occasions (5,6). There is less focus on the relationship between occasion characteristics and chronic harms as these are more related to long-term consumption patterns. Event-level methods, rather than measures of typical behaviour, are well suited and increasingly used to study the effects of contextual characteristics on consumption levels and acute harm (6,7). The range of characteristics studied to date is broad, including an occasion's timing, venue, situation, and participants. In the UK, drinking in pubs has been associated with violence (8). In the US college literature, themed parties were associated with increased blood alcohol concentration (9), and friends' high safety intentions for 21st birthday celebrations reduced the likelihood of negative alcohol-related consequences (10). Researchers in Switzerland and Australia also found that pre-drinking, drinking with a greater number of friends and drinking in a mixed gender group are all associated with increased alcohol consumption during an occasion (11–15). Other researchers have shown that drinking contexts and acute harm also vary across demographic groups; underage and legal drinkers differ in their drinking contexts and the alcohol-related harms that they experience (16,17).

In addition to measuring many contextual characteristics, the event-level literature linking contextual characteristics to acute consumption or harm is methodologically diverse. Researchers use experimental designs to determine how drinking behaviour is altered by factors manipulated by the researcher, such as the setting, who drinkers are with and the size or shape of the container which they are drinking from (18–20). There are also field studies in which researchers directly observe and collect data about drinking occasions (21). Intercept studies are a type of field study where participants are interviewed when entering or leaving drinking venues (22). Ecological momentary assessment is another commonly used survey approach involving eliciting reports from drinkers in real-time (or close to it), for example via smartphone apps (4,23,24). This is useful for identifying causal relationships as the temporal order of events is observed. Lastly, researchers use retrospective surveys to collect data on drinking occasions sometime after the event (25).

This large and diverse body of evidence is located in multiple research traditions, including epidemiology, experimental psychology, quantitative sociology, prevention research and anthropology. Thus, there is a need for a review to bring the published studies together and identify

the dominant theoretical and methodological approaches, any research gaps, and a set of specific topic areas for further detailed review and meta-analysis (26,27). Considering theoretical approaches is important as they influence the rationale, aims, objectives, methods and interpretation of studies (28,29). Understanding the theoretical approaches used can therefore assist in explaining other features of the literature. This mapping review aims to describe event-level research that quantifies the relationship between the context of adults' drinking occasions and consumption and/or acute alcohol-related harm. In order to achieve this, it maps studies in terms of their theoretical approach, data collection methods, settings, populations, characteristics of drinking occasions analysed, other outcome predictors such as individual characteristics, and the outcome measures of consumption and/or acute alcohol-related harm used (27).

METHODS

Mapping review

Grant *et al.*, in their typology of reviews, define mapping reviews as describing the topics covered and methods used by the existing literature to identify research gaps and areas for systematic review (27). Mapping reviews are particularly useful for a research area like event-level alcohol research, where the evidence base is large, methodologically and conceptually diverse, and distributed across a poorly connected set of research traditions.

Search strategy

A systematic search was conducted using Ovid MEDLINE, Ovid PsycInfo and the Web of Science Social Science Citation Index (SSCI). Databases were searched from the earliest dates available to the 8th January 2019. The main search strategy was developed iteratively, with a scoping search used to identify key terms relating to three concepts: alcohol consumption (e.g. alcohol-related or alcoholic beverage*), event-level research (e.g. ecological momentary assessment) and characteristics of drinking occasions (e.g. venue*, weekend). These were combined such that only records containing at least one term from each concept were identified (Table S1). This search strategy captured literature on alcohol-related harms since these papers mention the included alcohol terms and use Medical Subject Headings such as Alcohol Drinking.

Duplicates were removed using Ovid. Studies describing the effects of interventions or treatment were not of interest for this review. The search strategy therefore excluded papers using relevant database-specific subject headings and the terms 'brief intervention' present in the abstract or 'effectiveness' in the title.

Eligibility criteria

Population

Our review focuses on studies of the general population, or subsets thereof, defined by drinking level or age (including student populations). Research on clinical or other special subpopulations (e.g. pregnant women; homeless populations, young offenders, those diagnosed with specific health conditions) was excluded, as were studies with participants wholly under the legal drinking age (e.g. under 21s in the US) as underage drinkers are known to drink differently to adults and have a different harm profile (16,17).

Exposure

Eligible studies must quantitatively measure one or more contextual characteristics of individual drinking occasions other than alcohol consumption or harm. These were identified during search strategy development and are listed in the search strategy and results table (Table 1, Table S1). Contextual characteristics were organised into six categories developed using the results of the scoping search – meaning, timing, venue, company, situation (e.g. crowding) or drink type (30).

Outcome

Eligible studies examine the association between a relevant contextual characteristic and at least one event-level or aggregate consumption outcome and/or acute alcohol-related harm. Acute harms were identified using the 10th Revision of the International Classification of Diseases and a 2017 review of the burden of disease of alcohol use (31–33). The resultant list of 20 harms was lengthened to include condom use, criminal activity and aggregate measures of acute harm (which aggregate several different harms into one measure). Studies on these subjects were identified by the scoping search.

Study designs and reporting

Quantitative research published in English that used event-level methods including ecological momentary assessment, experimental, retrospective diary (up to one week) and recall of specific occasion/s methods was eligible for inclusion.

We excluded studies that did not identify drinking occasions of individuals or groups, such as bar-room studies measuring bar-level characteristics and outcomes only.

Existing reviews

Where recent (2014 – present) systematic reviews of an occasion characteristic, an outcome or the relationship between a characteristic and outcome were identified during database searching, we consider the literature on that topic to be adequately mapped and exclude it from the present review, irrespective of publication date. This decision was taken to manage the scope of an already wide-ranging review. It means we did not include search terms related to the topic of the earlier review in our search strategy and we did not include otherwise identified studies if they focused only on the reviewed characteristic, outcome or relationship. Below, we summarise the recent reviews identified by our search to give readers an overview of their content and guide them towards information that is excluded from the present study. Where older (pre-2014) systematic reviews were identified, we considered the literature to be potentially inadequately mapped, as recent studies would not be included. Therefore, we included all eligible studies within older reviews in our analysis and searched for more recent literature within our search strategy.

Four recent reviews were identified. Two of these focused on the relationship between illicit substance use and domestic violence (34,35) and the other two focused on combined use of alcohol with energy drinks (36,37). None of these reviews solely focused on event-level studies but included them alongside other literature. Choenni *et al.*'s review on illicit substance use and domestic violence identified few event-level studies and most of the literature focused on clinical populations (34). Bruijn *et al.* include three event-level studies of non-clinical samples on the relationship between illicit substance use and same-day domestic violence based on the table of included literature (35). Similarly, Verster *et al.* and Peacock *et al.*'s systematic reviews on mixing alcohol with energy drinks included few event-level studies and none that predicted acute harm outcomes (36,37). Much of the literature in the reviews by Verster *et al.* and Peacock *et al.* studied student or bar drinking samples (36,37). Overall, there is limited event-level research in these areas especially in general population samples.

We identified a number of older systematic reviews that were potentially relevant. The most important was published in 2011 by Hughes *et al.* and examines physical, staffing and social factors in drinking occasions (38). We included the 53 papers in Hughes *et al.*'s review in our screening and searched for new literature in this area published after 2009 (38). Other reviews on pre-drinking, craving, smoking, motives and expectancies, bar characteristics, day of the week, time of day and student drinking and intimate partner violence were identified (2,4,6,39–47). These reviews were not recent, comprehensive, systematic and event-level and so did not justify excluding these characteristics from this review.

Screening for inclusion and data extraction

Titles and abstract screening was followed by full-text screening and data extraction by one reviewer (AS).

Identifying information extracted included title, first author, journal and year of publication. Key information was then extracted about each study including the theoretical approach, data collection method, setting, population and country, study outcome measures and the individual, contextual characteristics and other predictors included. We also assessed whether the design treated drinking occasions as static or allowed for characteristics to change during the drinking occasions (such as moving venue). The results reported in each paper were not extracted since the aim of this review was to map the topics and methods covered by existing literature (27).

Analysis and reporting

Descriptive summary statistics were used to first explore theoretical approaches, then study design, followed by individual and occasion characteristics used as predictors, and finally outcome measures. Summary statistics refer to numbers of papers as some papers reported multiple studies and vice versa.

Analysis was conducted using Microsoft Excel 2016 and Stata version 15. Figures were produced using OriginPro 2017. All searching, screening, data extraction and analysis was conducted by the first author with input from PM and JH.

RESULTS

A summary table of the included literature is available in the Appendix (Table S2).

Search results

Of the 5,590 non-duplicate titles and abstracts identified by the search, 4,429 (79.23%) were excluded after title and abstract screening. Full text screening subsequently excluded 883 papers leaving 278 eligible papers (Figure 1) (48).

[Insert Figure 1 here]

There has been a recent rapid increase in the number of papers being published – 65.1% of papers were published after 2010 (Figure 2).

[Insert Figure 2 here]

Theoretical approach

A minority of papers in this review had an explicit theoretical framework (n=75; 27.0%) (Table 1). Those that did typically used psychological theories such as the theory of planned behaviour and focused on specific contexts such as motivations (informed by motivational models) (49,50).

Study designs, locations and settings

Across all included papers, daily diary (n=70; 25.2%), single occasion recall (n=66; 23.7%) and experimental (n=43; 15.5%) designs were the most common. However, papers using ecological momentary assessment, such as by text messaging, were also used (n=39; 14.0%). The earliest ecological momentary assessment study identified was published in 2000 but most (n=27; 69.2%) were published after 2014 (Table S3). Most papers (n=189; 68.0%) used methods based on the assumption that occasion characteristics do not change across an occasion, for example, recording only one drinking venue or set of companions. Experimental (17 of 43 papers; 39.5%), daily diary (27 of 70 papers; 38.6%), and ecological momentary assessment (14 of 39 papers; 35.9%) designs were most likely to state an explicit theoretical framework.

Much of the identified literature was conducted in the US (n=170; 61.2%). Other common countries were Australia (n=21; 7.6%), Canada (n=17; 6.1%), and Switzerland (n=17; 6.1%). Most papers reported drinking occasions across a range of settings (n=198; 71.2%) but 45 (16.2%) focused on a single type of setting only – such as licensed premises (n=9; 3.2%), nightclubs (n=7; 2.5%) or bars (n=21; 7.6%). The remaining 35 (12.6%) papers used experimental settings.

Participant characteristics were frequently included in analyses as controls (n=230; 82.7%), including sex (n=195; 70.1%), age (n=109; 39.2%) and measures of usual drinking (n=67; 24.1%).

Study populations

Student populations were the most commonly studied (n=133; 47.8%), especially in the US literature (105 of 170 papers; 61.8%). Other papers recruited adult drinkers (n=98; 35.3%), non-student young adults (n=47; 16.9%), or risky drinkers (n=33; 11.9%). There were only three papers (1.1%) which focused on older adults although they are at higher risk of alcohol-related harm (51).

[Insert Table 1]

Contextual characteristics of drinking occasions

Contextual characteristics were organised into six categories: meaning, timing, venue, company, situation (e.g. crowding) or drink type, to facilitate interpretation (30) (Table 2). *Meaning* includes mood (e.g. feeling “sad” or “dejected” (52)), drinking motives (e.g. drinking to cope (6)), stated reason for the occasion such as being at a party (53), intentions (e.g. planned number of drinks (54)) and social support/interactions (e.g. positive or negative interpersonal events such as having an argument (55)). *Timing* is mostly operationalised as the day of the week and/or time of day at which the occasion occurs (56). Common *company* characteristics measured were the number of people in the drinking occasion and the type of people involved (e.g. family or friends (57)). *Venue* characteristics include the number of different venues (58); whether they are in the on-trade, off-trade or both (59); and the type of venue, such as in a pub versus at home (60). *Situation* relates to other features of the local environment, (e.g. crowding (61)), and a wide range of characteristics were studied. Lastly, *drink type* is the kind of alcoholic drink being consumed (e.g. liquor/spirits vs wine (62)).

The overall number of papers that studied each contextual characteristic, how many used student populations in the US, and how many used other young adult populations are shown in Table 2. There are several contextual characteristics that are well-studied in young adults but not covered by the literature on general adult populations – such as reasons, motives, number of venues and the availability of illicit drugs. Some contextual characteristics are largely studied in the US using student populations – such as the availability of food or number of drunk people in the local environment.

[Insert Table 2 here]

Few of the included papers measured a wide range of occasion characteristics, in line with the lack of theory-based conceptualisation of drinking occasions. A large proportion of included papers (n=117; 42.1%) measured just one type of characteristic. Few papers (n=53; 19.1%) measured three or more types of characteristics (Figure 3).

[Insert Figure 3 here]

Meaning characteristics were the most commonly studied (n=155; 55.8%), followed by timing (n=132; 47.5%), company (n=80; 28.8%), venue (n=75; 27.0%), situation (n=63; 22.7%) and drink type (n=18; 6.5%) (Table 3). This prominence of meaning is likely due to the dominance of psychological frameworks focused on particular aspects of drinking occasions. Of the 155 papers which measured meaning characteristics, 31.6% measured *only* meaning characteristics. This proportion was generally smaller for less commonly measured characteristics (e.g. timing 18.9%; company 16.3%; venue 12.0%; situation 15.9%; drink type 5.6%). There was variation in the overlaps between

contextual characteristic types studied; papers with company characteristics often included meaning characteristics (60.0%) and papers with drink type characteristics often included venue (61.1%) and timing (50.0%) characteristics (Table 3).

[Insert Table 3 here]

Alcohol consumption and harm outcome measures

The included papers primarily examined the relationship between occasion characteristics and alcohol consumption (n=224; 80.6%). Far fewer papers examined specific acute harms such as unprotected sex (n=24; 8.6%) and drink driving (n=14; 5.0%) (Table 4). There were no papers on drinking in pregnancy or drowning and just one paper on self-harm (63). Alcohol consumption was most commonly measured using the number of drinks or another measure of consumption volume (n=171; 61.5%). Smaller numbers of papers used dichotomous measures of heavy drinking (i.e. whether participants exceeded consumption thresholds) (n=42; 15.1%), estimated or measured blood alcohol concentration (n=59; 21.2%) and subjective measures of intoxication (n=12; 4.3%). The most common measures of acute harm were aggregate measures such as the Rutgers Alcohol Problem Index (RAPI) (n=30; 10.8%), which includes harms like drink driving and getting into fights (64).

[Insert Table 4 here]

DISCUSSION

This novel comprehensive review identified a large evidence base (278 papers) examining associations between contextual characteristics of drinking occasions, alcohol consumption and acute alcohol-related harm. Despite this, few papers included a comprehensive set of occasion characteristics and many used methods that assume drinking occasions do not evolve over their duration. This suggests the literature as a whole lacks a clear conception of drinking occasions - and therefore how to measure and analyse them. The available literature is also limited with regard to diversity of population studied. Almost half of the papers identified focused on students in the United States, which limits the generalisability of their findings.

Although most of the identified papers studied the relationship between contextual characteristics of drinking occasions and consumption, there is a growing literature studying acute harm outcomes. The included studies on specific alcohol-related harms largely focused on unprotected sex, drink driving and assault. Studying the links between these harms and occasion characteristics is

important, as alcohol consumption alone does not explain alcohol-related harm (5,6). For example, drink driving is more likely after heavy drinking occasions in on-trade venues than in off-trade venues (60). Narrative reviews or meta-analyses of sections of the identified literature are needed to identify further findings of this nature and to inform future studies of the contextual characteristics of drinking occasions and acute alcohol-related harms. Potential areas for meta-analysis include the influence on consumption or acute harms of characteristics such as day of the week, time of day or venue type, which are consistently defined and widely studied in the available literature. The authors are beginning this process by conducting a systematic review to narratively synthesise the results of studies examining the occasion-level predictors of acute alcohol-related harm (PROSPERO ID: CRD42018119701).

To gain a full and robust understanding of the relationship between contextual characteristics of drinking occasions, alcohol consumption and acute alcohol-related harm, we require studies that comprehensively capture relevant characteristics. This review identified six categories of contextual characteristics studied by the literature - meaning, timing, venue, company, situation and drink type. Most papers measured only one or two of these characteristic types and much of the literature focuses on psychological constructs (e.g. mood or stress), time of day and day of the week, with less attention paid to reasons for drinking, drinking motives, the drinking of others and the evolution of drinking occasions over their duration. This lack of comprehensiveness may reflect that the literature also lacks systematically applied occasion-focused theoretical frameworks. Future research across the disparate research traditions covered in this review could benefit from applying theoretical frameworks since theory structures our understanding of research topics, methods and interpretation (28,29). For example, in the absence of theory, researchers may overlook the complexity of drinking occasions and focus on their topic of interest – neglecting interaction with and confounding by other features of occasions.

One approach to addressing the lack of theoretical frameworks is to use insights from theories of practice (30,65,66). Ally et al. (67) and Meier et al. (30) have described how this might offer new ways to understand the contextual complexity of drinking behaviour. Their description of drinking occasions as comprising multiple intersecting elements is informed by Shove et al. (68) who propose three core types of elements - materials (e.g. glasses or a pub), competencies (e.g. round buying or managing appropriate intoxication levels), and meanings (e.g. relaxation) (68). Theories of practice therefore offer a holistic approach to conceptualising drinking occasions that can help researchers to identify key contextual characteristics to consider for inclusion in data collection and analyses. In contrast, the literature to date offers a much-reduced view of occasions, with only a small number of

occasion characteristics (or elements) included within each study and no clear rationale offered for decisions on which characteristics are or are not included.

The types of contextual characteristics studied in the literature identified in the present review do not reflect a particular theoretical approach to understanding drinking occasions but can be mapped to Shove *et al.*'s elements of social practice (68). The contextual characteristics in the meaning category of our typology are also meanings as conceptualised by Shove *et al.* while venue, company, situation and drink type are measured as material elements, since respondents are asked to describe where, with whom and what they are drinking. The literature could further address meanings associated with these material factors. For example, most papers used material elements (such as drinking in a loud environment (9)) as predictors for their outcome of interest. However, they did not explore the meanings the respondent associated with these materials (such as associating 'time out' from typical social restrictions with drinking in bars (69,70)) which could mediate or moderate the observed associations with outcome measures. Of the three types of elements theorised by Shove, the literature particularly lacks studies of competencies. Just two papers studied competencies of round buying and none considered other relevant competencies, such as toasting, downing drinks or managing intoxication levels, which are routinely cited within the qualitative literature (71–73).

Another theoretical framework rooted in theories of practice is Southerton's five understandings of time – how frequently and when activities take place (periodicity), how long they take (duration), how fast they happen (tempo), what order they happen in (sequence) and what other activities are happening simultaneously (synchronisation) (30,74). Although occasion timing was often studied by the reviewed literature, it was mostly operationalised as time of day or day of the week (i.e. periodicity). These studies are more limited in considering duration, tempo, sequence or synchronisation of specific drinking occasions (74,75). Furthermore, most studies used methods that assumed that drinking occasions are static, such that they cannot assess change within drinking occasions (e.g. sequencing of venues).

This study is the first comprehensive review mapping the literature on contextual characteristics of drinking occasions. This is timely as there is increasing interest in using event-level methods to develop understanding of how context is associated with levels of consumption and acute alcohol-related harm (30,65,66). We have used a detailed, systematic search strategy to identify relevant papers and reviews of subsections of this literature. A comprehensive list of acute-alcohol related harms were used to identify papers on harm outcomes (31,32). The main limitations of this review are that a single reviewer considered the studies, there was no validation of data extraction, and the

construction of the search strategy was challenging since the concepts are ill defined and the literature heterogeneous. The first two limitations are less problematic for a mapping review than for a systematic review (76) and allowed the paper to provide an overview of a large volume of literature efficiently. The final limitation may reduce the comprehensiveness of our findings but the strengths listed above and the breadth of studies identified suggest we have minimised this problem.

Overall, the study of contextual characteristics of adults' drinking occasions and their association with levels of alcohol consumption and alcohol-related harm would benefit from the application of an event-level theoretical framework such as theories of practice. Particular characteristics of occasions that require further study in general population samples include people's reasons and motives for drinking and the presence of others who are drinking heavily. There is also a need for more research to focus on comprehensive sets of occasion characteristics and specific acute harm outcomes. Future research should conduct reviews and meta-analyses of well-studied areas (e.g. mood, drinking venue, time of the week and time of day) and develop theory-based primary evidence in under-researched areas, particularly competencies, temporalities and acute alcohol-related harm.

ACKNOWLEDGEMENTS

This paper presents independent research funded by NIHR School for Public Health Research (NIHR SPHR) and the University of Sheffield. The views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care. The NIHR School for Public Health Research is a partnership between the Universities of Sheffield; Bristol; Cambridge; Imperial; and University College London; The London School for Hygiene and Tropical Medicine (LSHTM); LiLaC – a collaboration between the Universities of Liverpool and Lancaster; and Fuse - The Centre for Translational Research in Public Health a collaboration between Newcastle, Durham, Northumbria, Sunderland and Teesside Universities. The first author was also supported by the PGR Conference Fund at the School of Health and Related Research, University of Sheffield.

REFERENCES

1. GBD 2016 Alcohol Collaborators. Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet*. 2018;1015–35.
2. Kuntsche E, Kuntsche S, Thrul J, Gmel G. Binge drinking: Health impact, prevalence, correlates and interventions. *Psychol Health*. 2017;976–1017.
3. CDC. Alcohol-attributable deaths and years of potential life lost-- United States, 2001. *Morb Mortal Wkly Rep*. 2004;866–70.

4. White A, Hingson R. The burden of alcohol use: Excessive alcohol consumption and related consequences among college students. *Alcohol Res.* 2013;201–18.
5. Prince MA, Pearson MR, Bravo AJ, Montes KS. A quantification of the alcohol use-consequences association in college student and clinical populations: A large, multi-sample study. *Am J Addict.* 2018;116–23.
6. Wray TB, Merrill JE, Monti PM. Using Ecological Momentary Assessment (EMA) to Assess Situation-Level Predictors of Alcohol Use and Alcohol-Related Consequences. *Alcohol Res.* 2014;19–27.
7. Shiffman S. Ecological Momentary Assessment (EMA) in Studies of Substance Use. *Psychol Assess.* 2009;486–97.
8. Lightowlers C. Heterogeneity in Drinking Practices in England and Wales and Its Association With Violent Behavior: A Latent Class Analysis. *Subst Use Misuse.* 2017;1–12.
9. Clapp JD, Min JW, Shillington AM, Reed MB, Ketchie Croff J. Person and Environment Predictors of Blood Alcohol Concentrations: A Multi-Level Study of College Parties. *Alcohol Clin Exp Res.* 2008;100–7.
10. Fillo J, Rodriguez LM, Anthenien AM, Neighbors C, Lee CM. The Angel and the Devil on your shoulder: Friends mitigate and exacerbate 21st birthday alcohol-related consequences. *Psychol Addict Behav.* 2017;786–96.
11. Thrul J, Kuntsche E. The impact of friends on young adults' drinking over the course of the evening--an event-level analysis. *Addiction.* 2015;619–26.
12. Thrul J, Labhart F, Kuntsche E. Drinking with mixed-gender groups is associated with heavy weekend drinking among young adults. *Addiction.* 2017;432–9.
13. Labhart F, Wells S, Graham K, Kuntsche E. Do individual and situational factors explain the link between predrinking and heavier alcohol consumption? An event-level study of types of beverage consumed and social context. *Alcohol Alcohol.* 2014;327–35.
14. Kuntsche E, Labhart F. Drinking motives moderate the impact of pre-drinking on heavy drinking on a given evening and related adverse consequences-an event-level study. *Addiction.* 2013;1747–55.
15. Labhart F, Graham K, Wells S, Kuntsche E. Drinking Before Going to Licensed Premises: An Event-Level Analysis of Predrinking, Alcohol Consumption, and Adverse Outcomes. *Alcohol Clin Exp Res.* 2013;284–91.
16. Wechsler H, Lee JE, Nelson TF, Kuo M. Underage college students' drinking behavior, access to alcohol, and the influence of deterrence policies: Findings from the harvard school of public health college alcohol study. *J Am Coll Health Assoc.* 2002;223–36.
17. Healey C, Rahman A, Faizal M, Kinderman P. Underage drinking in the UK: changing trends, impact and interventions. A rapid evidence synthesis. *Int J Drug Policy.* 2014;124–32.
18. Babor TF, Mendelson JH, Uhly B, Souza E. Drinking patterns in experimental and barroom settings. *J Stud Alcohol.* 1980;635–51.
19. Larsen H, Engels R, Granic I, Overbeek G. An experimental study on imitation of alcohol consumption in same-sex dyads. *Alcohol Alcohol.* 2009;250–5.
20. Zupan Z, Pechey R, Couturier DL, Hollands GJ, Marteau TM. Micro-drinking behaviours and consumption of wine in different wine glass sizes: A laboratory study. *BMC Psychol.* 2017;
21. Clapp JD, Reed MB, Ruderman DE. The relationship between drinking games and intentions to continue drinking, intentions to drive after drinking, and adverse consequences: Results of a field study. *Am J Drug Alcohol Abuse.* 2014;374–9.
22. Dodd VJ, Khey DN, Miller EM. Intoxication levels of bar patrons at an organized pub crawl in a college campus community. *Am J Crim Justice.* 2012;246–57.
23. Cherpitel CJ, Bond J, Ye Y. Alcohol and injury: a risk function analysis from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP). *Eur Addict Res.* 2006;42–52.
24. Shiffman S, Stone AA, Hufford MR. Ecological Momentary Assessment. *Annu Rev Clin Psychol.* 2008;1–32.

25. Wells S, Mihic L, Tremblay PF, Graham K, Demers A. Where, with whom, and how much alcohol is consumed on drinking events involving aggression? Event-level associations in a Canadian national survey of university students. *Alcohol Clin Exp Res.* 2008;522–33.
26. Whitty CJM. What makes an academic paper useful for health policy? *BMC Med.* 2015;301.
27. Grant MJ, Booth A. A typology of reviews: An analysis of 14 review types and associated methodologies. *Health Info Libr J.* 2009;91–108.
28. Silverman D. *Doing Qualitative Research - A Practical Handbook.* Sage Publications, London. 2000.
29. Krieger N. Theories for social epidemiology in the 21st century: an ecosocial perspective. *Int J Epidemiol.* 2001;668–77.
30. Meier PS, Warde A, Holmes J. All drinking is not equal: How a social practice theory lens could enhance public health research on alcohol and other health behaviours. *Addiction.* 2017;206–13.
31. World Health Organization. *The ICD-10 Classification of Mental and Behavioural Disorders.* Geneva; 1992.
32. Rehm J, Gmel GE, Gmel G, Hasan OSM, Imtiaz S, Popova S, et al. The relationship between different dimensions of alcohol use and the burden of disease—an update. *Addiction.* 2017;968–1001.
33. Holmes J, Angus C, Buykx P, Ally A, Stone T, Meier P, et al. Mortality and morbidity risks from alcohol consumption in the UK: Analyses using the Sheffield Alcohol Policy Model (v.2.7) to inform the UK Chief Medical Officers’ review of the UK lower risk drinking guidelines Final report. 2016.
34. Choenni V, Hammink A, van de Mheen D. Association Between Substance Use and the Perpetration of Family Violence in Industrialized Countries: A Systematic Review. *Trauma, Violence, Abus.* 2017;37–50.
35. de Bruijn DM, de Graaf IM. The role of substance use in same-day intimate partner violence: A review of the literature. *Aggress Violent Behav.* 2016;142–51.
36. Verster JC, Benson S, Johnson SJ, Scholey A, Alford C. Mixing alcohol with energy drink (AMED) and total alcohol consumption: a systematic review and meta-analysis. *Hum Psychopharmacol.* 2016;2–10.
37. Peacock A, Pennay A, Droste N, Bruno R, Lubman DI. “High” risk? A systematic review of the acute outcomes of mixing alcohol with energy drinks. *Addiction.* 2014;1612–33.
38. Hughes K, Quigg Z, Eckley L, Bellis M, Jones L, Calafat A, et al. Environmental factors in drinking venues and alcohol-related harm: The evidence base for European intervention. *Addiction.* 2011;S37–46.
39. Serre F, Fatseas M, Swendsen J, Auriacombe M. Ecological momentary assessment in the investigation of craving and substance use in daily life: A systematic review. *Drug Alcohol Depend.* 2015;1–20.
40. Cunradi CB, Mair C, Todd M. Alcohol outlet density, drinking contexts and intimate partner violence: A review of environmental risk factors. *J Drug Educ.* 2014;19–33.
41. Room R. Smoking and drinking as complementary behaviours. *Biomed Pharmacother.* 2004;111–5.
42. Foster JH, Ferguson C. Alcohol ‘Pre-loading’: A Review of the Literature. *Alcohol Alcohol.* 2014;213–26.
43. Cooper ML, Kuntsche E, Levitt A, Barber LL, Wolf S. *Motivational Models of Substance Use.* Sher KJ, editor. Vol. 1. Oxford University Press; 2015.
44. Monk RL, Heim D. A critical systematic review of alcohol-related outcome expectancies. *Subst Use Misuse.* 2013;539–57.
45. Green J, Plant MA. Bad bars: A review of risk factors. *J Subst Use.* 2007;157–89.
46. Kuntsche E, Gmel G. Alcohol consumption in late adolescence and early adulthood - where is the problem? *Swiss Med Wkly.* 2013;w13826.

47. Borsari B, Carey KB. How the quality of peer relationships influences college alcohol use. *Drug Alcohol Rev.* 2006;361–70.
48. Moher D, Liberati A, Tetzlaff J, Altman DG, Group TP. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement (Reprinted from *Annals of Internal Medicine*). *Phys Ther.* 2009;873–80.
49. Kuntsche E, Kuendig H. Beyond self-reports: Drinking motives predict grams of consumed alcohol in wine-tasting sessions. *Exp Clin Psychopharmacol.* 2012;318–24.
50. Labhart F, Anderson KG, Kuntsche E. The Spirit Is Willing, But the Flesh is Weak: Why Young People Drink More Than Intended on Weekend Nights-An Event-Level Study. *Alcohol Clin Exp Res.* 2017;1961–9.
51. Kelly S, Olanrewaju O, Cowan A, Brayne C, Lafortune L. Alcohol and older people: A systematic review of barriers, facilitators and context of drinking in older people and implications for intervention design. *PLoS One.* 2018;e0191189.
52. Armeli S, Conner TS, Cullum J, Tennen H. A longitudinal analysis of drinking motives moderating the negative affect-drinking association among college students. *Psychol Addict Behav.* 2010;38–47.
53. Mihic L, Wells S, Graham K, Tremblay PF, Demers AA. Situational and respondent-level motives for drinking and alcohol-related aggression: A multilevel analysis of drinking events in a sample of Canadian University students. *Addict Behav.* 2009;264–9.
54. Boynton MH, Richman LS. An online daily diary study of alcohol use using Amazon's mechanical turk. *Drug Alcohol Rev.* 2014;456–61.
55. DeHart T, Tennen H, Armeli S, Todd M, Mohr C. A diary study of implicit self-esteem, interpersonal interactions and alcohol consumption in college students. *J Exp Soc Psychol.* 2009;720–30.
56. Patrick ME, Crouce JM, Fairlie AM, Atkins DC, Lee CM. Day-to-day variations in high-intensity drinking, expectancies, and positive and negative alcohol-related consequences. *Addict Behav.* 2016;110–6.
57. Braitman AL, Linden-Carmichael AN, Henson JM. Protective behavioral strategies as a context-specific mediator: A multilevel examination of within- and between-person associations of daily drinking. *Exp Clin Psychopharmacol.* 2017;141–55.
58. Connor J, Cousins K, Samaranayaka A, Kypri K. Situational and contextual factors that increase the risk of harm when students drink: Case-control and case-crossover investigation. *Drug Alcohol Rev.* 2014;401–11.
59. Miller P, Droste N, Baker T, Gervis C. Last drinks: A study of rural emergency department data collection to identify and target community alcohol-related violence. *Emerg Med Australas.* 2015;225–31.
60. Cotti C, Dunn RA, Tefft N. Alcohol-impaired motor vehicle crash risk and the location of alcohol purchase. *Soc Sci Med.* 2014;201–9.
61. Stockwell T, Lang E, Rydon P. High risk drinking settings: the association of serving and promotional practices with harmful drinking. *Addiction.* 1993;1519–26.
62. Naimi TS, Brewer RD, Miller JW, Okoro C, Mehrotra C. What Do Binge Drinkers Drink?. Implications for Alcohol Control Policy. *Am J Prev Med.* 2007;188–93.
63. Griffin E, Dillon CB, O'Regan G, Corcoran P, Perry IJ, Arensman E. The paradox of public holidays: Hospital-treated self-harm and associated factors. *J Affect Disord.* 2017;30–4.
64. Brister HA, Sher KJ, Fromme K. 21st birthday drinking and associated physical consequences and behavioral risks. *Psychol Addict Behav.* 2011;573–82.
65. Meier P, Holmes J, Warde A. Social practice theory and the study of how we drink. *Addiction.* 2018;217–9.
66. Blue S, Shove E, Carmona C, Kelly MP. Theories of practice and public health: understanding (un)healthy practices. *Crit Public Health.* 2016;36–50.
67. Ally AK, Lovatt M, Meier PS, Brennan A, Holmes J. Developing a social practice-based typology

- of British drinking culture in 2009-2011: implications for alcohol policy analysis. *Addiction*. 2016;1568–79.
68. Shove E, Pantzar M, Watson M. *The Dynamics of Social Practice: Everyday Life and How it Changes*. London: SAGE Publications Ltd; 2012.
 69. Haydock W. The Consumption, Production and Regulation of Alcohol in the UK: The Relevance of the Ambivalence of the Carnavalesque. *Sociology*. 2016;1056–71.
 70. MacAndrew C, Edgerton RB. *Drunken comportment: a social explanation*. London: Eliot Werner Publications Inc; 1970.
 71. Measham F, Brain K. “Binge” drinking, British alcohol policy and the new culture of intoxication. *Crime, Media, Cult*. 2005;262–83.
 72. Lyons AC, Emslie C, Hunt K. Staying “in the Zone” but Not Passing the “Point of No Return”: Embodiment, Gender and Drinking in Mid-Life. *Sociol Heal Illn From Heal Behav to Heal Pract Crit Perspect*. 2014;106–19.
 73. Aresi G, Pedersen ER. ‘That right level of intoxication’: A Grounded Theory study on young adults’ drinking in nightlife settings. *J Youth Stud*. 2016;204–20.
 74. Southerton D. Analysing the Temporal Organization of Daily Life: *Sociology*. 2006;435–54.
 75. Southerton D. Habits, routines and temporalities of consumption: From individual behaviours to the reproduction of everyday practices. *Time Soc*. 2013;335–55.
 76. Higgins JP, Lasserson T, Chandler J, Tovey D CR. *Methodological Expectation of Cochrane Intervention Reviews*. 2016.

FIGURES AND TABLES




Figure 1. PRISMA diagram

Only




Figure 2. Year of publication for included studies




Figure 3. The number of characteristic types studied by included papers

Table 1. Study characteristics which applied to at least five papers ¹

	Study characteristics ²	Total number of papers (percentage of included studies)
Theoretical approach	None	203 (73.0)
	Motivational models	17 (6.1)
	Tension-reduction models	6 (2.2)
	Social learning theory	5 (1.8)
Design	Daily drinking diary/ 24 hour recall	70 (25.2)
	Single occasion recall	66 (23.7)
	Experimental	43 (15.5)
	Ecological momentary assessment	39 (14.0)
	Portal/ intercept survey	29 (10.4)
	Retrospective drinking diary	24 (8.6)
	Field studies	20 (7.2)
Country	United States	170 (61.2)
	Australia	21 (7.6)
	Canada	17 (6.1)
	Switzerland	17 (6.1)
	England	14 (5.0)
	The Netherlands	10 (3.6)
	New Zealand	5 (1.8)
Population	Students	133 (47.8)
	Adults	98 (35.3)
	Non-student young adults	47 (16.9)
	Risky drinkers	33 (11.9)
	Experienced a specific harm ³	16 (5.8)

¹These findings are shown by year of publication in Table S3. ² Some studies fit into multiple categories (e.g. they were conducted in two countries or they used both daily diary and single occasion recall methods). In such instances, we used both characteristics to define the paper. ³ For example, recruiting injured patients in accident and emergency departments.

Table 2. Contextual characteristics measured by at least five papers ¹

	Contextual characteristics ²	Number of papers with United States student populations	Number of papers with young adult populations ³	Total number of papers (percentage of included studies)
Meaning	Affect/ mood	22	33	50 (18.0)
	Anxiety/ stress	7	7	19 (6.8)
	Intentions	5	9	18 (6.5)
	Subjective intoxication	7	14	18 (6.5)
	Social support/ interactions	9	9	16 (5.8)
	Reasons	10	14	15 (5.4)
	Craving	1	9	14 (5.0)
	Motives	5	11	13 (4.7)
	Alcohol cue exposure	1	5	8 (2.9)
Timing	Day of the week	31	51	81 (29.1)
	Time of day	7	21	38 (13.7)
	Duration	6	17	24 (8.6)
	Other timing (e.g. year)	10	16	23 (8.3)
	Specific/special occasions	8	14	21 (7.6)
	Sport-related	5	5	8 (2.9)
Company	Number of people	9	25	36 (13.0)
	Type of people	14	25	35 (12.6)
	Drunk people	9	17	20 (7.2)
	Gender composition	1	11	15 (5.4)
	Length of relationship	5	6	8 (2.9)
Venue	Venue type	13	25	44 (15.8)
	Pre-drinking	11	21	30 (10.8)
	On-trade versus off-trade premises	4	9	17 (6.1)
	Number of venues	3	8	8 (2.9)
Situation	Illicit drugs used	8	13	23 (8.3)
	On-trade venue features (e.g. loud music)	6	12	21 (7.6)
	Off-trade occasion features (e.g. drinking games)	14	14	16 (5.8)
	Commercial factors (e.g. discounting)	7	7	12 (4.3)
	Illicit drugs available	7	7	8 (2.9)
	Crowding	1	4	8 (2.9)
	Food available	6	6	8 (2.9)
	Ate food	0	4	7 (2.5)
	Number of drunk people	5	5	5 (1.8)

¹ These findings are shown by year of publication in Table S4. ² Some studies fit into multiple categories (e.g. they were conducted in two countries or they used both daily diary and single occasion recall methods). In such instances, we used both characteristics to define the paper. ³ The number of papers using student and other young adult populations.

Table 3. Proportion of papers in each category of contextual characteristics (rows) which also studied other types of contextual characteristics (columns)

	Meaning	Timing	Company	Venue	Situation	Drink type	Total papers
Meaning	31.6%	38.7%	31.0%	22.6%	18.1%	2.6%	155
Timing	45.5%	18.9%	19.7%	25.0%	18.9%	6.8%	132
Company	60.0%	32.5%	16.3%	35.0%	28.8%	3.8%	80
Venue	46.7%	44.0%	37.3%	12.0%	38.7%	14.7%	75
Situation	44.4%	39.7%	36.5%	46.0%	15.9%	9.5%	63
Drink type	22.2%	50.0%	16.7%	61.1%	33.3%	5.6%	18

The percentages show how many papers in the contextual characteristics category indicated by the row heading also measured characteristics in the category indicated by the column heading. For example, the top left cell shows that 31.6% of the papers which studied meaning characteristics only studied meaning characteristics. The next cell to the right shows that 38.7% of the papers which studied meaning characteristics also studied timing characteristics.

Table 4. Number of papers studying each consumption and alcohol-related acute harm outcome measure

Alcohol-related acute harm ¹	Number of papers with United States student populations	Number of papers with young adult populations ²	Total number of papers (percentage of included studies)
Alcohol consumption	83	145	224 (80.6%)
Aggregate acute harm ³	22	27	30 (10.8)
Condom use	10	19	24 (8.6)
Accidental injuries (fall injuries and other unintentional injuries) ⁴	2	4	16 (5.8)
Drink driving and transport injuries	5	6	14 (5.0)
Victim of assault	5	10	13 (4.7)
Perpetrating assault	4	10	11 (4.0)
Sexual violence	5	6	9 (3.2)
Mental and behavioural disorders (acute intoxication, dependence syndrome, withdrawal, withdrawal with delirium, psychotic episode)	4	5	5 (1.8)
Criminal activity	2	3	3 (1.1)
Intimate partner violence	2	2	2 (0.7)
Intentional self-harm	0	0	1 (0.4)
Mechanical forces	0	0	0
Drinking in pregnancy	0	0	0
Drowning	0	0	0
Intentional self-poisoning with alcohol	0	0	0
Other intentional injury	0	0	0
Alcohol poisoning, undetermined intent	0	0	0
Accidental exposure to noxious substances	0	0	0

¹ Some studies fit into multiple categories (e.g. they studied two types of harm). In such instances, we used both characteristics to define the paper. ² The number of papers using student and other young adult populations. ³ Aggregate measures of acute harm create a single measure of harm from several different harms. For example, a score for the number of harms experienced from a list might be used. ⁴ The total for this category includes papers on emergency department attendance and hospitalisation.

Table S1. Systematic search strategy

Concept	Search terms			
Alcohol consumption (.mp.) (TS & TI)	bing* adj3 (drink* or consum* or intoxicat*)	alcohol* adj3 (drink* or consum* or intoxicat* or related)	heavy adj3 drink* alcoholic beverage* alcohol-related	
Alcohol consumption MEDLINE	exp Alcohol Drinking/			
Alcohol consumption PsycInfo	exp Alcohol drinking attitudes/	exp Alcohol drinking patterns/ exp binge drinking/	exp drinking behavior/ exp social drinking/	
Event-level research (.af.) (TS & TI)	ema ecological momentary assessment experience sampling diary diaries event level event level drink* adj2 event* event-specific event specific event-contingent event contingent	referral event occasion-based occasion based drink* practi?e* practi?e theor* theor* of practi?e* element* adj2 practi?e* recent* adj2 occasion recent* adj2 occasions recent* adj2 event last adj2 occasion	last adj2 occasions last adj2 event barroom bar-room bar room experimental setting experimental condition icat phone adj assessment text message*	portal survey rhdo ivr interactive voice response daily survey* handheld assessment tool* daily retrospective daily process realtime real time real-time daily account*
Contextual characteristics (.mp.) (TS & TI)	cocaine crack cocaine cannabis hashish marijuana cannabinoids (tetrahydrocannabinol) heroin ecstasy XTC amphetamines speed GHB MDMA venue* location* barroom bar-room bar* home pub restaurant* street drink* nightclub	parent* beverage choice* beverage preference* beverage type* beverage-type* drink choice* drink type* drink-type wine* spirits beer* cider* alcopop* premixed pre-mixed pre mixed rtd* ready-to-drink* ready to drink* (flavoured alcoholic beverage*) (flavored alcoholic beverage*)	Tuesday* Wednesday* Thursday* Friday* Saturday* Sunday* weekend* week-end* week end start-time start time duration night-time night time day-time day time daytime meal time* meal-time* mealtime* drink* adj3 mood alcohol adj3 mood stress affect	social support (subjective intoxication) subjective effect* (subjective experience*) (perceived intoxication) occasion adj3 type (occasion adj3 reason) party adj3 type party adj3 reason social purpose (purpose adj3 occasion) year* holiday* birthday* semester* gender composition gender ratio sex composition

Concept	Search terms			
	club hotel tavern* bottle store* wine shop* shebeen* company companion* peer* friend* colleague* family partner wife husband spouse	drink* adj3 (motive* or motivation* or meaning* or expect?nc* or reason*) alcohol* adj3 (motive* or motivation* or meaning* or expect?nc* or reason*) day of the week Monday*	anxiety craving urge desire (pre-loading and alcohol) (pre-loading and drinking) (front-loading and alcohol) (front-loading and drinking) (drinking before drinking) intention* social interaction*	sex ratio male only female only mixed sex mixed gender football rugby rowing match day* sport* patron age patron sex patron ethnicity patron race drinking game*
Contextual characteristics – situation (.mp.) (TS & TI)	dancing crowd* buy* adj3 round* facilities lighting	atmosphere music volume loud	discount* offer* promotion* marketing	advertising BOGOF drink* adj3 free alcohol* adj3 free
Exclusions for: MEDLINE	Therapeutics/ Psychotherapy/	Intervention.ti.	Brief intervention.ab.	Effectiveness.ti.
PsycInfo	Treatment/ Psychotherapy/	Intervention.ti.	Brief intervention.ab.	Effectiveness.ti.
SSCI (TS & TI)	Intervention effectiveness			

Table S2. Summary of included papers

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Abbey, 2001 (1)	Recall specific past event/s	Male students	United States	Not occasion consumption Sexual violence	Yes		Yes	Yes		
Aberg, 1993 (2)	Recall specific past event/s	Adult male	Sweden	Not occasion consumption Drink driving	Yes		Yes			
Ahmed, 2014 (3)	Recall specific past event/s	Students	United States	Not occasion consumption Requiring medical attention	Yes			Yes		
Aldridge-Gerry, 2011 (4)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes				
Andreuccetti, 2014 (5)	Recall specific past event/s	Alcohol-related A&E injured patients vs non-alcohol related controls	Latin American and Caribbean	Not occasion consumption Requiring medical attention				Yes		Yes
Armeli, 2000 (6)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States		Yes					
Armeli, 2005 (7)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes				
Armeli, 2007 (8)	EMA	Risky drinkers	United States		Yes	Yes				
Armeli, 2010 (9)	Retrospective daily diary/ 24hr recall	Students	United States		Yes					
Babor, 1980 (10)	Experimental	General/healthy adult	United States			Yes			Yes	
Bacon, 2015 (11)	Experimental	Students	United States		Yes					
Bacon, 2018 (12)	Experimental	Students	United States		Yes		Yes			
Bae, 2017 (13)	EMA	Young adult heavy drinkers	United States			Yes			Yes	

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Barry, 2013 (14)	Portal/ intercept survey ⁴	Students	United States			Yes		Yes		
Barry, 2014 (15)	Portal/ intercept survey	General/health adult	United States			Yes				
Beech, 2014 (16)	Experimental	General/health adult	United States		Yes					
Bellis MA, 2010 (17)	Portal/ intercept survey	General/health adult	England			Yes		Yes	Yes	
Borsari, 2007 (18)	Recall specific past event/s	Mandated college students	United States		Yes			Yes	Yes	
Bourdeau, 2015 (19)	Portal/ intercept survey	General/health adult	United States		Yes		Yes		Yes	
Bourdeau, 2017 (20)	Portal/ intercept survey	General/health adult	United States	Sexual violence Victim of assault		Yes	Yes			
Boynton, 2014 (21)	Retrospective daily diary/ 24hr recall	General/health adult	United States		Yes	Yes				
Braitman, 2017 (22)	Diary	Students	United States	Aggregate measure of acute harm ³	Yes		Yes	Yes		
Brister, 2011 (23)	Recall specific past event/s	Students	United States	Aggregate measure of acute harm		Yes	Yes	Yes	Yes	
Brown, 2007 (24)	Recall specific past event/s	Students	United States	Unprotected sex			Yes			
Brown, 2016 (25)	Recall specific past event/s	Young women	United States	Not occasion consumption Unprotected sex	Yes		Yes			
Bryan, 2017 (26)	Diary	Adult female	United States	Not occasion consumption Unprotected sex	Yes		Yes			
Buettner CK, 2011 (27)	Diary	Students	United States	Aggregate measure of acute harm	Yes			Yes		
Butler, 2010 (28)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes				
Byrnes, 2014 (29)	Field studies Portal/ intercept survey	General/health adult	United States			Yes			Yes	

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Callaghan, 2014 (30)	Routine data	Young adults	Canada	Not occasion consumption Dependence syndrome		Yes				
Callinan, 2014 (31)	Recall specific past event/s	General/healthy adult	Australia					Yes		Yes
Carlini, 2014 (32)	Portal/ intercept survey Field studies	General/healthy adult	Brazil					Yes	Yes	
Carney, 2000 (33)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States		Yes					
Caudill, 1975 (34)	Experimental	Male students who are risky drinkers	United States		Yes		Yes			
Caudill, 2001 (35)	Experimental	Risky drinkers	United States		Yes		Yes			
Champion, 2009 (36)	Diary	Students	United States	Aggregate measure of acute harm		Yes				
Cherpitel, 1998 (37)	Retrospective daily diary/ 24hr recall	Experienced a skiing injury vs controls	United States	Not occasion consumption Other unintentional injuries (skiing injuries)		Yes				
Cherpitel, 1999 (38)	Recall specific past event/s	A&E patients	Canada	Not occasion consumption Requiring medical attention	Yes	Yes			Yes	
Cherpitel, 2012 (39)	Recall specific past event/s	A&E patients	Canada	Not occasion consumption Requiring medical attention					Yes	
Clapp, 2000 (40)	Recall specific past event/s	Students	United States	Not occasion consumption Aggregate measure of acute harm	Yes		Yes	Yes	Yes	
Clapp, 2001 (41)	Recall specific past event/s	Students	United States		Yes		Yes	Yes	Yes	Yes
Clapp, 2003 (42)	Recall specific past event/s	Students	United States		Yes			Yes	Yes	
Clapp, 2006 (43)	Recall specific past event/s	Students	United States					Yes	Yes	
Clapp, 2008 (44)	Recall specific past event/s Field studies	Students	United States	Injuries Aggregate measure of acute harm Aggression	Yes				Yes	

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
				Rode with a drunk driver						
Clapp, 2008 (45)	Field studies	Students	United States		Yes	Yes	Yes	Yes	Yes	Yes
Clapp, 2009 (46)	Portal/ intercept survey Field studies	General/health adult	United States		Yes	Yes	Yes	Yes	Yes	
Clapp, 2014 (47)	Field studies	Students	United States	Not occasion consumption Aggregate measure of acute harm		Yes		Yes	Yes	
Clapp, 2017 (48)	EMA	Students	United States		Yes	Yes				
Colby, 2004 (49)	Experimental	Young smokers and risky drinkers	United States		Yes					
Collins, 1985 (50)	Experimental	Male students who are risky drinkers	United States		Yes		Yes			
Collins, 2007 (51)	Recall specific past event/s	Young women who were involved in an aggressive incident in a bar	United States	Not occasion consumption Perpetrating assault Victim of assault	Yes		Yes		Yes	
Collins, 2018 (52)	Experimental	Students	Canada		Yes					
Connor, 2014 (53)	Diary	Students	New Zealand	Not occasion consumption Aggregate measure of acute harm	Yes	Yes	Yes	Yes		
Corbin, 2008 (54)	Experimental	Students	United States		Yes					
Cotti, 2014 (55)	Recall specific past event/s	Risky drinkers	United States	Not occasion consumption Drink driving				Yes		Yes
Cousins, 2010 (56)	Recall specific past event/s	Young adults	Ireland	Not occasion consumption Unprotected sex	Yes		Yes			
Croff, 2017 (57)	Field studies	Students	United States		Yes	Yes			Yes	Yes
Cullum, 2010 (58)	Retrospective daily diary/ 24hr recall	Students	United States				Yes			

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Cullum, 2012 (59)	Retrospective daily diary/ 24hr recall	Students	United States		Yes		Yes			
de Castro, 1990 (60)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States		Yes	Yes	Yes		Yes	
de Castro, 2004 (61)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States			Yes				
Dehart, 2008 (62)	Retrospective daily diary/ 24hr recall	Risky drinkers	United States		Yes					
DeHart, 2009 (63)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes	Yes			
Diep, 2016 (64)	Recall specific past event/s	Students	Vietnam		Yes	Yes	Yes	Yes	Yes	
Dietze, 2017 (65)	Recall specific past event/s	Young adult heavy drinkers	Australia			Yes		Yes		Yes
Dinc, 2015 (66)	Experimental	Students	England		Yes					
Dodd, 2012 (67)	Portal/intercept survey	General/healthy adult	United States		Yes	Yes		Yes		
Dumas, 2014 (68)	Portal/intercept survey	Young adults	Canada				Yes			
Durbeej, 2017 (69)	Portal/intercept survey	General/healthy adult	Sweden		Yes	Yes		Yes		
Dvorak, 2014 (70)	EMA	Students	United States	Dependence syndrome	Yes	Yes				
Dvorak, 2014 (71)	EMA	Student risky drinkers	United States		Yes					
Dvorak, 2016 (72)	EMA	Students	United States	Dependence syndrome	Yes					
Engels, 2012 (73)	Experimental	Young adults	The Netherlands						Yes	
Fairbairn, 2018 (74)	EMA Experimental	Risky drinkers	United States		Yes	Yes	Yes	Yes		

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Fairlie, 2015 (75)	Retrospective daily diary/ 24hr recall	Students	United States					Yes	Yes	
Fairlie, 2018 (76)	Recall specific past event/s	Young adults	United States	Not occasion consumption Unprotected sex					Yes	
Fazzino, 2013 (77)	Retrospective daily diary/ 24hr recall	Risky drinkers	United States		Yes	Yes				
Fiala, 2017 (78)	Diary	General/healthy adult	Czech Republic			Yes				Yes
Field, 2017 (79)	Experimental	Risky drinkers	England		Yes					
Fillo, 2017 (80)	Recall specific past event/s	Students	United States	Not occasion consumption Aggregate measure of acute harm			Yes			
Ford, 2017 (81)	Recall specific past event/s	Female students	United States	Not occasion consumption Sexual violence	Yes		Yes			
Foster, 2011 (82)	Recall specific past event/s	Students	United States	Consuming more than on a typical Saturday night	Yes	Yes				
Foster, 2015 (83)	Diary Routine data	Young men	Switzerland	Transport injuries (inc RTA)		Yes				
Fromme, 2010 (84)	Retrospective daily diary/ 24hr recall	Students	United States	Drink driving		Yes				
Geisner, 2017 (85)	Recall specific past event/s	Students	United States	Aggregate measure of acute harm	Yes	Yes				
Giraldo, 2017 (86)	Field studies	General/healthy adult	United States		Yes					
Giraldo, 2017 (87)	Field studies	General/healthy adult	United States		Yes				Yes	
Gmel, 2005 (88)	EMA Routine data	General/healthy adult	Switzerland	Not occasion consumption Transport injuries (inc RTA)		Yes		Yes		
Goldstein, 2014 (89)	EMA	Young adults	Canada		Yes					
Goodman, 2017 (90)	EMA	Students	United States		Yes	Yes				
Graham, 2014 (91)	Portal/ intercept survey	Young women	Canada	Not occasion consumption Sexual violence	Yes		Yes	Yes		

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Grant, 2009 (92)	Retrospective daily diary/ 24hr recall	Students	Canada	Depressed and anxious drinking	Yes					
Greene, 2018 (93)	Retrospective daily diary/ 24hr recall	Students	United States	Aggregate measure of acute harm		Yes				
Griffin, 1987 (94)	Retrospective daily diary/ 24hr recall	Female marijuana users	United States		Yes					
Griffin, 2017 (95)	Routine data	General/healthy adult	Ireland	Not occasion consumption Intentional self harm		Yes				
Groefsema, 2016 (96)	EMA	Young adults	The Netherlands			Yes	Yes			
Groefsema, 2018 (97)	EMA	Young adults	The Netherlands			Yes				
Gruenewald, 1999 (98)	Recall specific past event/s	Drivers who experienced crashes	Australia	Not occasion consumption Drink driving				Yes		
Grzywacz, 2008 (99)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States		Yes					
Gullo, 2017 (100)	Experimental	Young adults	Australia		Yes		Yes			
Gunn, 2018 (101)	Diary	Students	United States	Aggregate measure of acute harm		Yes			Yes	
Guéguen, 2004 (102)	Experimental Field studies	General/healthy adult	France						Yes	
Guéguen, 2008 (103)	Experimental Field studies	Adult male	France						Yes	
Hamilton, 2017 (104)	Experimental Retrospective daily diary/ 24hr recall	Students	United States		Yes		Yes			
Harford, 1983 (105)	Recall specific past event/s	General/healthy adult	United States				Yes	Yes		
Heeb, 2008 (106)	Diary	General/healthy adult	Switzerland			Yes				

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Helzer, 2006 (107)	Retrospective daily diary/ 24hr recall	At risk male drinkers	United States		Yes	Yes				
Higgins, 1975 (108)	Experimental	Male students who are risky drinkers	United States		Yes					
Howard, 2015 (109)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes				
Howells, 2014 (110)	Recall specific past event/s	Female students	United States	Not occasion consumption Unprotected sex	Yes					
Huh, 2015 (111)	Retrospective daily diary/ 24hr recall	Female students	United States			Yes				
Hummer, 2013 (112)	Recall specific past event/s	Student risky drinkers	United States	Aggregate measure of acute harm			Yes	Yes	Yes	
Jih CS, 1995 (113)	Recall specific past event/s	Students	United States			Yes				
Jones, 2007 (114)	Retrospective daily diary/ 24hr recall	General/healthy adult	England		Yes					
Jones, 2013 (115)	Experimental	Risky drinkers	England		Yes			Yes		
Jones, 2016 (116)	Experimental	Students	England		Yes	Yes				
Jones, 2018 (117)	EMA	Risky drinkers	England		Yes					
Joyce, 2017 (118)	Retrospective daily diary/ 24hr recall EMA	Adult female	Canada		Yes	Yes				
Jula, 1999 (119)	Retrospective daily diary/ 24hr recall	General/healthy adult	Finland			Yes				
Kenney, 2014 (120)	Recall specific past event/s	Students	United States	Not occasion consumption Aggregate measure of acute harm					Yes	

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Kerr, 2015 (121)	Retrospective daily diary/ 24hr recall	Students	United States	Not occasion consumption Unprotected sex	Yes	Yes	Yes		Yes	
Khurana, 2015 (122)	Recall specific past event/s	Students	United States	Aggregate measure of acute harm		Yes	Yes			
Kidorf, 1999 (123)	Experimental	Students	United States		Yes					
Kiene, 2009 (124)	Retrospective daily diary/ 24hr recall	Students	United States	Not occasion consumption Unprotected sex	Yes		Yes			
Kiene, 2013 (125)	Recall specific past event/s	General/healthy adult	sub-Saharan Africa	Not occasion consumption Unprotected sex	Yes		Yes			
Kilwein, 2018 (126)	Diary	Students	United States	Not occasion consumption Unprotected sex Sexual violence	Yes					
Knibbe, 1993 (127)	Field studies	Young adults	The Netherlands		Yes		Yes	Yes	Yes	
Kraft, 1991 (128)	Recall specific past event/s	Young adults	Norway	Not occasion consumption Unprotected sex			Yes			
Kuendig, 2011 (129)	Experimental	Students	Switzerland			Yes	Yes			
Kuendig, 2013 (130)	Experimental	Young adults	Switzerland				Yes			
Kuntsche, 2010 (131)	Retrospective daily diary/ 24hr recall	Young adults	Switzerland			Yes				
Kuntsche, 2012 (132)	EMA	Students	Switzerland			Yes				
Kuntsche, 2012 (133)	Experimental	Young adults	Switzerland				Yes			
Kuntsche, 2013 (134)	EMA	Students	Switzerland	Aggregate measure of acute harm				Yes		
Kuntsche, 2015 (135)	EMA	Students	Switzerland	Aggregate measure of acute harm		Yes	Yes	Yes		
Kushnir, 2014 (136)	Diary	General/healthy adult	Canada			Yes				

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Kypri, 2007 (137)	Diary	Students	New Zealand					Yes		
Kypri, 2010 (138)	Diary	Students	New Zealand			Yes		Yes		
LaBrie, 2008 (139)	Recall specific past event/s	Students	United States	Aggregate measure of acute harm				Yes		
Labhart, 2013 (140)	EMA	Young adults	Switzerland	Aggregate measure of acute harm		Yes		Yes		
Labhart, 2014 (141)	EMA	Students	Switzerland			Yes				
Labhart, 2014 (142)	EMA	Students	Switzerland			Yes	Yes	Yes		Yes
Labhart, 2017 (143)	EMA	Young adults	Switzerland, Lausanne and Zurich			Yes	Yes	Yes		
Lam, 2014 (144)	Recall specific past event/s	Young adults	Australia	Unprotected sex Injuries Perpetrating assault Criminal activity (e.g. theft, vandalism)	Yes	Yes				
Lam, 2017 (145)	Recall specific past event/s	Young adult heavy drinkers	Australia			Yes			Yes	
Lang, 1995 (146)	Recall specific past event/s	General/healthy adult	Australia	Aggregate measure of acute harm	Yes		Yes	Yes	Yes	
Larsen, 2009 (147)	Experimental	Young adults	The Netherlands		Yes		Yes			
Larsen, 2010 (148)	Experimental	Young adults	The Netherlands				Yes			
Larsen, 2012 (149)	Experimental	Students	The Netherlands				Yes			
Lau-Barraco, 2018 (150)	Retrospective daily diary/ 24hr recall	Young adults	United States	Aggregate measure of acute harm	Yes					
Laws, 2017 (151)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States		Yes	Yes				

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Leigh, 2008 (152)	Retrospective daily diary/ 24hr recall	Students	United States	Not occasion consumption Unprotected sex	Yes		Yes			
Leonard, 2003 (153)	Recall specific past event/s	Young men who were involved in an aggressive incident in a bar	United States	Perpetrating assault Victim of assault Aggression severity Injury to opponent	Yes		Yes		Yes	
Lewis, 2009 (154)	Diary	Students	United States	Aggregate measure of acute harm		Yes				
Lewis, 2010 (155)	Recall specific past event/s	Students	United States	Not occasion consumption Unprotected sex			Yes			
Liang, 2015 (156)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States			Yes				
Linden-Carmichael, 2018 (157)	Retrospective daily diary/ 24hr recall	Students	United States	Not occasion consumption Acute intoxication	Yes	Yes				
Lopes, 2008 (158)	Diary	Over 40s	Portugal			Yes				
Lubman, 2014 (159)	Portal/ intercept survey	Young adults	Australia	Aggression Unprotected sex Injuries	Yes	Yes			Yes	
MacKillop, 2006 (160)	Experimental	Student risky drinkers	United States		Yes					
Madden, 2019 (161)	Recall specific past event/s	Students	United States	Aggregate measure of acute harm				Yes		
Makela, 2005 (162)	Diary Routine data	General/healthy adult	Finland	Not occasion consumption Intoxication-related death		Yes				
Mallett, 2017 (163)	Diary	Students	United States	Not occasion consumption Aggregate measure of acute harm		Yes			Yes	
Martel, 2017 (164)	Retrospective daily diary/ 24hr recall	Female students	United States		Yes	Yes				

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Marzell, 2015 (165)	Recall specific past event/s	Students	United States		Yes	Yes		Yes	Yes	
McCabe, 2013 (166)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes				
McClatchley, 2014 (167)	Portal/ intercept survey	General/healthy adult	England		Yes		Yes	Yes	Yes	
McGrath, 2016 (168)	Experimental	Uni students and staff	England		Yes					
McKetin, 2014 (169)	Recall specific past event/s	Young adults	Australia					Yes		
McKetin, 2014 (170)	Recall specific past event/s	Young adults	Australia						Yes	
McLean, 2009 (171)	Recall specific past event/s	Alcohol-related A&E injured patients vs non-alcohol related controls	New Zealand	Requiring medical attention	Yes			Yes		
Merrill, 2017 (172)	Diary	Students	United States	Not occasion consumption Aggregate measure of acute harm		Yes				
Mihic, 2009 (173)	Recall specific past event/s	Students	Canada	Not occasion consumption Aggression	Yes		Yes	Yes	Yes	
Miller, 2015 (174)	Portal/ intercept survey	Alcohol-related A&E injured patients	Australia	Not occasion consumption Requiring medical attention		Yes		Yes		
Miller, 2016 (175)	Recall specific past event/s	Mandated college students	United States					Yes		
Mohr, 2001 (176)	EMA Retrospective daily diary/ 24hr recall	Risky drinkers	United States		Yes	Yes				

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Mohr, 2005 (177)	Retrospective daily diary/ 24hr recall	Students	United States		Yes		Yes			
Mohr, 2015 (178)	EMA	Risky drinkers	United States		Yes	Yes				
Mustonen, 2016 (179)	Diary	General/healthy adult	Finland		Yes	Yes	Yes	Yes		
Naimi, 2007 (180)	Recall specific past event/s	Risky drinkers	United States	Drink driving				Yes		Yes
Neal, 2005 (181)	Retrospective daily diary/ 24hr recall	Students	United States			Yes				
Neighbors, 2014 (182)	Recall specific past event/s	Students	United States	Aggregate measure of acute harm Unprotected sex Sexual violence Drink driving Aggression Criminal activity (e.g. theft, vandalism)			Yes		Yes	
Nesic, 2006 (183)	Experimental	Risky drinkers	England		Yes					
O'Callaghan, 1992 (184)	Retrospective daily diary/ 24hr recall	Students	Australia		Yes					
O'Grady, 2011 (185)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes	Yes			
O'Grady, 2011 (186)	Retrospective daily diary/ 24hr recall	Students	United States		Yes					
O'Grady, 2012 (187)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States		Yes	Yes	Yes			
O'Hara, 2014 (188)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes				

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
O'Hara, 2014 (189)	Retrospective daily diary/ 24hr recall	African american students	United States		Yes	Yes				
O'Hara, 2015 (190)	Retrospective daily diary/ 24hr recall	African american students	United States		Yes	Yes				
Ogeil, 2016 (191)	Recall specific past event/s	Young adult heavy drinkers	Australia		Yes			Yes	Yes	
Ostergaard, 2014 (192)	Field studies	Young adults	United Kingdom		Yes	Yes		Yes		
Ostergaard, 2014 (193)	Field studies Retrospective daily diary/ 24hr recall	Young adults	England and Denmark			Yes		Yes		
Otten, 2014 (194)	Experimental	Students	The Netherlands		Yes					
Palfai, 2000 (195)	Experimental	Smoking risky drinkers	United States		Yes					
Palfai, 2001 (196)	Experimental	Young adult heavy drinkers	United States		Yes					
Palfai, 2006 (197)	Experimental	Young adult heavy drinkers	United States		Yes					
Park, 2004 (198)	Retrospective daily diary/ 24hr recall	Students	United States		Yes					
Parks, 2000 (199)	Retrospective daily diary/ 24hr recall	Adult female	United States	Not occasion consumption Victim of assault Sexual violence	Yes	Yes	Yes	Yes	Yes	
Parks, 2011 (200)	Retrospective daily diary/ 24hr recall	Young women	United States	Not occasion consumption Unprotected sex		Yes				
Parks, 2012 (201)	Retrospective daily diary/ 24hr recall	Young women	United States	Not occasion consumption Unprotected sex			Yes		Yes	
Paschall MJ, 2007 (202)	Recall specific past event/s	Students	United States		Yes	Yes		Yes		

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Patrick, 2016 (203)	EMA	Students	United States	Aggregate measure of acute harm	Yes	Yes	Yes	Yes		
Peacock, 2015 (204)	EMA	Young adults	Australia		Yes					
Peltz, 2017 (205)	Retrospective daily diary/ 24hr recall	Young adults	United States		Yes	Yes				
Pennay, 2015 (206)	Portal/ intercept survey	General/healthy adult	Australia			Yes		Yes	Yes	Yes
Perrine, 2004 (207)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States		Yes	Yes				
Piasecki, 2014 (208)	EMA	General/healthy adult	United States			Yes				
Quigg Z, 2013 (209)	Portal/ intercept survey	Students	United Kingdom		Yes	Yes		Yes	Yes	
Quinn, 2011 (210)	Retrospective daily diary/ 24hr recall	Students	United States	Not occasion consumption Unprotected sex Aggregate measure of acute harm Aggression Criminal activity (e.g. theft, vandalism)	Yes	Yes				
Quinn, 2012 (211)	Retrospective daily diary/ 24hr recall	Students	United States	Not occasion consumption Drink driving	Yes	Yes				
Ragsdale, 2012 (212)	Field studies	Female students	United States	Rode with a drunk driver		Yes				
Ray, 2010 (213)	EMA	Risky drinkers	United States		Yes					
Reed, 2011 (214)	Portal/ intercept survey	General/healthy adult	United States		Yes	Yes		Yes		
Riley, 2018 (215)	Retrospective daily diary/ 24hr recall	Students	United States		Yes					
Riordan, 2015 (216)	Retrospective daily diary/ 24hr recall	Students	New Zealand			Yes				

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
	Diary									
Robinson, 2016 (217)	Experimental	Students	England		Yes		Yes			
Rodriguez, 2016 (218)	Recall specific past event/s	Students	United States				Yes	Yes		
Rossheim, 2011 (219)	Portal/ intercept survey	General/healthy adult	United States			Yes				Yes
Rowland, 2012 (220)	Diary	General/healthy adult	Australia			Yes				
Russell, 2017 (221)	Retrospective daily diary/ 24hr recall	Students	United States		Yes	Yes				
Sacco, 2015 (222)	Retrospective daily diary/ 24hr recall	Older adults	United States		Yes					
Samoluk, 1996 (223)	Experimental	General/healthy adult	Canada		Yes					
Santos, 2015 (224)	Portal/ intercept survey	General/healthy adult	Brazil	Sexual violence Perpetrating assault Victim of assault				Yes		
Santos, 2015 (225)	Portal/ intercept survey	General/healthy adult	Brazil					Yes		
Schroder, 2007 (226)	Retrospective daily diary/ 24hr recall	General/healthy adult	United States		Yes	Yes				
Schroder, 2009 (227)	EMA	Students	United States	Not occasion consumption Unprotected sex	Yes					
Searles, 1995 (228)	Retrospective daily diary/ 24hr recall	Adult male	United States	Aggregate measure of acute harm Drink driving		Yes		Yes		
Shorey, 2014 (229)	Retrospective daily diary/ 24hr recall	Female students	United States	Not occasion consumption Intimate partner violence	Yes				Yes	
Shorey, 2016 (230)	Retrospective daily diary/ 24hr recall	Female students	United States	Not occasion consumption Intimate partner violence Sexual violence			Yes		Yes	

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Simons, 2010 (231)	EMA	Students	United States	Dependence syndrome	Yes	Yes				
Simons, 2014 (232)	EMA	Students	United States	Dependence syndrome	Yes	Yes				
Simons, 2016 (233)	EMA	Students	United States	Not occasion consumption Perpetrating assault	Yes	Yes				
Simons, 2018 (234)	EMA	Young adults	United States	Not occasion consumption Unprotected sex			Yes			
Smit, 2015 (235)	EMA Retrospective daily diary/ 24hr recall	Young adults	The Netherlands				Yes			
Stephoe, 1999 (236)	Retrospective daily diary/ 24hr recall	General/healthy adult	England		Yes					
Stevens, 2017 (237)	Retrospective daily diary/ 24hr recall	Young adult heavy drinkers	United States		Yes	Yes				
Stockwell, 1993 (238)	Recall specific past event/s	General/healthy adult	Australia	Aggregate measure of acute harm				Yes	Yes	
Strickler, 1979 (239)	Experimental Field studies	Male students who are risky drinkers	United States					Yes	Yes	
Swendsen, 2000 (240)	EMA	General/healthy adult	United States		Yes					
Temple, 1992 (241)	Recall specific past event/s	General/healthy adult	United States	Not occasion consumption Unprotected sex	Yes		Yes			
Temple, 1993 (242)	Recall specific past event/s	General/healthy adult	United States	Unprotected sex	Yes		Yes			
Thomas, 2014 (243)	Experimental	General/healthy adult	United States		Yes					
Thombs, 2008 (244)	Portal/ intercept survey	Students	United States			Yes			Yes	
Thombs, 2009 (245)	Field studies	Students	United States			Yes				
Thombs, 2009 (246)	Portal/ intercept survey	Students	United States						Yes	

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
Thombs, 2009 (247)	Portal/ intercept survey	Students	United States			Yes			Yes	
Thombs, 2011 (248)	Portal/ intercept survey	General/healthy adult	United States			Yes				Yes
Thombs, 2011 (249)	Portal/ intercept survey	Students	United States			Yes			Yes	
Thrul, 2015 (250)	EMA	Students	Switzerland			Yes	Yes			
Thrul, 2016 (251)	EMA	Students	Switzerland			Yes	Yes			
Thrul, 2017 (252)	EMA	Students	Switzerland			Yes	Yes			
Todd, 2003 (253)	EMA	General/healthy adult	United States		Yes					
Todkill, 2016 (254)	Routine data	General/healthy adult	England	Not occasion consumption Emergency department attendance		Yes				
Torronen, 2016 (255)	Recall specific past event/s	General/healthy adult	Finland		Yes					
Traeen, 2003 (256)	Recall specific past event/s	General/healthy adult	European countries	Not occasion consumption Unprotected sex			Yes			
Tremblay, 2010 (257)	Diary	Students	Canada			Yes				
Vallance, 2016 (258)	Recall specific past event/s	Drug using population	Canada						Yes	
van de Goor, 1990 (259)	Field studies	Young adults	The Netherlands		Yes		Yes	Yes	Yes	
Wagner, 2017 (260)	Portal/ intercept survey	People who drove to the nightclub	Brazil	Drink driving					Yes	
Walmsley, 1998 (261)	Retrospective daily diary/ 24hr recall	Older adults	Britain							Yes
Wardell, 2012 (262)	Experimental	Students	United States		Yes					
Watt, 2004 (263)	Recall specific past event/s	Alcohol-related A&E	Australia	Requiring medical attention					Yes	Yes

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
		injured patients vs population controls								
Watt, 2006 (264)	Portal/ intercept survey	Alcohol-related A&E injured patients vs non-alcohol related controls	Australia	Not occasion consumption Injury severity				Yes	Yes	Yes
Wei, 2010 (265)	Recall specific past event/s	Students	United States		Yes					
Wells, 2008 (266)	Recall specific past event/s	Students	Canada	Not occasion consumption Aggression	Yes	Yes	Yes	Yes	Yes	
Wells, 2015 (267)	Portal/ intercept survey	Young adults	Canada			Yes	Yes	Yes		
Wetherill, 2009 (268)	Recall specific past event/s	Students	United States		Yes	Yes				
Wigmore, 1991 (269)	Experimental Field studies	Male students who are risky drinkers	Canada		Yes			Yes		Yes
Williams, 2011 (270)	Recall specific past event/s Diary	Alcohol-related A&E injured patients	Australia	Not occasion consumption Requiring medical attention			Yes	Yes	Yes	
Witkiewitz, 2012 (271)	EMA	Student smokers	United States			Yes				
Wolfe, 2000 (272)	Experimental	Students	United States		Yes					
Wood, 2007 (273)	Diary Routine data	Students	United States			Yes				
Wymond, 2016 (274)	Retrospective daily diary/ 24hr recall	General/healthy adult	Australia			Yes				Yes
Yao, 2018 (275)	Field studies	Drivers who experienced	United States	Transport injuries (inc RTA) Drink driving		Yes				

First author, year	Design	Population	Country ¹	Outcomes ²	Meaning	Timing	Company	Venue	Situation	Drink type
		crashes vs control drivers								
Yurasek, 2016 (276)	Recall specific past event/s	Mandated college students	United States			Yes		Yes		
Zamboanga, 2013 (277)	Recall specific past event/s	Students	United States		Yes			Yes		
Zaso, 2017 (278)	Experimental	Young adult heavy drinkers	United States		Yes		Yes			

¹ Not all papers report national-level studies. Sub-national information on the location of participants was not extracted. ² Papers which do not include a measure of consumption in the occasion as an outcome have the text "Not occasion consumption" in the outcome column as most papers include a measure of this. ³ Aggregate measures of acute harm create a single measure of harm from several different harms. For example, a score for the number of harms experienced from a list might be used. ⁴ Portal/ intercept surveys recruit participants as they enter or leave drinking venues, or intercept them on the street.

REFERENCES

1. Abbey A, McAuslan PAM, Zawacki T, Clinton AM, Buck PO. Attitudinal, experiential, and situational predictors of sexual assault perpetration. *J Interpers Violence*. 2001;784–807.
2. Aberg L. Drinking and driving: intentions, attitudes, and social norms of Swedish male drivers. *Accid Anal Prev*. 1993;
3. Ahmed R, Hustad JTP, LaSalle L, Borsari B. Hospitalizations for students with an alcohol-related sanction: Gender and pregameing as risk factors. *J Am Coll Heal*. 2014;293–300.
4. Aldridge-Gerry AA, Roesch SC, Villodas F, McCabe C, Leung QK, Da Costa M. Daily stress and alcohol consumption: modeling between-person and within-person ethnic variation in coping behavior. *J Stud Alcohol Drugs*. 2011;125–34.
5. Andreuccetti G, Carvalho HB, Ye Y, Bond J, Monteiro M, Borges G, et al. Does beverage type and drinking context matter in an alcohol-related injury? Evidence from emergency department patients in Latin America. *Drug Alcohol Depend*. 2014;90–7.
6. Armeli S, Carney MA, Tennen H, Affleck G, O'Neil TP. Stress and alcohol use: A daily process examination of the stressor-vulnerability model. *J Pers Soc Psychol*. 2000;979–94.
7. Armeli S, Mohr C, Todd M, Maltby N, Tennen H, Carney MA, et al. Daily evaluation of anticipated outcomes from alcohol use among college students. *J Soc Clin Psychol*. 2005;767–92.
8. Armeli S, Dehart T, Tennen H, Todd M, Affleck G. Daily interpersonal stress and the stressor--vulnerability model of alcohol use. *J Soc Clin Psychol*. 2007;896–921.
9. Armeli S, Conner TS, Cullum J, Tennen H. A longitudinal analysis of drinking motives moderating the negative affect-drinking association among college students. *Psychol Addict Behav*. 2010;38–47.
10. Babor TF, Mendelson JH, Uhly B, Souza E. Drinking patterns in experimental and barroom settings. *J Stud Alcohol*. 1980;635–51.
11. Bacon AK, Cranford AN, Blumenthal H. Effects of ostracism and sex on alcohol consumption in a clinical laboratory setting. *Psychol Addict Behav*. 2015;664–72.
12. Bacon AK, Engerman B. Excluded, then inebriated: A preliminary investigation into the role of ostracism on alcohol consumption. *Addict Behav Reports*. 2018;25–32.
13. Bae S, Chung T, Ferreira D, Dey AK, Suffoletto B. Mobile phone sensors and supervised machine learning to identify alcohol use events in young adults: Implications for just-in-time adaptive interventions. *Addict Behav*. 2018;42–7.
14. Barry AE, Stellefson ML, Piazza-Gardner AK, Chaney BH, Dodd V. The impact of pregameing on subsequent blood alcohol concentrations: An event-level analysis. *Addict Behav*. 2013;2374–7.
15. Barry AE, Howell S, Bopp T, Stellefson M, Chaney E, Piazza-Gardner A, et al. A field-based community assessment of intoxication levels across college football weekends: Does it matter who's playing? *J Prim Prev*. 2014;409–16.
16. Beech RD, Leffert JJ, Lin A, Hong KA, Hansen J, Umlauf S, et al. Stress-related alcohol consumption in heavy drinkers correlates with expression of miR-10a, miR-21, and components of the TAR-RNA-binding protein-associated complex. *Alcohol Clin Exp Res*. 2014;2743–53.
17. Bellis MA, Hughes K, Quigg Z, Morleo M, Jarman I, Lisboa P. Cross-sectional measures and modelled estimates of blood alcohol levels in UK nightlife and their relationships with drinking behaviours and observed signs of inebriation. *Subst Abus Treat Prev Policy*. 2010;5.
18. Borsari B, Boyle KE, Hustad JTP, Barnett NP, O'Leary Tevyaw T, Kahler CW. Drinking before drinking: Pregameing and drinking games in mandated students. *Addict Behav*. 2007;2694–705.
19. Bourdeau B, Miller BA, Johnson MB, Voas RB. Method of transportation and drinking among club patrons. *Transp Res Part F Traffic Psychol Behav*. 2015;11–22.
20. Bourdeau B, Miller BA, Voas RB, Johnson MB, Byrnes HF. Social drinking groups and risk experience in nightclubs: latent class analysis. *Heal Risk Soc*. 2017;316–35.
21. Boynton MH, Richman LS. An online daily diary study of alcohol use using Amazon's mechanical turk. *Drug Alcohol Rev*. 2014;456–61.
22. Braitman AL, Linden-Carmichael AN, Henson JM. Protective behavioral strategies as a context-specific mediator: A multilevel examination of within- and between-person associations of daily drinking. *Exp Clin Psychopharmacol*. 2017;141–55.
23. Brister HA, Sher KJ, Fromme K. 21st birthday drinking and associated physical consequences and behavioral risks. *Psychol Addict Behav*. 2011;573–82.

24. Brown JL, Venable PA. Alcohol use, partner type, and risky sexual behavior among college students: Findings from an event-level study. *Addict Behav.* 2007;2940–52.
25. Brown JL, Talley AE, Littlefield AK, Gause NK. Young women’s alcohol expectancies for sexual risk-taking mediate the link between sexual enhancement motives and condomless sex when drinking. *J Behav Med.* 2016;925–30.
26. Bryan AEB, Norris J, Abdallah DA, Zawacki T, Morrison DM, George WH, et al. Condom-insistence conflict in women’s alcohol-involved sexual encounters with a new male partner. *Psychol Women Q.* 2017;100–13.
27. Buettner CK, Khurana A, Slesnick N. Drinking at college parties: Examining the influence of student host-status and party-location. *Addict Behav.* 2011;1365–8.
28. Butler AB, Dodge KD, Faurote EJ. College student employment and drinking: A daily study of work stressors, alcohol expectancies, and alcohol consumption. *J Occup Health Psychol.* 2010;291–303.
29. Byrnes HF, Miller BA, Johnson MB, Voas RB. Indicators of club management practices and biological measurements of patrons’ drug and alcohol use. *Subst Use Misuse.* 2014;1878–87.
30. Callaghan RC, Sanches M, Gatley JM, Liu LM, Cunningham JK. Hazardous birthday drinking among young people: population-based impacts on emergency department and in-patient hospital admissions. *Addiction.* 2014;1667–75.
31. Callinan S, Livingston M, Dietze P, Room R. Heavy drinking occasions in Australia: Do context and beverage choice differ from low-risk drinking occasions? *Drug Alcohol Rev.* 2014;354–7.
32. Carlini C, Andreoni S, Martins SS, Benjamin M, Sanudo A, Sanchez ZM. Environmental characteristics associated with alcohol intoxication among patrons in Brazilian nightclubs. *Drug Alcohol Rev.* 2014;358–66.
33. Carney MA, Armeli S, Tennen H, Affleck G, O’Neil TP. Positive and negative daily events, perceived stress, and alcohol use: A diary study. *J Consult Clin Psychol.* 2000;788–98.
34. Caudill BD, Marlatt GA. Modeling influences in social drinking: An experimental analogue. *J Consult Clin Psychol.* 1975;405–15.
35. Caudill BD, Kong FH. Social approval and facilitation in predicting modeling effects in alcohol consumption. *J Subst Abuse.* 2001;425–41.
36. Champion H, Blocker JN, Buettner CK, Martin BA, Parries M, McCoy TP, et al. High-risk versus low-risk football game weekends: Differences in problem drinking and alcohol-related consequences on college campuses in the United States. *Int J Adolesc Med Health.* 2009;249–62.
37. Cherpitel CJ, Meyers AR, Perrine MW. Alcohol consumption, sensation seeking and ski injury: A case-control study. *J Stud Alcohol.* 1998;216–21.
38. Cherpitel CJ, Giesbrecht N, Macdonald S. Alcohol and injury: A comparison of emergency room populations in two Canadian provinces. *Am J Drug Alcohol Abuse.* 1999;743–59.
39. Cherpitel CJ, Ye Y, Watters K, Brubacher JR, Stenstrom R. Risk of injury from alcohol and drug use in the emergency department: A case-crossover study. *Drug Alcohol Rev.* 2012;431–8.
40. Clapp JD, Shillington AM, Segars LB. Deconstructing contexts of binge drinking among college students. *Am J Drug Alcohol Abuse.* 2000;139–54.
41. Clapp JD, Shillington AM. Environmental predictors of heavy episodic drinking. *Am J Drug Alcohol Abuse.* 2001;301–13.
42. Clapp JD, Lange J, Min JW, Shillington A, Johnson M, Voas R. Two studies examining environmental predictors of heavy drinking by college students. *Prev Sci.* 2003;99–108.
43. Clapp JD, Reed MB, Holmes MR, Lange JE, Voas RB. Drunk in public, drunk in private: The relationship between college students, drinking environments and alcohol consumption. *Am J Drug Alcohol Abuse.* 2006;275–85.
44. Clapp JD, Ketchie JM, Reed MB, Shillington AM, Lange JE, Holmes MR. Three exploratory studies of college theme parties. *Drug Alcohol Rev.* 2008;509–18.
45. Clapp JD, Min JW, Shillington AM, Reed MB, Ketchie Croff J. Person and Environment Predictors of Blood Alcohol Concentrations: A Multi-Level Study of College Parties. *Alcohol Clin Exp Res.* 2008;100–7.
46. Clapp JD, Reed MB, Min JW, Shillington AM, Croff JM, Holmes MR, et al. Blood alcohol concentrations among bar patrons: A multi-level study of drinking behavior. *Drug Alcohol Depend.* 2009;41–8.
47. Clapp JD, Reed MB, Ruderman DE. The relationship between drinking games and intentions to continue drinking, intentions to drive after drinking, and adverse consequences: Results of a field study. *Am J Drug Alcohol Abuse.* 2014;374–9.
48. Clapp JD, Madden DR, Mooney DD, Dahlquist KE. Examining the social ecology of a bar-crawl: An exploratory pilot study. *PLoS One.* 2017;e0185238.
49. Colby SM, Rohsenow DJ, Monti PM, Gwaltney CJ, Gulliver SB, Abrams DB, et al. Effects of tobacco deprivation on alcohol cue reactivity and drinking among young adults. *Addict Behav.* 2004;879–92.
50. Collins RL, Parks GA, Marlatt GA. Social Determinants of Alcohol Consumption. *The Effects of Social Interaction*

- and Model Status on the Self-Administration of Alcohol. *J Consult Clin Psychol*. 1985;189–200.
51. Collins RL, Quigley B, Leonard KE. Women's physical aggression in bars: An event-based examination of precipitants and predictors of severity. *Aggress Behav*. 2007;304–13.
 52. Collins JL, Pencer A, Stewart SH. Mood-Induced Drinking in Coping with Anxiety-Motivated and Socially Motivated Drinkers: a Lab-Based Experiment. *Int J Ment Health Addict*. 2018;90–101.
 53. Connor J, Cousins K, Samaranyaka A, Kypri K. Situational and contextual factors that increase the risk of harm when students drink: Case-control and case-crossover investigation. *Drug Alcohol Rev*. 2014;401–11.
 54. Corbin WR, Gearhardt A, Fromme K. Stimulant alcohol effects prime within session drinking behavior. *Psychopharmacology (Berl)*. 2008;327–37.
 55. Cotti C, Dunn RA, Tefft N. Alcohol-impaired motor vehicle crash risk and the location of alcohol purchase. *Soc Sci Med*. 2014;201–9.
 56. Cousins G, McGee H, Layte R. Suppression effects of partner type on the alcohol-risky sex relationship in young Irish adults. *J Stud Alcohol Drugs*. 2010;357–65.
 57. Croff JM, Leavens E, Olson K. Predictors of breath alcohol concentrations in college parties. *Subst Abuse Treat Prev Policy*. 2017;
 58. Cullum J, Armeli S, Tennen H. Drinking norm-behavior association over time using retrospective and daily measures. *J Stud Alcohol Drugs*. 2010;769–77.
 59. Cullum J, O'Grady M, Armeli S, Tennen H. The Role of Context-Specific Norms and Group Size in Alcohol Consumption and Compliance Drinking During Natural Drinking Events. *Basic Appl Soc Psych*. 2012;304–12.
 60. de Castro JM. Social, circadian, nutritional, and subjective correlates of the spontaneous pattern of moderate alcohol intake of normal humans. *Pharmacol Biochem Behav*. 1990;923–31.
 61. de Castro JM. The Time of Day of Food Intake Influences Overall Intake in Humans. *J Nutr*. 2004;104–11.
 62. DeHart T, Tennen H, Armeli S, Todd M, Affleck G. Drinking to regulate negative romantic relationship interactions: The moderating role of self-esteem. *J Exp Soc Psychol*. 2008;527–38.
 63. DeHart T, Tennen H, Armeli S, Todd M, Mohr C. A diary study of implicit self-esteem, interpersonal interactions and alcohol consumption in college students. *J Exp Soc Psychol*. 2009;720–30.
 64. Diep PB, Tan FES, Knibbe RA, De Vries N. A Multilevel Study of Students in Vietnam: Drinking Motives and Drinking Context as Predictors of Alcohol Consumption. *Int J Environ Res Public Health*. 2016;
 65. Dietze P, Agius PA, Livingston M, Callinan S, Jenkinson R, Lim MSCC, et al. Correlates of alcohol consumption on heavy drinking occasions of young risky drinkers: event versus personal characteristics. *Addiction*. 2017;1369–77.
 66. Dinc L, Cooper AJ. Positive affective states and alcohol consumption: The moderating role of trait positive urgency. *Addict Behav*. 2015;17–21.
 67. Dodd VJ, Khey DN, Miller EM. Intoxication levels of bar patrons at an organized pub crawl in a college campus community. *Am J Crim Justice*. 2012;246–57.
 68. Dumas TM, Wells S, Flynn A, Lange JE, Graham K. The influence of status on group drinking by young adults: A survey of natural drinking groups on their way to and from bars. *Alcohol Clin Exp Res*. 2014;1100–7.
 69. Durbeej N, Elgan TH, Jalling C, Gripenberg J. Alcohol intoxication at Swedish football matches: A study using biological sampling to assess blood alcohol concentration levels among spectators. *PLoS One*. 2017;11.
 70. Dvorak RD, Pearson MR, Day AM. Ecological momentary assessment of acute alcohol use disorder symptoms: Associations with mood, motives, and use on planned drinking days. *Exp Clin Psychopharmacol*. 2014;285–97.
 71. Dvorak RD, Simons JS. Daily associations between anxiety and alcohol use: Variation by sustained attention, set shifting, and gender. *Psychol Addict Behav*. 2014;969–79.
 72. Dvorak RD, Pearson MR, Sargent EM, Stevenson BL, Mfon AM. Daily associations between emotional functioning and alcohol involvement: Moderating effects of response inhibition and gender. *Drug Alcohol Depend*. 2016;S46-53.
 73. Engels RCME, Poelen EAP, Spijkerman R, Ter Bogt T. The effects of music genre on young people's alcohol consumption: An experimental observational study. *Subst Use Misuse*. 2012;180–8.
 74. Fairbairn CE, Bresin K, Kang D, Gary Rosen I, Ariss T, Luczak SE, et al. A multimodal investigation of contextual effects on alcohol's emotional rewards. *J Abnorm Psychol*. 2018;359–73.
 75. Fairlie AM, Maggs JL, Lanza ST. Prepartying, drinking games, and extreme drinking among college students: A daily-level investigation. *Addict Behav*. 2015;91–5.
 76. Fairlie AM, Garcia TA, Lee CM, Lewis MA. Alcohol use and alcohol/marijuana use during the most recent sexual experience differentially predict characteristics of the sexual experience among sexually active young adult drinkers. *Addict Behav*. 2018;105–8.
 77. Fazzino TL, Harder VS, Rose GL, Helzer JE. A Daily Process Examination of the Bidirectional Relationship Between Craving and Alcohol Consumption as Measured Via Interactive Voice Response. *Alcohol Clin Exp Res*.

- 2013;2161–7.
78. Fiala J, Sochor O, Klimusová H, Homolka M. Alcohol consumption in population aged 25–65 years living in the metropolis of south Moravia, Czech Republic. *Cent Eur J Public Health*. 2017;191–9.
 79. Field M, Jones A. Elevated alcohol consumption following alcohol cue exposure is partially mediated by reduced inhibitory control and increased craving. *Psychopharmacology (Berl)*. 2017;2979–88.
 80. Fillo J, Rodriguez LM, Anthenien AM, Neighbors C, Lee CM. The Angel and the Devil on your shoulder: Friends mitigate and exacerbate 21st birthday alcohol-related consequences. *Psychol Addict Behav*. 2017;786–96.
 81. Ford J V. Sexual assault on college hookups: The role of alcohol and acquaintances. *Sociol Forum*. 2017;381–405.
 82. Foster HA, Bass EJ, Bruce SE. Are students drinking hand over fifth? Understanding participant demographics in order to curb a dangerous practice. *J Alcohol Drug Educ*. 2011;41–57.
 83. Foster S, Gmel G, Estévez N, Bähler C, Mohler-Kuo M, Estevez N, et al. Temporal Patterns of Alcohol Consumption and Alcohol-Related Road Accidents in Young Swiss Men: Seasonal, Weekday and Public Holiday Effects. *Alcohol Alcohol*. 2015;565–72.
 84. Fromme K, Wetherill RR, Neal DJ. Turning 21 and the associated changes in drinking and driving after drinking among college students. *J Am Coll Heal*. 2010;21–7.
 85. Geisner IM, Rhew IC, Ramirez JJ, Lewis ME, Larimer ME, Lee CM. Not all drinking events are the same: Exploring 21st birthday and typical alcohol expectancies as a risk factor for high-risk drinking and alcohol problems. *Addict Behav*. 2017;97–101.
 86. Giraldo LF, Passino KM, Clapp JD, Ruderman D. Dynamics of metabolism and decision making during alcohol consumption: Modeling and analysis. *IEEE Trans Cybern*. 2017;3955–66.
 87. Giraldo LF, Passino KM, Clapp JD. Modeling and Analysis of Group Dynamics in Alcohol-Consumption Environments. *IEEE Trans Cybern*. 2017;165–76.
 88. Gmel G, Heeb JL, Rezny L, Rehm J, Mohler-Kuo M. Drinking patterns and traffic casualties in Switzerland: matching survey data and police records to design preventive action. *Public Health*. 2005;426–36.
 89. Goldstein AL, Stewart SH, Hoaken PNS, Flett GL. Mood, motives, and gambling in young adults: An examination of within- and between-person variations using experience sampling. *Psychol Addict Behav*. 2014;217–28.
 90. Goodman FR, Stikma MC, Kashdan TB. Social Anxiety and the Quality of Everyday Social Interactions: The Moderating Influence of Alcohol Consumption. *Behav Ther*. 2017;373–87.
 91. Graham K, Bernards S, Abbey A, Dumas T, Wells S. Young women's risk of sexual aggression in bars: The roles of intoxication and peer social status. *Drug Alcohol Rev*. 2014;393–400.
 92. Grant V V., Stewart SH, Mohr CD. Coping-Anxiety and Coping-Depression Motives Predict Different Daily Mood-Drinking Relationships. *Psychol Addict Behav*. 2009;226–37.
 93. Greene KM, Maggs JL. Immigrant paradox? Generational status, alcohol use, and negative consequences across college. *Addict Behav*. 2018;138–43.
 94. Griffin ML, Mello NK, Mendelson JH, Lex BW. Alcohol use across the menstrual cycle among marijuana users. *Alcohol*. 1987;457–62.
 95. Griffin E, Dillon CB, O'Regan G, Corcoran P, Perry IJ, Arensman E. The paradox of public holidays: Hospital-treated self-harm and associated factors. *J Affect Disord*. 2017;30–4.
 96. Groefsema M, Engels R, Kuntsche E, Smit K, Luijten M. Cognitive Biases for Social Alcohol-Related Pictures and Alcohol Use in Specific Social Settings: An Event-Level Study. *Alcohol Clin Exp Res*. 2016;2001–10.
 97. Groefsema M, Luijten M, Engels R, Kuntsche E. Young Adults Do Not Catch Up Missed Drinks When Starting Later at Night-An Ecological Momentary Assessment Study. *Exp Clin Psychopharmacol*. 2018;
 98. Gruenewald PJ, Stockwell T, Beel A, Dyskin E V. Beverage sales and drinking and driving: the role of on-premise drinking places. *J Stud Alcohol*. 1999;47–53.
 99. Grzywacz JG, Almeida DM. Stress and Binge Drinking: A Daily Process Examination of Stressor Pile-Up and Socioeconomic Status in Affect Regulation. *Int J Stress Manag*. 2008;364–80.
 100. Gullo MJ, Loxton NJ, Price T, Voisey J, Young RM, Connor JP. A laboratory model of impulsivity and alcohol use in late adolescence. *Behav Res Ther*. 2017;52–63.
 101. Gunn RL, Norris AL, Sokolovsky A, Micalizzi L, Jennifer E, Barnett NP. Marijuana use is associated with alcohol use and consequences across the first 2 years of college. *Psychol Addict Behav*. 2018;885–94.
 102. Guéguen N, Hélène LG, Jacob C. Sound Level of Background Music and Alcohol Consumption: An Empirical Evaluation. *Percept Mot Skills*. 2004;34–8.
 103. Guéguen N, Jacob C, Le Guellec H, Morineau T, Laurel M. Sound level of environmental music and drinking behavior: A field experiment with beer drinkers. *Alcohol Clin Exp Res*. 2008;1795–8.
 104. Hamilton HR, DeHart T. Drinking to belong: The effect of a friendship threat and self-esteem on college student drinking. *Self Identity*. 2017;1–15.

105. Harford TC. A contextual analysis of drinking events. *Int J Addict*. 1983;825–34.
106. Heeb J-L, Gmel G, Rehm J, Mohler-Kuo M. Exploring daily variations of drinking in the Swiss general population. A growth curve analysis. *Int J Methods Psychiatr Res*. 2008;1–11.
107. Helzer JE, Badger GJ, Searles JS, Rose GL, Mongeon JA. Stress and alcohol consumption in heavily drinking men: 2 years of daily data using interactive voice response. *Alcohol Clin Exp Res*. 2006;802–11.
108. Higgins RL, Marlatt GA. Fear of interpersonal evaluation as a determinant of alcohol consumption in male social drinkers. *J Abnorm Psychol*. 1975;644–51.
109. Howard AL, Patrick ME, Maggs JL. College student affect and heavy drinking: Variable associations across days, semesters, and people. *Psychol Addict Behav*. 2015;430–43.
110. Howells NL, Orcutt HK. Diary study of sexual risk taking, alcohol use, and strategies for reducing negative affect in female college students. *J Stud Alcohol Drugs*. 2014;399–403.
111. Huh D, Kaysen DL, Atkins DC. Modeling Cyclical Patterns in Daily College Drinking Data with Many Zeroes. *Multivariate Behav Res*. 2015;184–96.
112. Hummer JF, Napper LE, Ehret PE, LaBrie JW. Event-specific risk and ecological factors associated with prepartying among heavier drinking college students. *Addict Behav*. 2013;1620–8.
113. Jih C-S, Sirgo VI, Thomure JC. Alcohol Consumption, Locus of Control, and Self-Esteem of High School and College Students. *Psychol Rep*. 1995;851–7.
114. Jones F, O'Connor DB, Conner M, McMillan B, Ferguson E. Impact of Daily Mood, Work Hours, and Iso-Strain Variables on Self-Reported Health Behaviors. *J Appl Psychol*. 2007;1731–40.
115. Jones A, Rose A, Cole J, Field M. Effects of Alcohol Cues on Craving and Ad Libitum Alcohol Consumption in Social Drinkers: The Role of Disinhibition. *J Exp Psychopathol*. 2013;239–49.
116. Jones A, Button E, Rose AK, Robinson E, Christiansen P, Di Lemma L, et al. The ad-libitum alcohol “taste test”: Secondary analyses of potential confounds and construct validity. *Psychopharmacology (Berl)*. 2016;917–24.
117. Jones A, Tiplady B, Houben K, Nederkoorn C, Field M. Do daily fluctuations in inhibitory control predict alcohol consumption? An ecological momentary assessment study. *Psychopharmacology (Berl)*. 2018;1487–96.
118. Joyce KM, Hudson A, O'Connor R, Thompson K, Hodgins M, Perrot T, et al. Changes in coping and social motives for drinking and alcohol consumption across the menstrual cycle. *Depress Anxiety*. 2017;
119. Jula A, Seppanen R, Alanen E. Influence of days of the week on reported food, macronutrient and alcohol intake among an adult population in south western Finland. *Eur J Clin Nutr*. 1999;808–12.
120. Kenney SR, Napper LE, Labrie JW. Social anxiety and drinking refusal self-efficacy moderate the relationship between drinking game participation and alcohol-related consequences. *Am J Drug Alcohol Abuse*. 2014;388–94.
121. Kerr DC, Washburn IJ, Morris MK, Lewis KA, Tiberio SS. Event-Level Associations of Marijuana and Heavy Alcohol Use With Intercourse and Condom Use. *J Stud Alcohol Drugs*. 2015;733–7.
122. Khurana A, Buettner CK. Hosting non-university guests and party-related drinking behaviors of college students. *J Subst Use*. 2015;22–6.
123. Kidorf M, Lang AR. Effects of social anxiety and alcohol expectancies on stress-induced drinking. *Psychol Addict Behav*. 1999;134–42.
124. Kiene SM, Barta WD, Tennen H, Armeli S. Alcohol, Helping Young Adults to Have Unprotected Sex with Casual Partners: Findings from a Daily Diary Study of Alcohol Use and Sexual Behavior. *J Adolesc Heal*. 2009;73–80.
125. Kiene SM, Subramanian S V. Event-level association between alcohol use and unprotected sex during last sex: Evidence from population-based surveys in sub-Saharan Africa. *BMC Public Health*. 2013;583.
126. Kilwein TM, Looby A. Predicting risky sexual behaviors among college student drinkers as a function of event-level drinking motives and alcohol use. *Addict Behav*. 2018;100–5.
127. Knibbe RA, Van De Goor I, Drop MJ. Contextual influences on Young people’s drinking rates in public drinking places: An observational study. *Addict Res Theory*. 1993;269–78.
128. Kraft P, Rise J. Contraceptive behaviour of norwegian adolescents. *Health Educ Res*. 1991;431–41.
129. Kuendig H, Kuntsche E. Solitary Versus Social Drinking: An Experimental Study on Effects of Social Exposures on In Situ Alcohol Consumption. *Alcohol Clin Exp Res*. 2011;732–8.
130. Kuendig H, Kuntsche E. Beyond personality-Experimental investigations of the effects of personality traits on in situ alcohol consumption in social and solitary drinking contexts. *Addict Behav*. 2013;1635–8.
131. Kuntsche E, Cooper ML. Drinking to have fun and to get drunk: Motives as predictors of weekend drinking over and above usual drinking habits. *Drug Alcohol Depend*. 2010;259–62.
132. Kuntsche E, Labhart F. Investigating the drinking patterns of young people over the course of the evening at weekends. *Drug Alcohol Depend*. 2012;319–24.
133. Kuntsche E, Kuendig H. Beyond self-reports: Drinking motives predict grams of consumed alcohol in wine-tasting sessions. *Exp Clin Psychopharmacol*. 2012;318–24.

134. Kuntsche E, Labhart F. Drinking motives moderate the impact of pre-drinking on heavy drinking on a given evening and related adverse consequences-an event-level study. *Addiction*. 2013;1747–55.
135. Kuntsche E, Otten R, Labhart F. Identifying risky drinking patterns over the course of Saturday evenings: An event-level study. *Psychol Addict Behav*. 2015;744–52.
136. Kushnir V, Cunningham JA. Event-specific drinking in the general population. *J Stud Alcohol Drugs*. 2014;968–72.
137. Kypri K, Paschall MJ, Maclennan B, Langley JD. Intoxication by drinking location: A web-based diary study in a New Zealand university community. *Addict Behav*. 2007;2586–96.
138. Kypri K, Paschall MJ, Langley JD, Baxter J, Bourdeau B. The role of drinking locations in university student drinking: Findings from a national web-based survey. *Drug Alcohol Depend*. 2010;38–43.
139. LaBrie JW, Pedersen ER. Prepartying promotes heightened risk in the college environment: An event-level report. *Addict Behav*. 2008;955–9.
140. Labhart F, Graham K, Wells S, Kuntsche E. Drinking Before Going to Licensed Premises: An Event-Level Analysis of Predrinking, Alcohol Consumption, and Adverse Outcomes. *Alcohol Clin Exp Res*. 2013;284–91.
141. Labhart F, Kuntsche E. When yesterday's consumption strikes back: deviation from usual consumption inversely predicts amounts consumed the next weekend evening. *Drug Alcohol Rev*. 2014;385–92.
142. Labhart F, Wells S, Graham K, Kuntsche E. Do individual and situational factors explain the link between predrinking and heavier alcohol consumption? An event-level study of types of beverage consumed and social context. *Alcohol Alcohol*. 2014;327–35.
143. Labhart F, Anderson KG, Kuntsche E. The Spirit Is Willing, But the Flesh is Weak: Why Young People Drink More Than Intended on Weekend Nights-An Event-Level Study. *Alcohol Clin Exp Res*. 2017;1961–9.
144. Lam T, Liang W, Chikritzhs T, Allsop S. Alcohol and other drug use at school leavers' celebrations. *J Public Heal (United Kingdom)*. 2014;408–16.
145. Lam T, Lenton S, Ogeil R, Burns L, Aiken A, Chikritzhs T, et al. Most recent risky drinking session with Australian teenagers. *Aust N Z J Public Health*. 2017;105–10.
146. Lang E, Stockwell T, Rydon P, Lockwood A. Drinking settings and problems of intoxication. *Addict Res*. 1995;141–9.
147. Larsen H, Engels R, Granic I, Overbeek G. An experimental study on imitation of alcohol consumption in same-sex dyads. *Alcohol Alcohol*. 2009;250–5.
148. Larsen H, van der Zwaluw CS, Overbeek G, Granic I, Franke B, Engels R. A Variable-Number-of-Tandem-Repeats Polymorphism in the Dopamine D4 Receptor Gene Affects Social Adaptation of Alcohol Use: Investigation of a Gene-Environment Interaction. *Psychol Sci*. 2010;1064–8.
149. Larsen H, Engels RCME, Wiers RW, Granic I, Spijkerman R. Implicit and explicit alcohol cognitions and observed alcohol consumption: Three studies in (semi)naturalistic drinking settings. *Addiction*. 2012;1420–8.
150. Lau-Barraco C, Linden-Carmichael AN. A Daily Diary Study of Drinking and Nondrinking Days in Nonstudent Alcohol Users. *Subst Use Misuse*. 2018;1–8.
151. Laws HB, Ellerbeck NE, Rodrigues AS, Simmons JA, Ansell EB. Social Rejection and Alcohol Use in Daily Life. *Alcohol Clin Exp Res*. 2017;820–7.
152. Leigh BC, Vanslyke JG, Hoppe MJ, Rainey DT, Morrison DM, Gillmore MR. Drinking and condom use: Results from an event-based daily diary. *AIDS Behav*. 2008;104–12.
153. Leonard KE, Collins RL, Quigley BM. Alcohol Consumption and the Occurrence and Severity of Aggression: An Event-Based Analysis of Male to Male Barroom Violence. *Aggress Behav*. 2003;346–65.
154. Lewis MA, Lindgren KP, Fossos N, Neighbors C, Oster-Aaland L. Examining the relationship between typical drinking behavior and 21st birthday drinking behavior among college students: Implications for event-specific prevention. *Addiction*. 2009;760–7.
155. Lewis MA, Kaysen DL, Rees M, Woods BA. The relationship between condom-related protective behavioral strategies and condom use among college students: global- and event-level evaluations. *J Sex Res*. 2010;471–8.
156. Liang WB, Chikritzhs T. Weekly and daily cycle of alcohol use among the US general population. *Inj J Care Inj*. 2015;898–901.
157. Linden-Carmichael AN, Calhoun BH, Patrick ME, Maggs JL. Are Protective Behavioral Strategies Associated With Fewer Negative Consequences on High-Intensity Drinking Days? Results From a Measurement-Burst Design. *Psychol Addict Behav*. 2018;904–13.
158. Lopes C, Androozzi VL, Ramos E, Carvalho MS. Modelling over week patterns of alcohol consumption. *Alcohol Alcohol*. 2008;215–22.
159. Lubman DI, Droste N, Pennay A, Hyder S, Miller P. High rates of alcohol consumption and related harm at schoolies week: a portal study. *Aust N Z J Public Health*. 2014;536–41.
160. MacKillop J. Factor structure of the alcohol urge questionnaire under neutral conditions and during a cue-elicited urge state. *Alcohol Clin Exp Res*. 2006;1315–21.

161. Madden DR, Clapp JD. The event-level impact of one's typical alcohol expectancies, drinking motivations, and use of protective behavioral strategies. *Drug Alcohol Depend.* 2019;112–20.
162. Mäkelä P, Martikainen P, Nihtila E. Temporal variation in deaths related to alcohol intoxication and drinking. *Int J Epidemiol.* 2005;765–71.
163. Mallett KA, Turrisi R, Hultgren BA, Sell N, Reavy R, Cleveland M. When alcohol is only part of the problem: An event-level analysis of negative consequences related to alcohol and other substance use. *Psychol Addict Behav.* 2017;307–14.
164. Martel MM, Eisenlohr-Moul T, Roberts B. Interactive effects of ovarian steroid hormones on alcohol use and binge drinking across the menstrual cycle. *J Abnorm Psychol.* 2017;1104–13.
165. Marzell M, Bavarian N, Paschall MJ, Mair C, Saltz RF. Party Characteristics, Drinking Settings, and College Students' Risk of Intoxication: A Multi-Campus Study. *J Prim Prev.* 2015;247–58.
166. McCabe CT, Roesch SC, Aldridge-Gerry AA. "Have a drink, you'll feel better." Predictors of daily alcohol consumption among extraverts: The mediational role of coping. *Anxiety, Stress Coping.* 2013;121–35.
167. McClatchley K, Shorter GW, Chalmers J. Deconstructing alcohol use on a night out in England: Promotions, preloading and consumption. *Drug Alcohol Rev.* 2014;367–75.
168. McGrath E, Jones A, Field M. Acute stress increases ad-libitum alcohol consumption in heavy drinkers, but not through impaired inhibitory control. *Psychopharmacology (Berl).* 2016;1227–34.
169. McKetin R, Livingston M, Chalmers J, Bright D. The role of off-licence outlets in binge drinking: a survey of drinking practices last Saturday night among young adults in Australia. *Drug Alcohol Rev.* 2014;51–8.
170. McKetin R, Chalmers J, Sunderland M, Bright DA. Recreational drug use and binge drinking: Stimulant but not cannabis intoxication is associated with excessive alcohol consumption. *Drug Alcohol Rev.* 2014;436–45.
171. McLean R, Connor J. Alcohol and injury: a survey in primary care settings. *N Z Med J.* 2009;21–8.
172. Merrill JE, Kenney SR, Barnett NP. A time-varying effect model of the dynamic association between alcohol use and consequences over the first two years of college. *Addict Behav.* 2017;57–62.
173. Mihic L, Wells S, Graham K, Tremblay PF, Demers AA. Situational and respondent-level motives for drinking and alcohol-related aggression: A multilevel analysis of drinking events in a sample of Canadian University students. *Addict Behav.* 2009;264–9.
174. Miller P, Droste N, Baker T, Gervis C. Last drinks: A study of rural emergency department data collection to identify and target community alcohol-related violence. *Emerg Med Australas.* 2015;225–31.
175. Miller MB, Borsari B, Fernandez AC, Yurasek AM, Hustad JTP. Drinking Location and Pregaming as Predictors of Alcohol Intoxication Among Mandated College Students. *Subst Use Misuse.* 2016;983–92.
176. Mohr CD, Armeli S, Tennen H, Carney MA, Affleck G, Hromi A. Daily interpersonal experiences, context, and alcohol consumption: Crying in your beer and toasting good times. *J Pers Soc Psychol.* 2001;489–500.
177. Mohr CD, Armeli S, Tennen H, Temple M, Todd M, Clark J, et al. Moving Beyond the Keg Party: A Daily Process Study of College Student Drinking Motivations. *Psychol Addict Behav.* 2005;392–403.
178. Mohr CD, Arpin S, McCabe CT. Daily affect variability and context-specific alcohol consumption. *Drug Alcohol Rev.* 2015;581–7.
179. Mustonen H, Mäkelä P, Lintonen T. Situational drinking in private and public locations: A multilevel analysis of blood alcohol level in Finnish drinking occasions. *Drug Alcohol Rev.* 2016;772–84.
180. Naimi TS, Brewer RD, Miller JW, Okoro C, Mehrotra C. What Do Binge Drinkers Drink?. Implications for Alcohol Control Policy. *Am J Prev Med.* 2007;188–93.
181. Neal DJ, Sugarman DE, Hustad JTP, Caska CM, Carey KB. It's all fun and games...or is it? Collegiate sporting events and celebratory drinking. *J Stud Alcohol.* 2005;291–4.
182. Neighbors C, Rodriguez LM, Rinker D V, DiBello AM, Young CM, Chen C-H. Drinking games and contextual factors of 21st birthday drinking. *Am J Drug Alcohol Abuse.* 2014;380–7.
183. Nescic J, Duka T. Gender specific effects of a mild stressor on alcohol cue reactivity in heavy social drinkers. *Pharmacol Biochem Behav.* 2006;239–48.
184. O'Callaghan F V, Callan VJ. Young adult drinking behaviour: A comparison of diary and quantity-frequency measures. *Br J Addict.* 1992;723–32.
185. O'Grady MA, Cullum J, Tennen H, Armeli S. Daily relationship between event-specific drinking norms and alcohol use: a four-year longitudinal study. *J Stud Alcohol Drugs.* 2011;633–41.
186. O'Grady MA, Cullum J, Armeli S, Tennen H. Putting the Relationship Between Social Anxiety and Alcohol Use Into Context: A Daily Diary Investigation of Drinking in Response to Embarrassing Events. *J Soc Clin Psychol.* 2011;599–615.
187. O'Grady MA, Harman JJ, Gleason MEJ, Wilson K. Managing an Attractive Impression by Using Alcohol: Evidence From Two Daily Diary Studies. *Basic Appl Soc Psych.* 2012;76–87.
188. O'Hara RE, Armeli S, Tennen H. Drinking-to-cope motivation and negative mood-drinking contingencies in a

- daily diary study of college students. *J Stud Alcohol Drugs*. 2014;606–14.
189. O'Hara RE, Boynton MH, Scott DM, Armeli S, Tennen H, Williams C, et al. Drinking to cope among African American college students: An assessment of episode-specific motives. *Psychol Addict Behav*. 2014;671–81.
190. O'Hara RE, Armeli S, Scott DM, Covault J, Tennen H. Perceived racial discrimination and negative-mood-related drinking among African American college students. *J Stud Alcohol Drugs*. 2015;229–36.
191. Ogeil RP, Lloyd B, Lam T, Lenton S, Burns L, Aiken A, et al. Pre-Drinking Behavior of Young Heavy Drinkers. *Subst Use Misuse*. 2016;1297–306.
192. Ostergaard J, Andrade SB. Who pre-drinks before a night out and why? Socioeconomic status and motives behind young people's pre-drinking in the United Kingdom. *J Subst Use*. 2014;229–38.
193. Ostergaard J, Skov PR. Do pre-drinkers consume more alcohol than non-pre-drinkers on an event-specific night out? A cross-national panel mobile survey of young people's drinking in England and Denmark. *Drug Alcohol Rev*. 2014;376–84.
194. Otten R, Cladder-Micus MB, Pouwels JL, Hennig M, Schuurmans AAT, Hermans RCJ. Facing temptation in the bar: Counteracting the effects of self-control failure on young adults' ad libitum alcohol intake. *Addiction*. 2014;746–53.
195. Palfai TP, Ostafin B, Monti PM, Hutchison K. Effects of nicotine deprivation on alcohol-related information processing and drinking behavior. *J Abnorm Psychol*. 2000;96–105.
196. Palfai TP. Individual differences in temptation and responses to alcohol cues. *J Stud Alcohol*. 2001;657–66.
197. Palfai TP. Activating action tendencies: The influence of action priming on alcohol consumption among male hazardous drinkers. *J Stud Alcohol*. 2006;926–33.
198. Park CL, Armeli S, Tennen H. The daily stress and coping process and alcohol use among college students. *J Stud Alcohol*. 2004;126–35.
199. Parks KA. An event-based analysis of aggression women experience in bars. *Psychol Addict Behav*. 2000;102–10.
200. Parks KA, Hsieh Y-PP, Collins RL, Levonyan-Radloff K. Daily assessment of alcohol consumption and condom use with known and casual partners among young female bar drinkers. *AIDS Behav*. 2011;1332–41.
201. Parks KA, Collins RL, Derrick JL. The influence of marijuana and alcohol use on condom use behavior: Findings from a sample of young adult female bar drinkers. *Psychol Addict Behav*. 2012;888–94.
202. Paschall MJ, Saltz RF. Relationships between college settings and student alcohol use before, during and after events: A multi-level study. *Drug Alcohol Rev*. 2007;635–44.
203. Patrick ME, Crouse JM, Fairlie AM, Atkins DC, Lee CM. Day-to-day variations in high-intensity drinking, expectancies, and positive and negative alcohol-related consequences. *Addict Behav*. 2016;110–6.
204. Peacock A, Cash C, Bruno R, Ferguson SG. Day-by-day variation in affect, arousal and alcohol consumption in young adults. *Drug Alcohol Rev*. 2015;588–94.
205. Peltz JS, Rogge RD, Pugach CP, Strang K. Bidirectional Associations Between Sleep and Anxiety Symptoms in Emerging Adults in a Residential College Setting. *Emerg Adulthood*. 2017;204–15.
206. Pennay A, Miller P, Busija L, Jenkinson R, Droste N, Quinn B, et al. "Wide-awake drunkenness"? Investigating the association between alcohol intoxication and stimulant use in the night-time economy. *Addiction*. 2015;356–65.
207. Perrine MWB, Schroder KEE, Forester R, McGonagle-Moulton P, Huessy F. The impact of the September 11, 2001, terrorist attacks on alcohol consumption and distress: reactions to a national trauma 300 miles from Ground Zero. *J Stud Alcohol*. 2004;5–15.
208. Piasecki TM, Cooper ML, Wood PK, Sher KJ, Shiffman S, Heath AC. Dispositional drinking motives: Associations with appraised alcohol effects and alcohol consumption in an ecological momentary assessment investigation. *Psychol Assess*. 2014;363–9.
209. Quigg Z, Hughes K, Bellis MA. Student drinking patterns and blood alcohol concentration on commercially organised pub crawls in the UK. *Addict Behav*. 2013;2924–9.
210. Quinn PD, Fromme K. Predictors and outcomes of variability in subjective alcohol intoxication among college students: an event-level analysis across 4 years. *Alcohol Clin Exp Res*. 2011;484–95.
211. Quinn PD, Fromme K. Event-Level Associations between Objective and Subjective Alcohol Intoxication and Driving after Drinking across the College Years. *Psychol Addict Behav*. 2012;384–92.
212. Ragsdale K, Porter JR, Zamboanga BL, St. Lawrence JS, Read-Wahidi R, White A. High-risk drinking among female college drinkers at two reporting intervals: Comparing spring break to the 30 days prior. *Sex Res Soc Policy*. 2012;31–40.
213. Ray LA, Miranda R, Tidey JW, McGeary JE, MacKillop J, Gwaltney CJ, et al. Polymorphisms of the μ -Opioid Receptor and Dopamine D4Receptor Genes and Subjective Responses to Alcohol in the Natural Environment. *J Abnorm Psychol*. 2010;115–25.
214. Reed MB, Clapp JD, Weber M, Trim R, Lange J, Shillington AM. Predictors of partying prior to bar attendance and subsequent BrAC. *Addict Behav*. 2011;1341–3.

215. Riley KE. A Daily Diary Study of Rumination and Health Behaviors : Modeling Moderators and Mediators. *Ann Behav Med.* 2016;
216. Riordan BC, Scarf D, Conner TS. Is orientation week a gateway to persistent alcohol use in university students? A preliminary investigation. *J Stud Alcohol Drugs.* 2015;204–11.
217. Robinson E, Oldham M, Sharps M, Cunliffe A, Scott J, Clark E, et al. Social Imitation of Alcohol Consumption and Ingratiation Motives in Young Adults. *Psychol Addict Behav.* 2016;442–9.
218. Rodriguez LM, Young CM, Tomkins MM, DiBello AM, Krieger H, Neighbors C. Friends in low places: The impact of locations and companions on 21st birthday drinking. *Addict Behav.* 2016;52–7.
219. Rossheim ME, Thombs DL. Artificial sweeteners, caffeine, and alcohol intoxication in bar patrons. *Alcohol Clin Exp Res.* 2011;1891–6.
220. Rowland B, Allen F, Toumbourou JW. Impact of alcohol harm reduction strategies in community sports clubs: Pilot evaluation of the Good Sports program. *Heal Psychol.* 2012;323–33.
221. Russell MA, Almeida DM, Maggs JL. Stressor-related drinking and future alcohol problems among university students. *Psychol Addict Behav.* 2017;676–87.
222. Sacco P, Burruss K, Smith C, Kuerbis A, Harrington D, Moore A, et al. Drinking behavior among older adults at a continuing care retirement community: Affective and motivational influences. *Aging Ment Heal.* 2015;279–89.
223. Samoluk SB, Stewart SH. Anxiety sensitivity and anticipation of a self-disclosing interview as determinants of alcohol consumption. *Psychol Addict Behav.* 1996;45–54.
224. Santos MGR, Paes AT, Sanudo A, Andreoni S, Sanchez ZM. Gender Differences in Predrinking Behavior Among Nightclubs' Patrons. *Alcohol Clin Exp Res.* 2015;1243–52.
225. Santos MGR, Paes AT, Sanudo A, Sanchez ZM. Factors associated with pre-drinking among nightclub patrons in the city of Sao Paulo. *Alcohol Alcohol.* 2015;95–102.
226. Schroder KEE, Perrine MW. Covariations of emotional states and alcohol consumption: Evidence from 2 years of daily data collection. *Soc Sci Med.* 2007;2588–602.
227. Schroder KEE, Johnson CJ, Wiebe JS. An event-level analysis of condom use as a function of mood, alcohol use, and safer sex negotiations. *Arch Sex Behav.* 2009;283–9.
228. Searles JS, Perrine MW, Mundt JC, Helzer JE. Self-report of drinking using touch-tone telephone: extending the limits of reliable daily contact. *J Stud Alcohol.* 1995;375–82.
229. Shorey RC, Stuart GL, Moore TM, McNulty JK. The temporal relationship between alcohol, marijuana, angry affect, and dating violence perpetration: A daily diary study with female college students. *Psychol Addict Behav.* 2014;516–23.
230. Shorey RC, Moore TM, McNulty JK, Stuart GL. Do Alcohol and Marijuana Increase the Risk for Female Dating Violence Victimization? A Prospective Daily Diary Investigation. *Psychol Violence.* 2016;509–18.
231. Simons JS, Dvorak RD, Batien BD, Wray TB. Event-level associations between affect, alcohol intoxication, and acute dependence symptoms: Effects of urgency, self-control, and drinking experience. *Addict Behav.* 2010;1045–53.
232. Simons JS, Wills TA, Neal DJ. The many faces of affect: A multilevel model of drinking frequency/quantity and alcohol dependence symptoms among young adults. *J Abnorm Psychol.* 2014;676–94.
233. Simons JS, Wills TA, Emery NN, Spelman PJ. Keep calm and carry on: Maintaining self-control when intoxicated, upset, or depleted. *Cogn Emot.* 2016;1415–29.
234. Simons JS, Simons RM, Maisto SA, Hahn AM, Walters KJ. Daily associations between alcohol and sexual behavior in young adults. *Exp Clin Psychopharmacol.* 2018;36–48.
235. Smit K, Groefsema M, Luijten M, Engels R, Kuntsche E. Drinking Motives Moderate the Effect of the Social Environment on Alcohol Use: An Event-Level Study Among Young Adults. *J Stud Alcohol Drugs.* 2015;971–80.
236. Steptoe A, Wardle J. Mood and drinking: A naturalistic diary study of alcohol, coffee and tea. *Psychopharmacology (Berl).* 1999;315–21.
237. Stevens AK, Littlefield AK, Talley AE, Brown JL. Do individuals higher in impulsivity drink more impulsively? A pilot study within a high risk sample of young adults. *Addict Behav.* 2017;147–53.
238. Stockwell T, Lang E, Rydon P. High risk drinking settings: the association of serving and promotional practices with harmful drinking. *Addiction.* 1993;1519–26.
239. Strickler DP, Dobbs SD, Maxwell WA. The influence of setting of drinking behaviors: The laboratory vs the barroom. *Addict Behav.* 1979;339–44.
240. Swendsen JD, Tennen H, Carney MA, Affleck G, Willard A, Hromi A. Mood and alcohol consumption: an experience sampling test of the self-medication hypothesis. *J Abnorm Psychol.* 2000;198–204.
241. Temple MT, Leigh BC. Alcohol consumption and unsafe sexual behavior in discrete events. *J Sex Res.* 1992;207–19.
242. Temple MT, Leigh BC, Schafer J. Unsafe sexual behavior and alcohol use at the event level: results of a national

- survey. *J Acquir Immune Defic Syndr.* 1993;393–401.
243. Thomas SE, Merrill JE, von Hofe J, Magid V. Coping motives for drinking affect stress reactivity but not alcohol consumption in a clinical laboratory setting. *J Stud Alcohol Drugs.* 2014;115–23.
244. Thombs DL, Dodd V, Pokorny SB, Omlil MR, O'Mara R, Webb MC, et al. Drink specials and the intoxication levels of patrons exiting college bars. *Am J Health Behav.* 2008;411–9.
245. Thombs D, O'Mara R, Dodd V, Merves M, Weiler R, Goldberger B, et al. Event-specific analyses of poly-drug abuse and concomitant risk behavior in a college bar district in Florida. *J Am Coll Heal.* 2009;575–85.
246. Thombs DL, O'Mara R, Tobler AL, Wagenaar AC, Clapp JD. Relationships between drinking onset, alcohol use intensity, and nighttime risk behaviors in a college bar district. *Am J Drug Alcohol Abuse.* 2009;421–8.
247. Thombs DL, O'Mara R, Dodd VJ, Hou W, Merves ML, Weiler RM, et al. A field study of bar-sponsored drink specials and their associations with patron intoxication. *J Stud Alcohol Drugs.* 2009;206–14.
248. Thombs D, Rossheim M, Barnett TE, Weiler RM, Moorhouse MD, Coleman BN. Is there a misplaced focus on AmED? Associations between caffeine mixers and bar patron intoxication. *Drug Alcohol Depend.* 2011;31–6.
249. Thombs DL, O'Mara RJ, Hou W, Wagenaar AC, Dong HJ, Merves ML, et al. 5-HTTLPR genotype and associations with intoxication and intention to drive: Results from a field study of bar patrons. *Addict Biol.* 2011;133–41.
250. Thurl J, Kuntsche E. The impact of friends on young adults' drinking over the course of the evening—an event-level analysis. *Addiction.* 2015;619–26.
251. Thurl J, Kuntsche E. Interactions Between Drinking Motives and Friends in Predicting Young Adults' Alcohol Use. *Prev Sci.* 2016;626–35.
252. Thurl J, Labhart F, Kuntsche E. Drinking with mixed-gender groups is associated with heavy weekend drinking among young adults. *Addiction.* 2017;432–9.
253. Todd M, Armeli S, Tennen H, Carney MA, Affleck G. A Daily Diary Validity Test of Drinking to Cope Measures. *Psychol Addict Behav.* 2003;303–11.
254. Todkill D, Hughes HE, Elliot AJ, Morbey RA, Edeghere O, Harcourt S, et al. An Observational Study Using English Syndromic Surveillance Data Collected during the 2012 London Olympics-What did Syndromic Surveillance Show and What Can We Learn for Future Mass-gathering Events? *Prehosp Disaster Med.* 2016;628–34.
255. Torronen J, Harkonen J. Studying ritual and individual orientations to alcohol use: Drinking motives and their connection to intoxication in Finland in the 2000s. *Int J Drug Policy.* 2016;33–40.
256. TreAEn B, Stigum H, Hassoun J, Zantedeschi E. Pre-sexual alcohol consumption and use of condoms—a European cross-cultural study. *Cult Health Sex.* 2003;439–54.
257. Tremblay PF, Graham K, Wells S, Harris R, Pulford R, Roberts SE. When do first-year college students drink most during the academic year? An internet-based study of daily and weekly drinking. *J Am Coll Heal.* 2010;401–11.
258. Vallance K, Roth E, Thompson K, Chow C, Martin G. Partying last weekend: Factors related to heavy episodic drinking among people who use recreational drugs. *Subst Use Misuse.* 2016;1731–40.
259. van de Goor LA, Knibbe RA, Drop MJ. Adolescent drinking behavior: an observational study of the influence of situational factors on adolescent drinking rates. *J Stud Alcohol.* 1990;548–55.
260. Wagner GA, Sanchez ZM. Patterns of drinking and driving offenses among nightclub patrons in Brazil. *Int J Drug Policy.* 2017;96–103.
261. Walmsley C, Bates C, Prentice A, Cole T. Relationship between alcohol and nutrient intakes and blood status indices of older people living in the UK: further analysis of data from the National Diet and Nutrition Survey of people aged 65 years and over, 1994/5. *Public Health Nutr.* 1998;157–67.
262. Wardell JD, Read JP, Curtin JJ, Merrill JE. Mood and implicit alcohol expectancy processes: Predicting alcohol consumption in the laboratory. *Alcohol Clin Exp Res.* 2012;119–29.
263. Watt K, Purdie DM, Roche AM, McClure RJ. Risk of injury from acute alcohol consumption and the influence of confounders. *Addiction.* 2004;1262–73.
264. Watt K, Purdie DM, Roche AM, McClure R. Injury severity: role of alcohol, substance use and risk-taking. *Emerg Med Australas.* 2006;108–17.
265. Wei J, Barnett NP, Clark M. Attendance at alcohol-free and alcohol-service parties and alcohol consumption among college students. *Addict Behav.* 2010;572–9.
266. Wells S, Mihic L, Tremblay PF, Graham K, Demers A. Where, with whom, and how much alcohol is consumed on drinking events involving aggression? Event-level associations in a Canadian national survey of university students. *Alcohol Clin Exp Res.* 2008;522–33.
267. Wells S, Dumas TM, Bernards S, Kuntsche E, Labhart F, Graham K. Predrinking, alcohol use, and breath alcohol concentration: A study of young adult bargoers. *Psychol Addict Behav.* 2015;683–9.
268. Wetherill RR, Fromme K. Subjective Responses to Alcohol Prime Event-Specific Alcohol Consumption and Predict Blackouts and Hangover. *J Stud Alcohol Drugs.* 2009;593–600.
269. Wigmore SW, Hinson RE. The influence of setting on consumption in the balanced placebo design. *Br J Addict.*

- 1991;205–15.
270. Williams M, Mohsin M, Weber D, Jalaludin B, Crozier J. Alcohol consumption and injury risk: A case-crossover study in Sydney, Australia. *Drug Alcohol Rev.* 2011;344–54.
271. Witkiewitz K, Desai SA, Steckler G, Jackson KM, Bowen S, Leigh BC, et al. Concurrent drinking and smoking among college students: An event-level analysis. *Psychol Addict Behav.* 2012;649–54.
272. Wolfe WL, Maisto SA. The effect of self-discrepancy and discrepancy salience on alcohol consumption. *Addict Behav.* 2000;283–8.
273. Wood PK, Sher KJ, Rutledge PC. College student alcohol consumption, day of the week, and class schedule. *Alcohol Clin Exp Res.* 2007;1195–207.
274. Wymond BS, Dickinson KM, Riley MD. Alcoholic beverage intake throughout the week and contribution to dietary energy intake in Australian adults. *Public Health Nutr.* 2016;2592–602.
275. Yao J, Voas RB, Lacey JH. Drivers with alcohol use disorders and their risks of crash involvement. *Drug Alcohol Depend.* 2018;210–6.
276. Yurasek A, Miller MB, Mastroleo N, Lazar V, Borsari B. Pregaming, drinking duration, and movement as unique predictors of alcohol use and cognitions among mandated college students. *Subst Use Misuse.* 2016;993–1001.
277. Zamboanga BL, Casner HG, Olthuis J V, Borsari B, Ham LS, Schwartz SJ, et al. Knowing where they're going: Destination-specific pregame behaviors in a multiethnic sample of college students. *J Clin Psychol.* 2013;383–96.
278. Zaso MJ, Maisto SA, Glatt SJ, Belote JM, Park A. Interaction Between the μ -Opioid Receptor Gene and the Number of Heavy-Drinking Peers on Alcohol Use. *Alcohol Clin Exp Res.* 2017;2041–50.

Table S3. Study characteristics which applied to at least five papers by year of publication

Study characteristics ¹		Total number of papers (percentage ²) 1975 - 1989	Total number of papers (percentage) 1990 - 1999	Total number of papers (percentage) 2000 - 2009	Total number of papers (percentage) 2010 - 2019
Theoretical approach	None	5 (71.4)	17 (81.0)	49 (71.0)	132 (72.9)
	Motivational models	0	0	5 (7.2)	12 (6.6)
	Tension-reduction models	1 (14.3)	2 (9.5)	0	3 (1.7)
	Social learning theory	1 (14.3)	0	1 (1.4)	3 (1.7)
Design	Daily drinking diary/ 24 hour recall	1 (14.3)	7 (33.3)	19 (27.5)	43 (23.8)
	Single occasion recall	1 (14.3)	9 (42.9)	19 (27.5)	37 (20.4)
	Experimental	5 (71.4)	3 (14.3)	12 (17.4)	23 (12.7)
	Ecological momentary assessment	0	0	6 (8.7)	33 (18.2)
	Portal/ intercept survey	0	0	5 (7.2)	24 (13.3)
	Retrospective drinking diary	0	0	7 (10.1)	17 (9.4)
	Field studies	1 (14.3)	3 (14.3)	6 (8.7)	10 (5.5)
Country	United States	7 (100.0)	7 (33.3)	52 (75.4)	104 (57.5)
	Australia	0	4 (19.0)	2 (2.9)	15 (8.3)
	Canada	0	3 (14.3)	3 (4.3)	11 (6.1)
	Switzerland	0	0	2 (2.9)	15 (8.3)
	England	0	1 (4.8)	2 (2.9)	11 (6.1)
	The Netherlands	0	2 (9.5)	1 (1.4)	7 (3.9)
	New Zealand	0	0	2 (2.9)	3 (1.7)
Population	Students	4 (57.1)	4 (19.0)	34 (49.3)	91 (50.3)
	Adults	3 (42.9)	14 (66.7)	29 (42.0)	52 (28.7)
	Non-student young adults	0	3 (14.3)	6 (8.7)	38 (21.0)
	Risky drinkers	4 (57.1)	1 (4.8)	12 (17.4)	16 (8.8)
	Experienced a specific harm ³	0	3 (14.3)	6 (8.7)	7 (3.9)

¹ Some studies fit into multiple categories (e.g. they were conducted in two countries or they used both daily diary and single occasion recall methods). In such instances, we used both characteristics to define the paper. ² Percentage of the papers published in the relevant years. This is 7 papers from 1975 – 1989, 21 from 1990 – 1995, 69 from 2000 – 2009 and 181 from 2010 – 2019. ³ For example, recruiting injured patients in accident and emergency departments.

Table S4. Contextual characteristics measured by at least five papers by year of publication

Contextual characteristics ¹		Total number of papers (percentage ²) 1975 - 1989	Total number of papers (percentage) 1990 - 1999	Total number of papers (percentage) 2000 - 2009	Total number of papers (percentage) 2010 - 2019
Meaning	Affect/ mood	1 (14.3)	2 (9.5)	18 (26.1)	29 (16.0)
	Anxiety/ stress	1 (14.3)	2 (9.5)	9 (13.0)	7 (3.9)
	Intentions	0	0	2 (2.9)	16 (8.8)
	Subjective intoxication	0	1 (4.8)	4 (5.8)	13 (7.2)
	Social support/interactions	2 (28.6)	0	7 (10.1)	7 (3.9)
	Reasons	0	0	8 (11.6)	7 (3.9)
	Craving	0	0	6 (8.7)	8 (4.4)
	Motives	0	1 (4.8)	1 (1.4)	11 (6.1)
	Alcohol cue exposure	0	0	5 (7.2)	3 (1.7)
Timing	Day of the week	0	3 (14.3)	16 (23.2)	62 (34.3)
	Time of day	0	2 (9.5)	4 (5.8)	32 (17.7)
	Duration	0	0	6 (8.7)	18 (9.9)
	Other timing (e.g. year)	0	1 (4.8)	2 (2.9)	20 (11.0)
	Specific/special occasions	0	1 (4.8)	4 (5.8)	16 (8.8)
	Sport-related	1 (14.3)	0	3 (4.3)	4 (2.2)
Company	Number of people	2 (28.6)	5 (23.8)	4 (5.8)	25 (13.8)
	Type of people	1 (14.3)	4 (19.0)	11 (15.9)	19 (10.5)
	Drunk people	2 (28.6)	1 (4.8)	4 (5.8)	13 (7.2)
	Gender composition	0	3 (14.3)	1 (1.4)	11 (6.1)
	Length of relationship	0	1 (4.8)	4 (5.8)	3 (1.7)
Venue	Venue type	2 (28.6)	7 (33.3)	12 (17.4)	23 (12.7)
	Pre-drinking	0	0	4 (5.8)	26 (14.4)
	On-trade versus off-trade premises	0	0	5 (7.2)	12 (6.6)
	Number of venues	0	0	2 (2.9)	6 (3.3)
Situation	Illicit drugs used	0	1 (4.8)	6 (8.7)	16 (8.8)
	Other on-trade venue factors	1 (14.3)	3 (14.3)	8 (11.6)	9 (5.0)

	Off-trade occasion features (e.g. drinking games)	0	0	8 (11.6)	8 (4.4)
	Commercial factors (e.g. discounting)	1 (14.3)	1 (4.8)	4 (5.8)	6 (3.3)
	Illicit drugs available	0	0	5 (7.2)	3 (1.7)
	Crowding	0	2 (9.5)	2 (2.9)	4 (2.2)
	Food available	0	0	6 (8.7)	2 (1.1)
	Ate food	0	2 (9.5)	2 (2.9)	3 (1.7)
	Number of drunk people	0	0	5 (7.2)	0
Drink type	What drink types	0	1 (4.8)	5 (7.2)	10 (5.5)

¹Some studies fit into multiple categories (e.g. they were conducted in two countries or they used both daily diary and single occasion recall methods). In such instances, we used both characteristics to define the paper. ²Percentage of the papers published in the relevant years. This is 7 papers from 1975 – 1989, 21 from 1990 – 1995, 69 from 2000 – 2009 and 181 from 2010 – 2019.



PRISMA 2009 Checklist

Section/topic	#	Checklist item	Reported on page #
TITLE			
Title	1	Identify the report as a systematic review, meta-analysis, or both.	N/A (Mapping review)
ABSTRACT			
Structured summary	2	Provide a structured summary including, as applicable: background; objectives; data sources; study eligibility criteria, participants, and interventions; study appraisal and synthesis methods; results; limitations; conclusions and implications of key findings; systematic review registration number.	2
INTRODUCTION			
Rationale	3	Describe the rationale for the review in the context of what is already known.	4
Objectives	4	Provide an explicit statement of questions being addressed with reference to participants, interventions, comparisons, outcomes, and study design (PICOS).	4 - 5
METHODS			
Protocol and registration	5	Indicate if a review protocol exists, if and where it can be accessed (e.g., Web address), and, if available, provide registration information including registration number.	N/A
Eligibility criteria	6	Specify study characteristics (e.g., PICOS, length of follow-up) and report characteristics (e.g., years considered, language, publication status) used as criteria for eligibility, giving rationale.	6 - 7
Information sources	7	Describe all information sources (e.g., databases with dates of coverage, contact with study authors to identify additional studies) in the search and date last searched.	5
Search	8	Present full electronic search strategy for at least one database, including any limits used, such that it could be repeated.	Table S1
Study selection	9	State the process for selecting studies (i.e., screening, eligibility, included in systematic review, and, if applicable, included in the meta-analysis).	6 - 8
Data collection process	10	Describe method of data extraction from reports (e.g., piloted forms, independently, in duplicate) and any processes for obtaining and confirming data from investigators.	8
Data items	11	List and define all variables for which data were sought (e.g., PICOS, funding sources) and any assumptions and simplifications made.	8
Risk of bias in individual studies	12	Describe methods used for assessing risk of bias of individual studies (including specification of whether this was done at the study or outcome level), and how this information is to be used in any data synthesis.	8
Summary measures	13	State the principal summary measures (e.g., risk ratio, difference in means).	8



PRISMA 2009 Checklist

Synthesis of results	14	Describe the methods of handling data and combining results of studies, if done, including measures of consistency (e.g., I^2) for each meta-analysis.	8
----------------------	----	---	---

Page 1 of 2

Section/topic	#	Checklist item	Reported on page #
Risk of bias across studies	15	Specify any assessment of risk of bias that may affect the cumulative evidence (e.g., publication bias, selective reporting within studies).	N/A
Additional analyses	16	Describe methods of additional analyses (e.g., sensitivity or subgroup analyses, meta-regression), if done, indicating which were pre-specified.	N/A
RESULTS			
Study selection	17	Give numbers of studies screened, assessed for eligibility, and included in the review, with reasons for exclusions at each stage, ideally with a flow diagram.	8
Study characteristics	18	For each study, present characteristics for which data were extracted (e.g., study size, PICOS, follow-up period) and provide the citations.	Table S2
Risk of bias within studies	19	Present data on risk of bias of each study and, if available, any outcome level assessment (see item 12).	N/A
Results of individual studies	20	For all outcomes considered (benefits or harms), present, for each study: (a) simple summary data for each intervention group (b) effect estimates and confidence intervals, ideally with a forest plot.	N/A
Synthesis of results	21	Present results of each meta-analysis done, including confidence intervals and measures of consistency.	N/A
Risk of bias across studies	22	Present results of any assessment of risk of bias across studies (see Item 15).	N/A
Additional analysis	23	Give results of additional analyses, if done (e.g., sensitivity or subgroup analyses, meta-regression [see Item 16]).	N/A
DISCUSSION			
Summary of evidence	24	Summarize the main findings including the strength of evidence for each main outcome; consider their relevance to key groups (e.g., healthcare providers, users, and policy makers).	11 – 14
Limitations	25	Discuss limitations at study and outcome level (e.g., risk of bias), and at review-level (e.g., incomplete retrieval of identified research, reporting bias).	13 - 14
Conclusions	26	Provide a general interpretation of the results in the context of other evidence, and implications for future research.	11 - 14
FUNDING			
Funding	27	Describe sources of funding for the systematic review and other support (e.g., supply of data); role of funders for the systematic review.	14



PRISMA 2009 Checklist

For more information, visit: www.prisma-statement.org.

Page 2 of 2

For Review Only