

1 SUPPORTING INFORMATION - APPENDIX 3

2 Extended acknowledgements

3 For permission and assistance to collect and access data, we thank the Alaska Department
4 of Fish and Game, Canadian Wildlife Service, Government of Northwest Territories, Kenya
5 Wildlife Service, the Porcupine Caribou Herd Technical Committee, Tanzanian Wildlife
6 Research Institute, Tanzania National Parks, U.S. Bureau of Land Management (BLM), U.S.
7 Forest Service, U.S. National Park Service, Wyoming Game and Fish Department (WGFD) and
8 the Wyoming Migration Initiative <migrationinitiative.org>. This work was supported by
9 generous funding from the Alaska Department of Fish and Game, BLM, Boone and Crockett
10 Club, Bowhunters of Wyoming, Environment Yukon, the European Commission (Horizon 2020,
11 AfricanBioServices, 641918), an E.U. Marie Skłodowska-Curie Individual Fellowship to L-R.L.
12 (Horizon 2020 Research and Innovation Programme, 794760), Frankfurt Zoological Society,
13 James E. Ellis Memorial Scholarship, Knobloch Family Foundation, the Lord Kelvin Adam
14 Smith Fellowship, Muley Fanatic Foundation, PacifiCorp, Parks Canada, Sierra Trading Post, the
15 University of Wyoming's Berry Fellowship, the U.S. Department of Agriculture, National
16 Institute of Food and Agriculture postdoctoral fellowship (grant award no. 2014-01928), U.S.
17 National Science Foundation (GRF 1252375 and DEB 0919383), Wyoming Animal Damage
18 Management Board, WGFD, Wyoming Governor's Big Game License Coalition, Wyoming
19 Outfitters and Guides Association, Wyoming Wild Sheep Foundation and the Wyoming Wildlife
20 and Natural Resource Trust, and the Zurich Zoo.

21 Many field technicians, biologists, and wildlife managers assisted with logistics and data
22 collection. Aerial support for collar relocations was provided by France Flying Service, Owyhee

23 Air Research, and Sky Aviation. We thank K. Allan and J. Matthiopoulos for constructive
24 comments and M. Hayes and T. Brown for field and technical assistance. Capture and handling
25 of GPS-collared animals was conducted according to animal handling and research protocols (in
26 Wyoming, approval was by the University of Wyoming Animal Care and Use Committee)
27 following (Sikes 2016), and indicated in the following publications: (Becker 2008; Vartanian
28 2011; Middleton *et al.* 2013; Beck, Smith & Taylor 2014; Jones *et al.* 2014; Taylor 2014; Merkle
29 *et al.* 2016; Oates 2016; Taylor, Beck & Huzurbazar 2016; Jesmer *et al.* 2018; Sawyer *et al.*
30 2019).

31 References

- 32
- 33 Beck, J.L., Smith, K.T. & Taylor, K.L. (2014) Elk response to wind energy development on crucial
34 winter range on the Dunlap Ranch, Wyoming. Department of Ecosystem Science and
35 Management, College of Agriculture and Natural Resources, University of Wyoming, Laramie.
- 36 Becker, S.A. (2008) Habitat selection, condition, and survival of Shiras moose in northwest Wyoming.
37 MSc, University of Wyoming.
- 38 Jesmer, B.R., Merkle, J.A., Goheen, J.R., Aikens, E.O., Beck, J.L., Courtemanch, A.B., Hurley, M.A.,
39 McWhirter, D.E., Miyasaki, H.M., Monteith, K.L. & Kauffman, M.J. (2018) Is ungulate
40 migration culturally transmitted? Evidence of social learning from translocated animals. *Science*,
41 **361**, 1023-1025.
- 42 Jones, J.D., Kauffman, M.J., Monteith, K.L., Scurlock, B.M., Albeke, S.E. & Cross, P.C. (2014)
43 Supplemental feeding alters migration of a temperate ungulate. *Ecological Applications*, **24**,
44 1769-1779.
- 45 Merkle, J.A., Monteith, K.L., Aikens, E.O., Hayes, M.M., Hersey, K.R., Middleton, A.D., Oates, B.A.,
46 Sawyer, H., Scurlock, B.M. & Kauffman, M.J. (2016) Large herbivores surf waves of green-up
47 during spring. *Proceedings of the Royal Society B: Biological Sciences*, **283**.
- 48 Middleton, A., Kauffman, M.J., McWhirter, D.E., Jimenez, M.D., Cook, R.C., Cook, J.G., Albeke, S.E.,
49 Sawyer, H. & White, P.J. (2013) Linking anti-predator behaviour to prey demography reveals
50 limited risk effects of an actively hunting large carnivore. *Ecology Letters*, **8**, 1023-1030.
- 51 Oates, B.A. (2016) Effects of predators and resource limitation on demography and behavior of moose in
52 the Greater Yellowstone Ecosystem. MSc, University of Wyoming.
- 53 Sawyer, H., Merkle, J.A., Middleton, A.D., Dwinnell, S.P.H. & Monteith, K.L. (2019) Migratory
54 plasticity is not ubiquitous among large herbivores. *Journal Animal Ecology*, **88**, 450-460.
- 55 Sikes, R.S. (2016) 2016 Guidelines of the American Society of Mammalogists for the use of wild
56 mammals in research and education. *Journal of Mammalogy*, **97**, 663-688.
- 57 Taylor, K.L. (2014) Pronghorn (*Antilocapra americana*) response to wind energy development on winter
58 range in south-central, Wyoming. MSc University of Wyoming.
- 59 Taylor, K.L., Beck, J.L. & Huzurbazar, S.V. (2016) Factors Influencing Winter Mortality Risk for
60 Pronghorn Exposed to Wind Energy Development. *Rangeland Ecology & Management*, **69**, 108-
61 116.

62 Vartanian, J.M. (2011) Habitat condition and the nutritional quality of seasonal forage and diets:
63 demographic implications for a declining moose population in northwest. MSc, University of
64 Wyoming.
65
66