

Nisselle, A. et al. (2021) Ensuring best practice in genomics education and evaluation: reporting item standards for education and its evaluation in genomics (RISE2 Genomics). *Genetics in Medicine*, 23(7), pp. 1356-1365.

(doi: <u>10.1038/s41436-021-01140-x</u>)

This is the Author Accepted Manuscript.

There may be differences between this version and the published version. You are advised to consult the publisher's version if you wish to cite from it.

https://eprints.gla.ac.uk/239145/

Deposited on: 1 June 2021

#### Genetics in Medicine Education Report

## Ensuring Best Practice in Genomics Education and Evaluation: Reporting Item

Standards for Education and Evaluation of Genomics ('RISE2 Genomics')

Amy Nisselle, PhD<sup>1,2,3</sup>, Monika Janinski, MBiotech<sup>1,2</sup>, Melissa Martyn, PhD<sup>2,3,4</sup>, Belinda McClaren, PhD<sup>1,2,3</sup>, Nadia Kaunein, BDS MPH<sup>1,2</sup>, the Reporting Item Standards for Education and Evaluation of Genomics Expert Group<sup>†</sup>, Kristine Barlow-Stewart, FHGSA PhD<sup>5</sup>, Andrea Belcher, PhD<sup>1,6</sup>, John A Bernat, MD PhD<sup>7</sup>, Stephanie Best, PhD SFHEA<sup>1,2,8</sup>, Michelle Bishop, PhD<sup>9</sup>, June C Carroll, MD CCFP<sup>10</sup>, Martina Cornel, MD, PhD<sup>11</sup>, Vajira Dissanayake, MBBS PhD<sup>12</sup>, Agnes Dodds, BA MA<sup>13</sup>, Kate Dunlop, DipEd MPH<sup>1,14</sup>, Gunjan Garg, BMed<sup>15</sup>, Russell Gear, MBChB<sup>16</sup>, Debra Graves, MBBS FRACMA<sup>1,17</sup>, Ken Knight, GDipPsych MA<sup>2,3</sup>, Bruce Korf, MD PhD<sup>18</sup>, Dhavendra Kumar, FRCP(London) DSc(HC)<sup>19</sup>, Mercy Laurino, CGC PhD<sup>20</sup>, Alan Ma, MBBS FRACP<sup>15,21</sup>, Jane Maguire, MACN PhD<sup>22</sup>, Andrew Mallett, PhD FRACP<sup>1,6</sup>, Maria McCarthy, PhD<sup>2,3,23</sup>, Alison McEwen, PhD FHGSA<sup>24</sup>, Nicola Mulder, PhD<sup>25</sup>, Chirag Patel, MD FRACP<sup>1,26</sup>, Catherine Quinlan, MD(Res) FRACP<sup>1,2,3,23</sup>, Kate Reed, MPH ScM<sup>27</sup>, Erin Rooney Riggs, MS CGC<sup>28</sup>, Ingrid Sinnerbrink, MMed FRACP<sup>29,30</sup>, Anne Slavotinek, MD PhD<sup>31</sup>, Vijayaprakash Suppiah, BSc (Pharmacy)(Hons) PhD<sup>32</sup>, Bronwyn Terrill, GDSciComm MEd<sup>1,33</sup>, Edward S Tobias, PhD FRCP<sup>34</sup>, Emma Tonkin, PhD<sup>35</sup>, Steve Trumble, MBBS MD<sup>13</sup>, Tina-Marie Wessels, MScGenCouns PhD<sup>36</sup>, Sylvia Metcalfe, PhD<sup>1,2,3</sup>, Helen Jordan, PhD<sup>37</sup> & Clara Gaff, PhD

<sup>5</sup> Faculty of Medicine and Health, University of Sydney, NSW, Australia <sup>6</sup> Faculty of Medicine, University of Queensland, Brisbane, QLD, Australia <sup>7</sup> Stead Family Department of Pediatrics, University of Iowa, Iowa City, IA, USA <sup>8</sup> Australian Institute of Health Innovation, Macquarie University, Sydney, NSW, Australia <sup>9</sup> Genomics Education Programme, Health Education England, Birmingham, UK <sup>10</sup> Department of Family and Community Medicine, University of Toronto, ON, Canada <sup>11</sup> Amsterdam University Medical Centre, Vrije Universiteit Amsterdam, Department of Clinical Genetics, Amsterdam Public Health Research Institute, Amsterdam, The Netherlands <sup>12</sup> Department of Anatomy & Human Genetics Unit, University of Colombo, Sri Lanka <sup>13</sup> Melbourne Medical School, The University of Melbourne, VIC, Australia <sup>14</sup> Centre for Genetics Education, NSW Health, Sydney, NSW, Australia <sup>15</sup> Children's Hospital Westmead, Sydney Children's Hospitals Network, NSW, Australia <sup>16</sup> Genetic Health Services New Zealand, Wellington, New Zealand <sup>17</sup> Royal College of Pathologists of Australasia, Sydney, NSW, Australia <sup>18</sup> School of Medicine, University of Alabama at Birmingham, AL, USA <sup>19</sup> William Harvey Research Institute, Queen Mary University of London, UK <sup>20</sup> Department of Pediatrics, University of the Philippines Manila, Philippines <sup>21</sup> Discipline of Genomic Medicine, Sydney Medical School, University of Sydney, NSW, Australia <sup>22</sup> Faculty of Health, University of Technology Sydney, NSW, Australia <sup>23</sup> Royal Children's Hospital, Melbourne, VIC, Australia

<sup>24</sup> Graduate School of Health, University of Technology Sydney, NSW, Australia

<sup>25</sup> Computational Biology Division, IDM, University of Cape Town, South Africa

<sup>26</sup> Genetic Health Queensland, Brisbane, QLD, Australia

<sup>27</sup> The Jackson Laboratory, Bar Harbor, ME, USA

<sup>28</sup> Autism & Developmental Medicine Institute, Geisinger, Danville, PA, USA

<sup>29</sup> NSW Health, NSW, Australia

<sup>30</sup> Sydney Medical School, University of Sydney, NSW, Australia

<sup>31</sup>School of Medicine, University of California San Francisco, CA, USA

<sup>32</sup> Australian Centre for Precision Health, University of South Australia, Adelaide, SA,

Australia

<sup>33</sup> Kinghorn Centre for Clinical Genomics, Garvan Institute of Medical Research, Sydney,

NSW, Australia

<sup>34</sup> School of Medicine, Nursing & Dentistry, University of Glasgow, UK

<sup>35</sup> Genomics Policy Unit, University of South Wales, Pontypridd, UK

<sup>36</sup> Division of Human Genetics, University of Cape Town, South Africa

<sup>37</sup> Melbourne School of Population and Global Health, The University of Melbourne, VIC,

Australia

<sup>+</sup> A list of authors and their affiliations appears at the end of this paper.

\* Correspondence: Prof Clara Gaff, <a href="mailto:cgaff@unimelb.edu.au">cgaff@unimelb.edu.au</a>

#### Abstract

**Purpose:** Widespread, quality genomics education for health professionals is required to create a competent genomic workforce. A lack of standards for reporting genomics education and evaluation limits the evidence base for replication and comparison. We therefore undertook a consensus process with the aim of developing a recommended minimum set of information to support consistent reporting of the design, development, delivery and evaluation of genomics education interventions.

**Methods:** Draft standards were derived from the literature (25 items from 21 publications). Thirty-six international experts were purposively recruited and completed three rounds of a modified Delphi process to reach consensus on relevance, clarity, comprehensiveness, utility and design.

**Results:** The final standards include 18 items relating to development and delivery of genomics education interventions, 12 relating to evaluation, and one on stakeholder engagement.

**Conclusion:** These *r*eporting *i*tem *s*tandards for *e*ducation and *e*valuation of *genomics* (*RISE2 Genomics*) are intended to be widely applicable across settings and health professions. Their use by those involved in reporting genomics education interventions and evaluation, as well as their adoption by journals and policy makers as the expected standard, will support greater transparency, consistency and comprehensiveness of reporting. Consequently, the evidence base of genomics education will be more robust, enabling high-quality genomics education and evaluation across a range of settings.

Key words: genomic medicine, genomics education, evaluation, reporting, standards

#### 1. Introduction

Genomic medicine as an emerging field has the promise of delivering greater diagnostic accuracy, targeted treatment options, and ultimately, improved patient outcomes. However, these achievements depend on skilled health professionals. Quality, evidence-based education that demonstrably improves health professionals' competence in genomics is essential to ensure that genomics is used appropriately in patient care and, ultimately, that the promise of genomic medicine does translate to improved patient outcomes.<sup>1-5</sup>

Genetics/genomics education initiatives – including programs, learning activities and resources, collectively referred to as 'education interventions' – have been developed to improve health professionals' genomic literacy. Recent reviews of these efforts<sup>6,7</sup> highlight the difficulty in interpreting individual and overall quality, due to inconsistent descriptions in the reporting of interventions and their evaluations. This inconsistency limits not only replication and comparison,<sup>6</sup> but also evidence for which educational strategies are most effective, and in which settings. Consistent descriptions would also assist those developing genomics education interventions to learn from previous efforts, as well as support the development of a stronger evidence base for effective genomics education, for example by enabling meta-analysis.

Standards aim to clarify and define technical terms to provide a consistent way of describing a craft or profession.<sup>8</sup> Reporting standards assist the cultivation of transparent communication and, in turn, facilitate appraisal and comparison of value and quality, systematic review and replication.<sup>8</sup> Widely adopted standards have improved the appraisal and quality of studies reporting diagnostic accuracy (STARD),<sup>9</sup> randomized trials (CONSORT),<sup>10</sup> observational (STROBE)<sup>11</sup> or qualitative studies (COREQ),<sup>12</sup> systematic reviews and meta-analyses (PRISMA),<sup>13</sup> and program evaluation.<sup>8</sup> As genomic testing expands into routine clinical practice, reporting standards are emerging to help establish consistent and equitable provision

of genomic medicine.<sup>14-16</sup> Despite an identified need,<sup>6</sup> there are currently no standards for reporting genetic or genomics education interventions or their evaluation.

We have addressed the lack of standards in genomics education by developing a recommended minimum set of information to support consistent descriptions of the design, development and delivery of genomics education interventions for health professionals, as well as their evaluation. To ensure international relevance, a co-design process was undertaken with international education and evaluation experts to develop these reporting standards.

#### 2. Methods

The consensus methodology applied was adapted from those used in the development of reporting standards for diagnostic accuracy studies,<sup>9</sup> randomized controlled trials,<sup>10</sup> observational epidemiological studies,<sup>11</sup> systematic reviews<sup>13</sup>, educational interventions for evidence-based practice<sup>17</sup> and educational program evaluation.<sup>18</sup>

**Figure 1** summarizes the three-stage approach we employed to develop and refine the reporting standards, described below. This process was overseen by a Project Working Group comprising CG, HJ, MMa, AN and MJ.

#### 2.1 Stage 1: Literature review

A review of genetics/genomics education literature was conducted to generate an initial bank of items to be included in the standards. Here we define 'item' as any metric or term used to describe an educational intervention or its evaluation. We applied the principles of scoping studies<sup>19</sup> to map the relevant literature both broadly and in detail. Publications identified in our previous review of genetics/genomics education for physicians<sup>20</sup> formed the basis of the subsequent in-depth literature review; forward and backward citation searches of these nine publications<sup>6,21-28</sup> identified other relevant publications on continuing genetics/genomics

education. Papers were eligible for inclusion if they: (i) were published in English; (ii) were published between January 2000 and May 2019; and (iii) included comprehensive descriptions of continuing education interventions. This process identified papers on both genetics/genomics education and continuing education for medical professionals more broadly. Publications were iteratively reviewed using inductive content analysis to identify items that were reported when describing the education intervention itself and/or any evaluation. An item was classified as being 'reported' in a publication if the term was included *and* details were provided. For example, if a publication noted that key stakeholders were consulted, this was only included if the publication also defined *who* the key stakeholders were.

#### 2.2 Stage 2: Draft reporting standards

To produce the first draft, all items identified from the literature review were collated and cross-referenced with a published program logic model for genomics education interventions that can be used to describe how interventions intend to achieve desired outcomes and plan their development and evaluation.<sup>29</sup> The logic model encompasses the four key components of the program cycle—planning, development, delivery, and outcomes—with goals, stakeholder engagement, and evaluation spanning all stages. The draft standards were then also compared with general evaluation standards.<sup>8,30,31</sup> This process ensured that the reporting standards would align with accepted practice.

#### 2.3 Stage 3: Modified Delphi review

The draft reporting standards were refined using a modified, reactive Delphi process.<sup>32</sup> A cohort of Delphi experts was purposively recruited to include international experts with a breadth of expertise in evaluation, medical or genetics/genomics education research or delivery, implementation science or knowledge translation, as well as representatives from education committees of relevant national and international human/medical genetics

societies. Invitations were sent to experts who participated in the development of the genomics education program logic model  $(n=24)^{29}$  and key collaborators within Project Working Group members' professional network (n=18). An open invitation was sent to members of the Genomics Education Network of Australia (n=116 at the time).<sup>29</sup>

#### Data collection

Over three rounds of Delphi review each version of the standards was distributed by email, with accompanying feedback templates that included a mix of closed and open questions. Experts were also invited to directly edit items in each version of the standards as desired, using tracked changes. Iterative refinements were made based on cohort feedback after each round. The purpose of Round 1 was to obtain consensus on relevance and to review clarity and comprehensiveness of items through comments and direct edits. In Round 2, experts were asked to comment on the typical requirements for utility and design of this version of the standards overall. In Round 3, experts were asked to identify items that could be considered optional and confirm if they were satisfied with the proposed set of reporting standards. As each round had a specific purpose all experts were invited to participate in all rounds regardless of completion or non-completion in previous rounds.

#### Data analysis

Microsoft Excel 2013 was used to collate, clean and analyze the data. In Round 1, relevance was determined using descriptive statistics with a threshold of 80% consensus. This threshold was based on previous Delphi consensus levels ranging from 70–80%.<sup>33,34,35</sup> Open-text comments were coded using inductive content analysis<sup>36</sup> to identify common themes in the feedback on specific items. In Round 1, comments on lack of relevance were coded as 'Do not retain'; 'Retain with modification' was applied if a comment suggested modification or lower priority. Throughout all rounds, suggestions for additional items were reviewed and items amended, merged or added. The Project Working Group reviewed the reporting

standards after each round and resolved any conflicts, drawing on collective knowledge and experience in program evaluation and developing, delivering and evaluating genomics education interventions.

#### 3. Results

#### 3.1 Literature review

The literature review identified 21 publications for detailed analysis: 13 individual original papers and eight systematic reviews describing genetics/genomics education for health professionals or non-genomic continuing medical education (CME; **Figure 2**, Supplementary materials **Table S1**). A total of 25 items were identified: 15 describing the intervention, nine related to evaluation and one regarding stakeholders (Supplementary materials **Table S2**). All 21 publications reported on three education intervention items (*Target audience, Mode of delivery* and *Content*) and three evaluation items (*Type of evaluation, Study design* and *Outcome measures*), however the level of detail provided for study design and reporting of other items varied, and only one publication reported on key stakeholders. Few original papers described a theoretical framework for either the educational intervention (n=3) or evaluation (n=3), and even fewer described the use of a program logic approach (n=1).

#### 3.2 Draft reporting standards

Analysis of the items identified from the literature review highlighted that some items related to development and delivery of genomics education interventions and some to the evaluation of interventions. Whilst ideally these would be reported together, to encourage use of the standards as broadly, and as early as possible in reporting, we decided to retain this distinction. The Project Working Group mapped the 25 items against the program logic model for genomics education<sup>29</sup> and evaluation standards.<sup>8,30,31</sup> Three items in the education standards were duplicated into the evaluation standards (*Objective, Program logic approach*,

*Key stakeholders/partners*; **Table S3**), three more items were added to the education standards (*Learning objectives*, *Required prior knowledge or skills*, *Structure of the intervention*) and two to the evaluation standards (*Evaluation questions*, *Evaluation subtype*). One item in the evaluation standards was also split into two (*Comparator group* as distinct from *Study design*). This resulted in a total of 34 items in Version 1 of the reporting standards (**Figure 3**). Nineteen items related to education interventions and 15 to evaluation.

#### 3.3 Delphi cohort

Of the 158 people invited, 38 agreed to participate in this Delphi review (**Table S4**), with the highest response from direct invitations through professional networks (15/18 invited). The Delphi cohort constituted experts from 11 countries across five continents, with expertise in education (n=31; teaching at university, continuing professional development [CPD] or a combination), evaluation (n=4), clinical experience (n=25), policy (n=2) and/or implementation science/knowledge translation (n=2). The group included members of the education committees of four human/medical genetics societies in North America, Europe and Australasia, and those who collectively participate in 16 national- or international-level genetics/genomics initiatives.

#### 3.4 Delphi review

The results of the Delphi process and outcomes of each round of review are presented in **Figure 3.** Supplementary materials provide a summary of the evolution of all items during the Delphi process (**Table S3**), with an illustrative example provided (**Table S5**).

#### Round 1: Relevance, clarity and comprehensiveness

Thirty-six of the 38 experts (95%) completed Round 1. Twenty-seven items reached the 80% threshold and were retained. Initially, there was no consensus whether to retain a further seven items (*Key stakeholders, Program logic, Development process, Theoretical framework,* 

*Audience size, Evaluation sub-type* and *Evaluation program logic approach*) but after reviewing open-text comments, these items were categorized as 'Retain with modification'. Based on six comments, the item *Evaluation sub-type* was merged into item *Type(s) of evaluation*.

Experts collectively made 54 suggestions for new items: 16 were incorporated as modifications to seven existing items; 22 were collated into eight new items (*Developer/host characteristics, Access, Assessment, Evaluation plan, Revision strategy, Recruitment* and *Dissemination strategy*, for both the education intervention and the evaluation); and 11 were considered by the Project Working Group to be sufficiently addressed by existing items. The remaining five suggestions related to general information expected in any publication – human research ethics approval, impact of the intervention, results or impact of any evaluation, or any limitations of the study – so were not included at this stage (see footnote to **Table 1**). This was consistent with approaches used for similar standards.<sup>10</sup> Therefore, Version 2 of the reporting standards comprised a total of 41 items.

#### Round 2: Utility and design typical requirements

Twenty-nine experts (76%) completed Round 2. Eleven experts (38%) reached consensus, with no further changes to Version 2 suggested. Overall, comments received in Round 2 indicated that the draft reporting standards had reasonably high utility. Specific comments made related to: relevance (n=18); clarity (n=25); merging or splitting items (n=2); or modifying wording or format (n=36). In response, the Project Working Group decided to merge 10 items into seven existing items and add three new items (*Qualification, Year of delivery* and *Evaluation results*), resulting in 34 items for Version 3.

#### Round 3: Final review and optional items

Thirty-one experts (82%) completed Round 3 and 13 (42%) approved Version 3 with no further changes. In this round the Delphi cohort was primarily asked to reflect on whether items should be essential or optional. Fifteen experts (48%) collectively indicated that 18 items could be optional. For 14 items, only 1–2 reviewers per item suggested that they be recategorized as 'optional', with all other experts recommending 'essential'; these items were therefore retained as essential. The remaining four items were rated as 'optional' by three or more experts: *Qualification* (n=5 comments), *Needs assessment* (n=3) and *Theoretical framework* for the intervention (n=7), and *Theoretical framework* for the evaluation (n=6). After review by the Project Working Group these four items were merged into three existing items (see **Tables S3 and S5**). One expert also suggested adding an item (*Evaluator*), which was approved by the Project Working Group. Lastly, the five additional items suggested but excluded in Round 1 were reviewed, with two ('impact of intervention' and 'results or impact of any evaluation data') incorporated into the items *Evaluation results* and *Evaluation impact*. The final standards (Version 4) therefore included 31 items.

# **3.5 Overview of Reporting Item Standards for Education and Evaluation of Genomics** ('RISE2 Genomics')

The final 31 standards are provided in **Table 1**, with a simplified checklist available to download in Supplementary Materials **Table S6**. The standards provide guidance on reporting both development and delivery of genomics education interventions (18 standards) and the evaluation of those interventions (12 standards), plus how stakeholders are identified and engaged. We have deliberately duplicated three items in both education intervention and evaluation (*Aim, Approach* and *Funding*) to allow the two parts of the standards to be used either independently or jointly. In response to requests from the Delphi cohort, more detailed descriptions of each item, and in some cases examples, are also provided. For example, while

some authors may be familiar with items related to theoretical frameworks or program logic approaches and consider them best practice, these considerations may be outside the scope of some education providers' professional qualifications and experience. Some terms may vary across settings, for example, a genomics education intervention may have 'learning objectives' or 'learning outcomes', or be mapped to professional 'competencies' or 'capabilities'.

#### 4. Discussion

Through a rigorous consensus process with international experts, we have developed reporting standards to guide the preparation and review of reports and manuscripts on genomics education interventions and their evaluation. The aim of these reporting standards is to support the development of an evidence base for genomics education by both facilitating transparency and appraisal of interventions. As education interventions may be reported separately to their evaluation (which may or may not be reported at all), we present the standards in two parts to encourage their use early in the program lifecycle. These standards build upon previously published reporting standards for health professional education,<sup>17,37</sup> by placing much greater emphasis and elaboration on evaluation in addition to the education intervention itself. Our inclusion of evaluation experts in our Delphi cohort, as well as experts from different countries, further differentiates these standards from others. We designed the standards to be accessible to all professionals involved in genomics education of health professionals. Ideally genomics educators should have some formal level of training; however many professionals who develop, deliver and/or evaluate genomics education interventions do not have formal training in education or evaluation.<sup>38</sup> Consequently, they may find the terminology of more generic general education reporting standards

impenetrable. Encouragingly, standards published very recently on the EQUATOR Network site<sup>1</sup> used more accessible language.<sup>37</sup>

In response to the growing emphasis on genomic workforce literacy<sup>1</sup> genomics education interventions, and their evaluation, may be commissioned and subsequently reported in the gray literature (e.g., stakeholder and technical reports). Not all reporting items will be applicable to all interventions or appropriate to include in all types of literature. To encourage use across a broad range of contexts we have not classified any items as 'essential', nor require authors to provide page citations for items when submitting manuscripts. Nevertheless, authors are encouraged to provide reasoning if an item is not reported, to maintain comprehensiveness and consistency within the broader genomics education literature. These are necessary points of difference with some existing reporting standards, where all items are essential<sup>9-13</sup> or require page number citation<sup>9,10,12,13</sup> but align with the Joint Committee on Standards for Educational Evaluation's 'open standards' that guide rather than prescribe.<sup>8</sup>

A further point of difference relates to quality. Whilst all standards aim to encourage 'quality of reporting' through transparency and disclosure of valid and reliable information, some, such as the evaluation standards reviewed,<sup>8,30,31</sup> also aim to improve quality of design and delivery. That was not the aim of these reporting standards for genomics education and evaluation. Consequently, the few suggestions from the Delphi cohort that were prescriptive of quality were not incorporated. For example, "strive to achieve maximum learning outcomes using Bloom's taxonomy<sup>39</sup>" (*Learning objectives*), "use mixed methods for evaluation" (*Data collection modality*), or "collect evaluation data at all stages of the intervention development, delivery and impact" (*Data collection timing*). We envisage that

<sup>&</sup>lt;sup>1</sup> https://www.equator-network.org/.

the reporting standards will be used as part of a suite of tools, which include a program logic model<sup>29</sup> and an evaluation framework (in development), that will collectively encourage and support quality practice, and provide an evidence-base for genomics education.

Consistent with a previous review,<sup>6</sup> we found that use of theoretical frameworks and program logic approaches are not widely reported in the literature on genetics or genomics education and this was also an area of divergent views within our Delphi cohort. Theoretical frameworks can help examine assumptions or limits in the design of an education intervention or evaluation study and connect to the broader literature base, and program logic models can be used to describe how an education intervention is intended to work, thus helping to define hypotheses to be tested in the evaluation.<sup>40</sup> However, some members of our Delphi cohort were not familiar with these approaches and felt the terminology may be a potential barrier to the uptake of the standards. Therefore, items that related to theoretical frameworks or program logic models were deliberately merged into the items *Approach to development* and *Approach to evaluation*.

A strength of this study was the combined expertise and diverse backgrounds of the Delphi cohort, which contributed to a robust development process. This cohort included those directly involved in genomics education of health professionals, those with general health professional education expertise and, importantly, those with a background in evaluation. This is a unique feature of our standards compared with previous health professional education reporting standards, developed without evaluation expertise.<sup>17,37</sup> As intended, items identified in the initial literature review prompted the Delphi cohort to identify additional items at each stage of the review process. Some confusion about the purpose of the reporting standards was revealed through the Delphi process and some participants identified potential uses beyond reporting by those (e.g., to guide development of education interventions or assist policy makers who may commission evaluations). While synchronous review methods,

such as face-to-face workshops<sup>9-11,13,18,29</sup> may have identified and resolved this confusion quickly, the asynchronous nature of contribution to a Delphi process meant that queries were documented for in-depth discussion and resolution to clarify the purpose and utility of the standards.

There is no single governing organization to disseminate or mandate the use of educational reporting standards for genomics. However, there are several international networks and consortia in genetic and genomics education – such as the Global Genomic Medicine Collaborative (G2MC; <u>https://g2mc.org</u>), Global Genomics Nursing Alliance (G2NA; <u>https://g2na.org/</u>) and the Genetics/Genomics Competency Center (G2C2;

https://genomicseducation.net). As with other groups who developed reporting standards in the absence of a governing body,<sup>9-13,17,37</sup> our Delphi cohort members are also now important early adopters or 'champions' who can facilitate wider dissemination and adoption of the standards throughout their professional networks, societies and communities. We purposively invited leaders in the development, provision and evaluation of genetics/genomics education within their countries and internationally to join our expert Delphi cohort. Some experts expressed that the draft reporting standards were already compelling them to reflect on their practice, which demonstrates the value of the standards across all stages of planning, development, delivery, evaluation and reporting.

These *r*eporting *i*tem *s*tandards for *e*ducation and *e*valuation of genomics – *RISE2 Genomics* – have the potential to transform the evidence base of genomics education thereby making it more transparent, consistent and comprehensive. Consequently, this will enable more robust, high-quality genomics education interventions and evaluation across a range of settings. Although our methodology focused on genomics education for health professionals, the resulting standards appear to be sufficiently generic to be used in settings beyond this, such as the genomics education of patients, communities and the public, or even health professional

education more generally. As these standards are adopted and applied, iterations may be necessary. The standards are certainly timely. Genomics education efforts are increasing globally and an evidence base is an imperative; early adoption of these standards will greatly strengthen the ability of educators to identify effective education strategies in the future.

#### 5. Acknowledgments

This work was supported by the Victorian Government's Operational Infrastructure Support Program and a grant from the Australian National Health & Medical Research Council (GNT1113531). We thank Ms Erin Crellin, The University of Melbourne, for her contributions to the early stages of this work.

#### 6. Data Availability

Data are available in both the Results and Supplementary materials.

#### 7. Author information

Conceptualization: CG, HJ, MMa, SM, AN; Data curation: MJ, NK; Formal analysis: MJ, AN; Funding acquisition: CG, SM; Investigation: AB, JB, KBS, MB, SB, JC, MC, AD, KD, VD, DG, GG, RG, MJ, BK, DK, KK, ML, AMa, AMal, AMcE, JM, MMc, SM, NM, AN, CP, CQ, ER, KR, AS, IS, VS, BT, EST, ET, ST, TMW; Methodology: CG, HJ, MMa, SM, AN; Project administration: MJ, NK; Writing – original draft: CG, MJ, AN; Writing – review and editing: AB, JB, KBS, MB, SB, JC, MC, AD, KD, VD, CG, DG, GG, RG, HJ, BK, DK, KK, ML, AMa, AMal, AMcE, BM, JM, MMa, MMc, NM, SM, AN, CP, CQ, ER, KR, AS, IS, VS, BT, EST, ET, ST, TMW: agree to be accountable for all aspects of the work.

#### The Reporting Item Standards in Education and Evaluation of Genomics Expert Group

A/Prof Kristine Barlow-Stewart, Dr Andrea Belcher, Dr John A Bernat, Dr Stephanie Best, Dr Michelle Bishop, Dr June C Carroll, Prof Martina Cornel, Prof Vajira Dissanayake, A/Prof Agnes Dodds, Kate Dunlop, Dr Gunjan Garg, Dr Russell Gear, Dr Debra Graves, Ken Knight, Prof Bruce Korf, Prof Dhavendra Kumar, Dr Mercy Laurino, Dr Alan Ma, Prof Jane Maguire, A/Prof Andrew Mallett, Dr Maria McCarthy, A/Prof Alison McEwen, Prof Sylvia Metcalfe, Prof Nicola Mulder, Dr Chirag Patel, A/Prof Catherine Quinlan, Kate Reed, Erin Rooney Riggs, Dr Ingrid Sinnerbrink, A/Prof Anne Slavotinek, Dr Vijayaprakash Suppiah, Bronwyn Terrill, Prof Edward S Tobias, A/Prof Emma Tonkin, Prof Steve Trumble & Dr Tina-Marie Wessels.

#### 8. References

- Slade I, Burton H. Preparing clinicians for genomic medicine. Postgrad Med J. 2016;92(1089):369.
- Owusu Obeng A, Fei K, Levy KD, et al. Physician-reported benefits and barriers to clinical implementation of genomic medicine: A multi-site IGNITE-network survey. J Pers Med. 2018;8(3):24.
- White S, Jacobs C, Phillips J. Mainstreaming genetics and genomics: a systematic review of the barriers and facilitators for nurses and physicians in secondary and tertiary care. Genet Med. 2020;22(7):1149-1155.
- Amara N, Blouin-Bougie J, Bouthillier D, Simard J. On the readiness of physicians for pharmacogenomics testing: an empirical assessment. The pharmacogenomics journal. 2018;18(2):308-318.
- Al Bakir I, Sebepos-Rogers GM, Burton H, Monahan KJ. Mainstreaming of genomic medicine in gastroenterology, present and future: a nationwide survey of UK gastroenterology trainees. BMJ open. 2019;9(10):e030505.
- Talwar D, Tseng TS, Foster M, Xu L, Chen LS. Genetics/genomics education for nongenetic health professionals: a systematic literature review. Genet Med. 2017;19(7):725-732.

- Paneque M, Turchetti D, Jackson L, Lunt P, Houwink E, Skirton H. A systematic review of interventions to provide genetics education for primary care. BMC Fam Pract. 2016;17:89.
- 8. Yarbrough DB, Shulha LM, Hopson RK, Caruthers FA. The program evaluation standards: A guide for evaluators and evaluation users. SAGE Publications. 2010.
- 9. Bossuyt PM, Reitsma JB, Bruns DE, et al. STARD 2015: an updated list of essential items for reporting diagnostic accuracy studies. Clin Chem. 2015;61(12):1446-1452.
- Schulz KF, Altman DG, Moher D. CONSORT 2010 Statement: updated guidelines for reporting parallel group randomised trials. J Pharmacol Pharmacother. 2010;1(2):100-107.
- Elm Ev, Altman DG, Egger M, Pocock SJ, Gøtzsche PC, Vandenbroucke JP.
   Strengthening the reporting of observational studies in epidemiology (STROBE)
   statement: guidelines for reporting observational studies. Int J Surg. 2007;12(12):1495-1499.
- Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. Int J Qual Health Care. 2007;19(6):349-357.
- Moher D, Liberati A, Tetzlaff J, Altman DG. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. PLoS medicine. 2009;6(7):e1000097.
- Richards S, Aziz N, Bale S, et al. Standards and guidelines for the interpretation of sequence variants: a joint consensus recommendation of the American College of Medical Genetics and Genomics and the Association for Molecular Pathology. Genet Med. 2015;17(5):405-424.

- Popejoy AB, Crooks KR, Fullerton SM, et al. Clinical genetics lacks standard definitions and protocols for the collection and use of diversity measures. Am J Hum Genet. 2020;107(1):72-82.
- 16. Hooker GW, Babu D, Myers MF, Zierhut H, McAllister M. Standards for the Reporting of Genetic Counseling Interventions in Research and Other Studies (GCIRS): an NSGC Task Force Report. J Genet Couns. 2017;26(3):355-360.
- Phillips AC, Lewis LK, McEvoy MP, et al. Development and validation of the guideline for reporting evidence-based practice educational interventions and teaching (GREET).
   BMC Med Educ. 2016;16(1):237.
- Yarbrough DB. Developing the program evaluation utility standards: scholarly foundations and collaborative processes. Can J Program Eval. 2017;31(3):284–304.
- Arksey H, O'Malley L. Scoping studies: towards a methodological framework. Int J Soc Res Methodol. 2005;8(1):19-32.
- Crellin E, McClaren B, Nisselle A, Best S, Gaff C, Metcalfe S. Preparing medical specialists to practice genomic medicine: education an essential part of a broader strategy. Front Genet. 2019;10:789.
- Reed EK, Johansen Taber KA, Ingram Nissen T, et al. What works in genomics education: outcomes of an evidenced-based instructional model for community-based physicians. Genet Med. 2016;18(7):737-745.
- 22. Paneque M, Cornel MC, Curtisova V, et al. Implementing genetic education in primary care: the Gen-Equip programme. J Community Genet. 2017;8(2):147-150.
- Carroll JC, Wilson BJ, Allanson J, et al. GenetiKit: a randomized controlled trial to enhance delivery of genetics services by family physicians. Fam Pract. 2011;28(6):615-623.

- Houwink EJ, van Teeffelen SR, Muijtjens AMM, et al. Sustained effects of online genetics education: a randomized controlled trial on oncogenetics. Eur J Hum Genet. 2014;22(3):310-316.
- 25. Houwink EJ, Muijtjens AM, van Teeffelen SR, et al. Effectiveness of oncogenetics training on general practitioners' consultation skills: a randomized controlled trial. Genet Med. 2014;16(1):45-52.
- Formea CM, Nicholson WT, McCullough KB, et al. Development and evaluation of a pharmacogenomics educational program for pharmacists. Am J Pharm Educ. 2013;77(1):10.
- Ha VTD, Frizzo-Barker J, Chow-White P. Adopting clinical genomics: a systematic review of genomic literacy among physicians in cancer care. BMC medical genomics. 2018;11(1):18.
- Jackson L, O'Connor A, Paneque M, et al. The Gen-Equip Project: evaluation and impact of genetics e-learning resources for primary care in six European languages. Genet Med. 2019;21(3):718-726.
- 29. Nisselle A, Martyn M, Jordan H, et al. Ensuring best practice in genomic education and evaluation: a program logic approach. Front Genet. 2019;10:1057.
- 30. MacDonald G. Framework for program evaluation in public health: a checklist of steps and standards. In. Atlanta, Georgia: Centers for Disease Control and Prevention. 2014.
- Australasian Evaluation Society. Guidelines for the Ethical Conduct of Evaluations. Australian Evaluation Society. 2013.
- McKenna HP. The Delphi technique: a worthwhile research approach for nursing? J Adv Nurs. 1994;19(6):1221-1225.
- 33. Brookes ST, Macefield RC, Williamson PR, et al. Three nested randomized controlled trials of peer-only or multiple stakeholder group feedback within Delphi surveys during core outcome and information set development. Trials. 2016;17(1):409.

- McClaren BJ. Cystic fibrosis cascade carrier testing in Victoria, Australia. The University of Melbourne, VIC. 2010.
- 35. Paquette-Warren J, Tyler M, Fournie M, Harris SB. The Diabetes Evaluation Framework for Innovative National Evaluations (DEFINE): construct and content validation using a modified Delphi method. Can J Diabetes. 2017;41(3):281-296.
- Patton MQ. Qualitative research & evaluation methods: Integrating theory and practice.
   SAGE Publications. 2014.
- Van Hecke A, Duprez V, Pype P, Beeckman D, Verhaeghe S. Criteria for describing and evaluating training interventions in healthcare professions - CRe-DEPTH. Nurse Educ Today. 2020;84:104254.
- 38. McClaren BJ, King EA, Crellin E, Gaff C, Metcalfe SA, Nisselle A. Development of an evidence-based, theory-informed national survey of physician preparedness for genomic medicine and preferences for genomics continuing education. Front Genet. 2020;11:59.
- Bloom BS, Krathwohl DR, Masia BB. Bloom taxonomy of educational objectives. In: Allyn and Bacon. Pearson Education. 1984.
- 40. Funnell S, Rogers P. Purposeful program theory: Effective use of theories of change and logic models. Vol 31: John Wiley & Sons. 2011.

### **Figure and Table Legends**

*Figure 1.* Study design when developing reporting standards for genomics education and evaluation

<sup>a</sup> Yarbrough et al., 2010; MacDonald, 2014; Australasian Evaluation Society, 2013.

<sup>b</sup> Nisselle et al., 2019.

*Figure 2. Results of Stage 1: Literature review of genetics/genomics education, continuing medical education and evaluation including 13 individual original papers and 8 systematic reviews* 

<sup>a</sup> Crellin et al., 2019; conducted July 2018, focusing on continuing education for internal medicine physicians. The search terms for that review can be accessed in the Supplementary Materials for Crellin et al., 2019.


*Figure 3. Results of Stages 2 and 3 to draft, review and refine the reporting standards, showing number of items reviewed, amended, added or reviewed for each version* 

<sup>a</sup> Yarbrough et al., 2010; MacDonald, 2014; Australasian Evaluation Society, 2013.

<sup>b</sup> Nisselle et al., 2019.

 Table 1. Reporting standards for genomics education intervention development, delivery and

 evaluation\*



#### Genetics in Medicine Education Report

Table 1. Standards for consistent reporting of genomics education intervention development, delivery and evaluation\*

Item Description **Reported Details GENOMICS EDUCATION INTERVENTION Design and development** need a few more genomic related terms added, as is done State the overarching goal(s) of the intervention For example, 'to improve general practitioner knowledge of oncogenetics' or 'identify Aim(s) appropriate use of genomic sequencing in neurological conditions' Rationale Provide a justification of the need for the Evidence may also encompass socio-economic, cultural, political and other contextual intervention, which may be informed by literature factors or a needs assessment Describe the main background/specialty of the For example, early-adopter primary care providers, oncologists in private practice, Target intended learners and why they were targeted, scientists, students (specify area of study), public, etc., also noting whether the target group(s) noting any sub-population(s) or if interdisciplinary group was homogeneous or heterogeneous/interdisciplinary Describe how the target group was made aware of This could include: Target the intervention and how to access it, including any group • Details of marketing strategies, such as newsletters, emails, online advertising, marketing strategies, open access avenues or recruitment through professional networks, etc. incentives • Whether the intervention was open access or required a fee, registration (if online), membership in professional organization, or was invitation only • Details of any incentives used to increase participation, including those related to quality (e.g., continuing professional development (CPD)/continuing medical education (CME) points, accreditation, credentialing, etc.) or funding, targeted access support, endorsement, etc. If applicable, report details of local frameworks which may provide CPD/CME points, e.g., Category 1 CPD by the Royal Australian College of General Practitioners (RACGP), Part II Continuing Certification Program CME by the American College of Medical Genetics and Genomics (ACMG) **Context**<sup>a</sup> Present any relevant information about the For example, how it aligned with existing healthcare or education systems/frameworks, environment where the intervention was delivered the setting (hospital, university, community organization), the digital platform if used and whether it was accredited (e.g., FutureLearn MOOC), country, whether a face-to-face event was urban/rural/ regional, and general descriptors of the target group (discipline, ethnic/socio-cultural background, language), etc.

Commented [AN1]: Helen/Sylvia - please check if you're

Item	Description	Reported	Details
			Context may also include how the intervention aligned with any existing interventions. If it was accredited, when and by whom
Learning objective(s)	Describe the intended learning objectives of the intervention		These should be more specific than the Aim, and relevant, achievable and assessable. Such as 'collect evidence appropriately from population DNA databases' or 'interpret and apply genetic and genomic reports to develop sound clinical recommendations'
Developer(s)/ Instructor(s)	Specify the organization(s) or people who developed and/or delivered the intervention, including affiliations and professional backgrounds	5	For individuals, this may include professional background, qualifications and/or relevant expertise, such as health professional (geneticist, pediatrician, nurse, etc), scientist, bioinformatician, educator, academic, lay person from patient support group, etc. The developer may not have necessarily delivered the intervention, such as for face-to- face events or MOOCs
Prerequisite knowledge/ skills	Identify any assumed level of prior knowledge or skills in genetics/genomics in the target group		This may have been determined by completion of a previous course or module (e.g., undergraduate subject, MOOC in genomic medicine)
Approach to development <sup>a</sup>	Present clear descriptions of the principles and processes undertaken to plan and develop the intervention, such as a 'program logic' approach (c equivalent), a theoretical framework underpinning the intervention, and/or how results of a needs assessment informed design, development or delivery of the intervention	or	This may include a systematic review, co-design, participatory or expert consultation, piloting, etc. Needs assessment methods may include literature reviews, surveys or interviews; relevant theoretical frameworks include adult learning theory, experiential learning, theories of behavior change, etc. Details of any formal or informal 'program logic' approach (or equivalent) may also be included
Education funding <sup>a</sup>	List all direct or indirect funding sources for the intervention, noting any potential conflicts of interest		If a commercial sponsor provided funding, then describe the degree of involvement. This may also include any indirect/in-kind funding if this was the primary/sole funding, such as staff salaries
Future directions	Describe any plans to evaluate (as per below) or amend and/or repeat the intervention		Describe any plans made during development to repeat, revise and/or evaluate the intervention If there were no future directions, reason(s) should be provided, for example, lack of funding
Delivery			
Mode	Provide details of mode of delivery (online, face-to face or blended, etc.)	)- 🔲	<ul> <li>For example:</li> <li>Online: whether it was self-directed, interactive, synchronous, asynchronous, etc.</li> <li>Face-to-face: whether it was didactic, case-based discussion, hands-on, etc.</li> </ul>

Item	Description R	eported	Details
			• <i>Blended</i> : the proportion of the intervention that was accounted for by each mode (e.g., 50% face-to-face, 50% online)
Duration	Specify the time required to complete the intervention		Noting difference between compulsory versus optional components, if applicable
Structure	re Describe the components of the intervention, such as modules, workshops, etc.		For example, the number of modules/workshops/units, which were compulsory (if any), etc. Structures may include pre-reading followed by a workshop, self-directed online modules, follow-up activities, etc. This could be presented as a diagram
Content	Summarize the key broad topics and/or skills covered by the intervention		For example, basic genetics/genomics, application of genomic technologies in healthcare, variant curation, genetic counseling skills, ethical, legal and social aspects of genomics
Assessment	State if the target group was tested against the learning objectives and, if so, when, how, by whom and where relevant, to what standard		<ul> <li><i>When:</i> could include during (process) or after (summative) the intervention</li> <li><i>How:</i> could include self-reported or objective measure</li> <li><i>Who:</i> internally or externally. If internal, whether assessment was ratified externally</li> <li><i>To what standard:</i> such as contributing to any formal qualification</li> </ul>
Year(s) of delivery	Give the year(s) the intervention was delivered, including any repeats, if applicable		-
Reach <sup>a</sup>	State the number of learners who accessed the intervention, noting if this aligned with the intended target group		Such as attendees, online registrants, resource downloads, etc. May be presented as during a given time period, e.g., reach in the first year
EVALUATIC	N		
Design			
Aim(s)	State the overarching goal(s) of the evaluation study		For example, 'to determine whether the intervention impacted on behavior (e.g., appropriate ordering of genomic sequencing tests for pediatric patients) This is separate to the Aim of the intervention itself
Evaluation question(s)	Specify a clearly articulated evaluation question(s)		<ul> <li>These should be more specific than the Aim(s). For example:</li> <li>Formative: 'Did learning objectives align with knowledge level of the target group?'</li> <li>Process/Development: 'To what extent did learners engage with the intervention?'</li> <li>Outcome/Impact: 'To what extent did the intervention improve learners' confidence in clinical genomic skills?'</li> </ul>

Item	Description	Reported	Details
Evaluator	Indicate who performed the evaluation, including whether this was internal or external		-
Approach to evaluation	Indicate if any formal or informal 'program logic' approach (or equivalent) and/or theoretical framework was used to plan the evaluation		Example theoretical frameworks include those described by Kirkpatrick, Moore, etc. <sup>b</sup>
Focus of evaluation	Identify whether the evaluation was formative, process/developmental and/or outcome/impact evaluation, or a combination. This may also inclu evaluation of interventions that were repeated/revised	de	<ul> <li>For example:</li> <li>Formative: during/after planning but before the intervention was broadly implemented. If so, details of which stage was evaluated (and may overlap with a needs assessment)</li> <li>Process/Developmental: during/after delivery of the intervention to inform how well the delivery aligned with the initial goals. If so, details of which component was evaluated, e.g., whether a stakeholder engagement plan was effective, if assessments aligned with learning objectives, etc.</li> <li>Outcome/Impact: after delivery of the intervention to determine any direct (outcome) and/or indirect (impact) effects that could be attributed to the intervention. If so, clear description of whether this was immediate (short-term), intermediate or long-term Noting that different stages of evaluation may be reported separately.</li> </ul>
Evaluation design <sup>a</sup>	Describe the evaluation study design, including methodology, timing and any comparator group. Multi-component studies may be reported separately		<ul> <li>For example:</li> <li>Formative: cross-sectional design to determine the target group's baseline knowledge</li> <li>Process/Developmental: longitudinal observation to determine the target group's level of engagement</li> <li>Outcome/Impact: randomized controlled trial, quasi-experimental pre-post design to determine changes to learners' confidence in clinical skills as a result of the intervention</li> <li>The description should include:</li> <li>Methodology: quantitative, qualitative or mixed, such as, surveys, interviews, records audit, etc.</li> <li>Timing: such as pre-intervention/baseline, post-intervention, continuous (process evaluation), longitudinal, etc.</li> </ul>

Item	Description	Reported	Details	-
			• <i>Comparator group:</i> if a control group was used, how the group was selected and the difference within/between groups	-
Recruitment <sup>a</sup>	Indicate who was included in the evaluation and how they were recruited		-	
Outcome measures	Specify the principal summary measure(s) and da collection tool(s) used, including the rationale, an validation		For example, attendance/participation rates to evaluate target group engagement, assessing genomic knowledge, skills and/or attitudes to evaluate change in competence, auditing referrals for genomic testing to evaluate appropriate use of genomic medicine, etc.	Commented [SM3]: Additional measures could include:
			The description should also include consideration of whether the outcome measures and data collection tools were validated, reliable and/or suitable for the specific intervention and evaluation question. Examples include use of validated scales, test-retest reliability, reporting of Cronbach's alpha scores for new survey tools or audits of consultations, medical records, test referrals, etc. For interventions that were run/revised multiple times, can also describe evaluation of the revised intervention(s), including how the revised content was/will be evaluated	appropriate referral to genetics services, appropriate ordering of genomic tests           Commented [SM4]: Something about audit tools of eg medical records, test referrals, consultations
Data analysis	Discuss the type(s) of analysis used		Discuss the type(s) of analysis used. This may be quantitative (e.g., descriptive statistics, inferential regression), qualitative (e.g., thematic, content, discourse analysis) or mixed	
Evaluation funding <sup>a</sup>	List funding sources for the evaluation, including any potential conflicts of interest. This may be different to funding for the intervention		If a commercial sponsor provided funding, then describe the degree of involvement. This may also include any indirect/in-kind funding if this was the primary/sole funding, such as staff salaries	-
Delivery Evaluation results	Summarize the results of the evaluation		For example, actual intervention attendance rates, satisfaction, change in genomic knowledge, skills and/or attitudes/behavior, referral rates, any impact beyond the target group, etc.	
Evaluation impact STAKEHOLD	Describe how the evaluation data were used (internally and/or externally), including details of dissemination and knowledge translation ER ENGAGEMENT		For example, internal review to improve the intervention, to inform implementation of genomic medicine in a certain setting, or external reports to secure further funding or inform policy	

Item	Description	Reported	Details
Stakeholder	Identify any stakeholders consulted and how they		Stakeholders include the target audience (e.g., health professionals), and people or
engagement <sup>a</sup>	were engaged throughout the design, development	ıt,	organizations who are impacted by, or have a vested interested in, the intervention (e.g.,
	delivery and evaluation of the intervention		patients, health care services, policy makers)

\* In Round 1 of the Delphi process five additional items were suggested: ethics review board approval; any limitations of the intervention or evaluation; publication/ dissemination strategy; any impact of the intervention beyond the target group; and results and impact of any evaluation data. As these related to general information expected in any publication they were initially excluded, with two items relating to impact and results incorporated into Evaluation Delivery in later rounds of review. We encourage authors to report ethics review board approval, study limitations and dissemination strategies where relevant.

<sup>a</sup> Noting any difference between intended versus actual for these items.

<sup>b</sup> Kirkpatrick, D., & Kirkpatrick, J. *Evaluating Training Programs: The Four Levels*. Berrett-Koehler Publishers. 2006. | Moore D. A framework for outcomes evaluation in the continuing professional development of physicians. *The Continuing Professional Development of Physicians: From Research to Practice*. Chicago, Ill: American Medical Association. 2003:249-76.