

Xu, Y., Jeong, D., Sequeira, P., Gratch, J., Aslam, J. and Marsella, S. (2020) A Supervised Topic Model Approach to Learning Effective Styles within Human-Agent Negotiation. In: 19th International Conference on Autonomous Agents and MultiAgent Systems (AAMAS '20), Auckland, New Zealand, 9-13 May 2020, pp. 2047-2049. ISBN 9781450375184

There may be differences between this version and the published version. You are advised to consult the publisher's version if you wish to cite from it.

© International Foundation for Autonomous Agents and Multiagent Systems 2020. This is the author's version of the work. It is posted here for your personal use. Not for redistribution. The definitive Version of Record was published in the Proceedings of the 19th International Conference on Autonomous Agents and MultiAgent Systems (AAMAS '20), Auckland, New Zealand, 9-13 May 2020. ISBN 9781450375184, p. 2047–2049.

http://eprints.gla.ac.uk/253935/

Deposited on: 05 October 2021

Enlighten – Research publications by members of the University of Glasgow <u>http://eprints.gla.ac.uk</u>

A Supervised Topic Model Approach to Learning Effective Styles within Human-Agent Negotiation*

Extended Abstract

Yuyu Xu Northeastern University Boston, Massachusetts yuyuxu@ccs.neu.edu

Jonathan Gratch Institute for Creative Technologies Los Angeles, California gratch@ict.usc.edu David Jeong University of Southern California Los Angeles, California davidjeo@usc.edu

> Javed Aslam Northeastern University Boston, Massachusetts jaa@ccs.neu.edu

Pedro Sequeira SRI International Menlo Park, California pedro.sequeira@sri.com

Stacy Marsella Northeastern University Boston, Massachusetts marsella@ccs.neu.edu

ABSTRACT

We present a method that analyzes a person's negotiation behavior to automatically detect co-occurrence of tactics and combination of tactics (i.e., negotiation styles). We first identify action features consistent with use of the common negotiation tactics based on prior research in negotiation. Next, we apply regularized linear regression over a negotiation dataset to assess how effective particular tactics are in predicting the negotiation outcome. Finally, we use a supervised variant of a topic model to derive effective negotiation styles. Results from the clusters produced by the topic models provide insights regarding the effectiveness of negotiation styles that people utilize.

KEYWORDS

Explainability in human-agent systems; Socially interactive agents; Agents competing and collaborating with humans

ACM Reference Format:

Yuyu Xu, David Jeong, Pedro Sequeira, Jonathan Gratch, Javed Aslam, and Stacy Marsella. 2020. A Supervised Topic Model Approach to Learning Effective Styles within Human-Agent Negotiation. In *Proc. of the 19th International Conference on Autonomous Agents and Multiagent Systems (AAMAS* 2020), Auckland, New Zealand, May 9–13, 2020, IFAAMAS, 3 pages.

1 INTRODUCTION

We live in a world of bounded resources, whether it is constraints on our time, actions, material things, or space. Due to these constraints, conflicts between people naturally follow. Negotiation plays a central role to resolve these conflicts, in both our professional and personal lives. Not surprisingly, this has led to a wide range of research on computationally modeling negotiation. Modeling how people negotiate in a negotiation interaction poses multiple challenges. First, negotiation is a complex, highly dynamic social interaction [6]. Second, different people might use different tactics during a negotiation interaction [13, 15], some of them may be more effective than others.

In the work reported here, we look at the question of how negotiators may employ multiple tactics over the course of a negotiation. Specifically, we ask the question of what tactics tend to occur in a single negotiation as part of an overall strategy and what particular combination of tactics were successful. We call such combination of tactics *negotiation styles*. A three step process is proposed to answer this broad question, they are: identifying tactic-related features; assessing tactic-related features and learning effective negotiation styles, as elaborated below.

2 AUTOMATIC DETECTION PROCESS

The dataset used in this work is described briefly, followed by the three step processes.

Negotiation Dataset. We adopt the dataset from [10], which was collected through the IAGO framework [9] and contains 504 negotiation sessions (maximum length being 10 minutes), each between a human participant and an agent. Each human participant was limited to one negotiation with 1 of the 8 agent types, differing across the three dimensions, namely cognitive bias, anchoring, emotion.

The two parties negotiate over 4 items, each with different amounts and assigned payoffs. At the end of each turn, both parties get the payoffs for the items in their hand, which defines the negotiation outcome. To reflect some of the complexity of real world negotiation, Iago framework supports many different combinations of actions. For example, an *offer* is a partial split between four items that may occur simultaneously. *Preference* is communicated with Q&A, such as "do you like x better than y?". *Verbal influence* is conveyed by sending positive messages ("it is important that we are both happy with an agreement") or negative messages ("your offer sucks"). *Emotional* information is communicated via selection of emoticons on the interface. Finally, *agreement* is determined by participants' acceptance of the offer by both (formal agreement) or one party (non-binding agreement).

2.1 Identifying Tactic-related Features

To identify tactic-related features, we propose a compact annotation schema inspired by negotiation literature designed which here we use to quantify the sequences of negotiation action in the IAGO dataset. A single negotiation action is referred to as a *unigram*, while

^{*}This work was largely done while the author studies at Northeastern University and was completed while author works for Google.

Proc. of the 19th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2020), B. An, N. Yorke-Smith, A. El Fallah Seghrouchni, G. Sukthankar (eds.), May 9–13, 2020, Auckland, New Zealand. © 2020 International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org). All rights reserved.

Human Outcome							
Effect of	. (0.20)	. (. (. (. (
outcome	$c_7(w = 0.39)$	$c_5(w = -0.38)$	$c_0(w = 0.26)$	$c_8(w = -0.25)$	$c_6(w = -0.12)$		
Tactics	Preference_ask:0.32	Logrolling_h_lt_a:0.18	Logrolling_h_gt_a:0.28	NonbindingAgreement_reject:0.23	Emotion_neutral:0.27		
	Preference_tell:0.15	Preference_tell:0.16	Preference_ask:0.13	MultiIssue_true:0.16	Preference_misclick:0.25		
	Emotion_happy:0.15	Logrolling_h_eq_a:0.12	NonbindingAgreement_reject:0.11	Verbal_positive:0.13	Emotion_angry:0.10		
	Verbal_positive:0.11	Verbal_positive:0.11	Emotion_angry:0.09	Verbal_negative:0.12	Verbal_positive:0.07		
Negotiation	"PreferenceEx-	"Posi-	"A grane anima"	"Deiestion"	"Manipulativa Caralass"		
styles	change_Positive"	tive_NonAggressive"	Aggressive	Rejection	Manpulative_Careless		
Joint Outcome							
Effect of							
cluster to	$c_8(w = 0.33)$	$c_5(w = 0.31)$	$c_1(w = 0.17)$	$c_6(w = 0.11)$	$c_9(w = -0.07)$		
joint outcome							
Tactics	Preference_ask:0.53	Preference_ask:0.17	Verbal_positive:0.16	MultiIssue_true:0.35	Emotion_happy:0.21		
	Preference_tell:0.19	Preference_tell:0.17	Emotion_surprised:0.15	Preference_tell:0.13	Verbal_positive:0.15		
	Emotion_happy:0.18	Verbal_positive:0.11	Concession_above_avg:0.15	Preference_ask:0.10	Emotion_neutral:0.10		
	Verbal_positive:0.05	Logrolling_h_gt_a:0.10	Emotion_neutral:0.12	Verbal_positive:0.10	Concession_below_avg:0.09		
Negotiation styles	"PreferenceEx- change_Positive"	"PreferenceEx- change_Positive_Strong"	"Positive_Concession_Above"	"PreferenceExchange_MultiIssue"	"Positive"		

Table 1: Supervised LDA produced tactics cluster based on human side tactic-related features.

three consecutive actions are referred to as a *trigram*, *e.g.*, consisting of an offer, a counter-offer, and another offer of the first negotiator. We assume that each tactic may potentially be realized by behavior patterns of unigrams or trigrams, *i.e.*, *tactic-related features*. Table 2 provides detailed descriptions of the data schema and relates tactics based on relevant theories to classes of discretized actions.

Our annotation schema connects tactics with particular actions and interpret the results. Specifically, each tactic is realized by a set of *tactic-related features*. *E.g.*, tactic *Emotion Expressivity* comprises a set of features {Happy, Sad, Neutral, Surprise, Angry}, each of which is realized by the behavior patterns of unigrams communicated across different channels. *E.g.*, feature *Happy* is realized by counting the occurrences of unigram "sending an happy emoticon", conveyed during a negotiation through the emotion channel.

2.2 Assessing Tactic-related Features

We adopt a supervised learning model, where the *features* for this model are the occurrences of each distinct sub-sequence (unigrams or trigrams, from human side or both sides), and the *labels* are either human outcome or joint outcome. Specifically, we used Linear Regression with ElasticNet [16] regularizer, as an effective solution

Tactics based on Relevant Theories	Tactic-related Features	Actions	
Concession in Offer [1]	Concession_below_avg	offer_one_sided:below_avg	
	Concession_avg	offer_one_sided:avg	
	Concession_above_avg	offer_one_sided:above_avg	
Logrolling [7]	Logrolling_h_eq_a	offer_two_sided:h_below_avg_a_below_avg	
		offer_two_sided:h_avg_a_avg	
		offer_two_sided:h_above_avg_a_above_avg	
	Logrolling_h_lt_a	offer_two_sided:h_below_avg_a_avg	
		offer_two_sided:h_below_avg_a_above_avg	
		offer_two_sided:h_avg_a_above_avg	
	Logrolling_h_gt_a	offer_two_sided:h_avg_a_below_avg	
		offer_two_sided:h_above_avg_a_below_avg	
		offer_two_sided:h_above_avg_a_avg	
Preference Exchange [14]	Preference_tell	preference_tell:critical	
		preference_tell:comparative	
	Preference_tell_untruthful	preference_tell:untruthful	
	Preference_ask	preference_ask:critical	
		preference_ask:comparative	
	Preference_misclick	preference_tell:misclick	
		preference_ask:misclick	
Verbal Influence [12]	Verbal_positive	verbal_influence:positive	
	Verbal_negative	verbal_influence:negative	
Emotion Expressivity [11]	Emotion_angry	emoticon:angry	
	Emotion_neutral	emoticon:neutral	
	Emotion_happy	emoticon:happy	
	Emotion_sad	emoticon:sad	
	Emotion_surprised	emoticon:surprised	
MultiIssue Offer [5]	MultiIssue_false	offer_two_sided:zero_item	
		offer_two_sided:one_item	
	MultiIssue_true	offer_two_sided:two_items	
		offer_two_sided:three_items	
		offer_two_sided:four_items	
Anchoring [2]	Anchoring_size	offer_one_sided:initial_payoff	
Nonbinding Agreement	Nonbinding_accept	agreement:nonbinding_accept	
	Nonhinding reject	agreement-nonhinding reject	

Table 2: Data schema. Nonbinding Agreement (last row) is based on observational heuristics of the IAGO dataset. ("h": human, "a": agent, "avg": average, "lt": less than, "gt": greater than, "eq": equal). to tackle the challenge that the feature matrix might be sparse. The feature matrix is composed of the occurrences of distinct subsequences within a single negotiation sequence and some of them might be non-existent given how rich this dataset is. To train model, we use K-folds cross-validation (K = 10) and model selection.

2.3 Learning Effective Negotiation Styles

After identifying the most predictive features, we can determine what negotiation styles exist, as well as their effectiveness. To achieve that, we resorted to a topic model, using a well-established solution: Latent Dirichlet Allocation (LDA) [3], where the features are the occurrences of each distinct sub-sequence, and the labels correspond to the outcomes (human, joint). LDA is a natural language processing-based probabilistic unsupervised learning method for modeling topics. This model assumes a generative process, where each document (in our case a negotiation sequence) in a corpus (i.e., all negotiation sequences) is composed of collections of words or phrases (sub-sequences), each generated from multiple underlying topics (clusters of the distinct sub-sequences). The underlying assumption of LDA fits our objective of automatically clustering features, where the clusters characterize styles of the negotiation. To address the limited effectiveness of capturing relations between clusters and outcomes using (unsupervised) LDA, we also adopted its supervised variant (sLDA) [4, 8].

3 DEMONSTRATION

Our results show that the identified tactic-related features are able to achieve a much higher performance in outcome prediction as compared to the random guess baseline (up to 30% boost). This demonstrates that we could systematically acquire a predictive set of tactic-related features. Furthermore, our models can characterize the distinguishing negotiation styles through co-occurrences of the tactics, as well as show how effective these clusters are in terms of predicting outcome (see Table 1). For example, one produced cluster reveals the negotiation style called "Aggressive" because it contains tactics: log-rolls where human gets more payoff as compared to agent; human asks issue preference from the agent; human reject agent's offer and human showing angry emoticon. These tactics combined suggest an aggressive strategy. This "Aggressive" style has a positive effect on human's negotiation outcome (i.e., human adopting aggressive strategy could end up having more payoff). Although our techniques were applied to a particular human-agent dataset, we see the approach to be more broadly applicable to human-human interactions.

REFERENCES

- Alan A. Benton, Harold H. Kelley, and Barry Liebling. 1972. Effects of Extremity of Offers and Concession Rate on the Outcomes of Bargaining. *Journal of Personality* and Social Psychology 24 (10 1972), 73–83.
- [2] Thomas Mussweiler Adam D. Galinsky. 2001. First offers as anchors: The role of perspective-taking and negotiator focus. *Journal of Personality and Social Psychology* (2001).
- [3] David M. Blei, Andrew Y. Ng, and Michael I. Jordan. 2003. Latent Dirichlet Allocation. J. Mach. Learn. Res. 3 (March 2003), 993-1022. http://dl.acm.org/ citation.cfm?id=944919.944937
- [4] Angelos Katharopoulos, Despoina Paschalidou, Christos Diou, and Anastasios Delopoulos. 2016. Fast Supervised LDA for Discovering Micro-Events in Large-Scale Video Datasets. In Proceedings of the 2016 ACM on Multimedia Conference (MM '16). ACM, New York, NY, USA, 332–336. https://doi.org/10.1145/2964284. 2967237
- H.H. Kelley. 1996. A Classroom Study of the Dilemmas in Interpersonal Negotiations. Berkeley Institute of International Studies. https://books.google.com/books?id= ofBjAQAACAAJ
- [6] Min Li, Leigh Plunkett Tost, and Kimberly Wade-Benzoni. 2007. The dynamic interaction of context and negotiator effects: A review and commentary on current and emerging areas in negotiation. *International Journal of Conflict Management* 18, 3 (2007), 222–259. https://doi.org/10.1108/10444060710825981 arXiv:https://doi.org/10.1108/10444060710825981
- [7] Jeffrey Loewenstein and Leigh Thompson. 2006. Learning to Negotiate: Novice and Experienced Negotiators. Psychology Press, 77–97.

- [8] Jon D Mcauliffe and David M Blei. 2008. Supervised topic models. In Advances in neural information processing systems. 121–128.
- [9] Johnathan Mell and Jonathan Gratch. 2017. Grumpy & Pinocchio: Answering Human-Agent Negotiation Questions Through Realistic Agent Design. In Proceedings of the 16th Conference on Autonomous Agents and MultiAgent Systems (AA-MAS '17). International Foundation for Autonomous Agents and Multiagent Systems, Richland, SC, 401–409. http://dl.acm.org/citation.cfm?id=3091125.3091186
- [10] Sarah Roediger. 2018. The Effect of Suspicion on Emotional Influence Tactics in Virtual Human Negotiation.
- [11] Joanna Schug, David Matsumoto, Yutaka Horita, Toshio Yamagishi, and Kemberlee Bonnet. 2018. Emotional expressivity as a signal of cooperation.
- [12] Marwan Sinaceur, Gerben A van Kleef, Margaret A. Neale, Hajo Adam, and Christophe Haag. 2011. Hot or cold: is communicating anger or threats more effective in negotiation? *The Journal of applied psychology* 96 5 (2011), 1018–32.
- [13] Leigh Thompson. 1990. Negotiation Behavior and Outcomes: Empirical Evidence and Theoretical Issues. *Psychological Bulletin* 108, 3 (1 1 1990), 515–532. https: //doi.org/10.1037/0033-2909.108.3.515
- [14] Leigh L Thompson. 1991. Information exchange in negotiation. Journal of Experimental Social Psychology 27, 2 (1991), 161 – 179. https://doi.org/10.1016/ 0022-1031(91)90020-7
- [15] Laurie R Weingart, Leigh L Thompson, Max H Bazerman, and John S Carroll. 1990. Tactical behavior and negotiation outcomes. *International Journal of Conflict Management* 1, 1 (1990), 7–31.
- [16] Hui Zou and Trevor Hastie. 2005. Regularization and variable selection via the Elastic Net. Journal of the Royal Statistical Society, Series B 67 (2005), 301–320.