

Aad, G. et al. (2014) *Measurement of the parity-violating asymmetry* parameter αb and the helicity amplitudes for the decay $\Lambda 0b \rightarrow J/\psi \Lambda 0$ with the ATLAS detector. Physical Review D, 89 (9). 092009. ISSN 1550-7998

Copyright © 2014 CERN, for the ATLAS Collaboration

http://eprints.gla.ac.uk/94400/

Deposited on: 12 June 2014

Enlighten – Research publications by members of the University of Glasgow http://eprints.gla.ac.uk

Measurement of the parity-violating asymmetry parameter α_b and the helicity amplitudes for the decay $\Lambda_b^0 \to J/\psi \Lambda^0$ with the ATLAS detector

G. Aad *et al.** (ATLAS Collaboration) (Received 4 April 2014; published 27 May 2014)

A measurement of the parity-violating decay asymmetry parameter, α_b , and the helicity amplitudes for the decay $\Lambda_b^0 \rightarrow J/\psi(\mu^+\mu^-)\Lambda^0(p\pi^-)$ is reported. The analysis is based on 1400 Λ_b^0 and $\bar{\Lambda}_b^0$ baryons selected in 4.6 fb⁻¹ of proton–proton collision data with a center-of-mass energy of 7 TeV recorded by the ATLAS experiment at the LHC. By combining the Λ_b^0 and $\bar{\Lambda}_b^0$ samples under the assumption of *CP* conservation, the value of α_b is measured to be $0.30 \pm 0.16(\text{stat}) \pm 0.06(\text{syst})$. This measurement provides a test of theoretical models based on perturbative QCD or heavy-quark effective theory.

DOI: 10.1103/PhysRevD.89.092009

PACS numbers: 14.20.Mr

I. INTRODUCTION

Parity violation, a well-known feature of weak interactions [1–4], is exhibited in its maximal form in decays of muons and τ leptons. However, in weak decays of hadrons, it is not maximal and depends on the hadron's constituents because of the presence of strongly bound spectator quarks. For example, the process $\Lambda^0 \rightarrow p\pi^-$ has a parity-violating decay asymmetry parameter, α_{Λ} , of over 0.6 [5]. The decay asymmetry parameter α enters into the angular distribution of any two-body spin 1/2 particle decay as follows:

$$w(\cos\theta) = \frac{1}{2}(1 + \alpha P \cos\theta), \qquad (1)$$

where *P* is the polarization of the particle and θ is defined as the angle between the polarization vector and the direction of the decay product in the particle's rest frame. The strong interaction effects in the hadron decays are nonperturbative, which makes it very difficult to predict the value of α , at least for light hadrons such as Λ^0 . However, in the case of heavy baryons, such as Λ^0_b , the energy release in the decay of the *b*-quark is large enough that the use of the factorization theorem and perturbative QCD (pQCD) seems justified to compute the effects of the strongly coupled spectator quarks, making theoretical predictions possible.

Several models have been employed to predict the value of the parity-violating decay asymmetry parameter α_b for the weak decay $\Lambda_b^0 \rightarrow J/\psi \Lambda^0$. Various quark models are used to calculate the form factors in the factorization approximation (FA) [6–10] and the predictions of α_b generally lie in the range from -0.2 to -0.1. In Ref. [11], the $\Lambda_b^0 \rightarrow J/\psi(\mu^+\mu^-)\Lambda^0(p\pi^-)$ decay process is factorized into parts calculable in pQCD and universal hadron distribution amplitudes, so both the factorizable and nonfactorizable contributions in the FA are included. The value of α_b is predicted to be in the range from -0.17 to -0.14. However, a calculation based on heavy-quark effective theory (HQET) [12,13] predicts a value 0.78.

Recently, the LHCb experiment reported a measurement of $\alpha_b = 0.05 \pm 0.17(\text{stat}) \pm 0.07(\text{syst})$ [14]. This paper provides a measurement of comparable precision using 4.6 fb⁻¹ pp collision data recorded by the ATLAS detector with a center-of-mass energy of 7 TeV.

II. THE $\Lambda_b^0 \to J/\psi(\mu^+\mu^-)\Lambda^0(p\pi^-)$ DECAY

Because of parity conservation, Λ_b^0 produced by the strong interaction, which is the dominant production mechanism, can be polarized only in a direction perpendicular to the Λ_b^0 production plane, \hat{n} [13,15]. The vector \hat{n} points in the direction of the cross product of the beam direction and the Λ_h^0 momentum. Since the LHC collides proton beams traveling in opposite directions, either beam direction could be used. This analysis uses the positive z-axis direction of the ATLAS coordinate system [16] for the Λ_b^0 candidates and the negative *z*-axis for $\bar{\Lambda}_b^0$ candidates (to preserve symmetry between Λ^0 and $\bar{\Lambda}^0$ given by the orientation of the ATLAS magnetic field). The definition of the decay angles is shown in Fig. 1. The angle θ is the polar angle of the Λ^0 momentum measured from the normal direction \hat{n} in the Λ_{h}^{0} rest frame. The uniformly distributed corresponding azimuthal angle, ϕ , is of no interest in this analysis and therefore is not labeled in the figure. The angles $\theta_1(\theta_2)$ and $\phi_1(\phi_2)$ are the polar and azimuthal angles of the proton (μ^+) in the Λ^0 (J/ψ) rest frame with respect to the Λ^0 (J/ψ) direction in the Λ^0_h rest frame. The azimuthal angles, ϕ_1 and ϕ_2 , are measured in the right-handed coordinate systems of the rest frames of Λ^0 and J/ψ , (x_1, y_1, z_1) and (x_2, y_2, z_2) , respectively. The

^{*} Full author list given at the end of the article.

Published by the American Physical Society under the terms of the Creative Commons Attribution 3.0 License. Further distribution of this work must maintain attribution to the author(s) and the published articles title, journal citation, and DOI.



FIG. 1. The decay angles, as defined in the text.

 $z_{1,2}$ axes are aligned with the direction of Λ^0 and J/ψ , respectively, and the $x_{1,2}$ axes lie in the plane containing \hat{n} and the Λ^0 or J/ψ momenta. With this definition, the sum $\phi_1 + \phi_2$ gives the angle between the Λ^0 and J/ψ decay planes.

Taking λ_{Λ} and $\lambda_{J/\psi}$ to represent the helicity of the Λ^0 and the J/ψ , the decay $\Lambda_b^0 \to J/\psi \Lambda^0$ can be described by four helicity amplitudes $A(\lambda_{\Lambda}, \lambda_{J/\psi})$: $a_+ \equiv A(1/2, 0), a_- \equiv$ A(-1/2,0), $b_+ \equiv A(-1/2,-1)$, and $b_- \equiv A(1/2,1)$, which are normalized to unity:

$$|a_{+}|^{2} + |a_{-}|^{2} + |b_{+}|^{2} + |b_{-}|^{2} = 1.$$
 (2)

The full angular probability density function (PDF) of the decay angles $\Omega = (\theta, \phi, \theta_1, \phi_1, \theta_2, \phi_2)$ is [15,17,18]

$$w(\Omega, \vec{A}, P) = \frac{1}{(4\pi)^3} \sum_{i=0}^{19} f_{1i}(\vec{A}) f_{2i}(P, \alpha_{\Lambda}) F_i(\Omega), \quad (3)$$

with the 20 terms f_{1i} , f_{2i} , and F_i listed in Table I. A represents the four helicity amplitudes and P is the polarization of Λ_b^0 . Under the assumption of CP conservation in $\Lambda^0 \rightarrow p\pi^-$ and $\bar{\Lambda}^0 \rightarrow \bar{p}\pi^+$ decays, $\alpha_{\bar{\Lambda}} = -\alpha_{\Lambda} =$ -0.642 ± 0.013 is used in this analysis, because the value $\alpha_{\Lambda} = 0.642 \pm 0.013$ is measured with better precision than its counterpart $\alpha_{\bar{\Lambda}} = -0.71 \pm 0.08$ [19]. The $F_i(\Omega)$ are orthogonal functions of the decay angles.

The decay asymmetry parameter α_b is related to the helicity amplitudes as follows [15]:

$$\alpha_b = |a_+|^2 - |a_-|^2 + |b_+|^2 - |b_-|^2.$$
(4)

There are nine unknown real parameters in the PDF [Eq. (3)]: four complex helicity amplitudes, $a_+ = |a_+|e^{i\rho_+}, a_- = |a_-|e^{i\rho_-}, b_+ = |b_+|e^{i\omega_+}, b_- = |b_-|e^{i\omega_-},$

i	f_{1i}	f_{2i}	F _i
0	$a_+a_+^* + aa^* + b_+b_+^* + bb^*$	1	1
1	$a_{+}a_{+}^{*} - a_{-}a_{-}^{*} + b_{+}b_{+}^{*} - b_{-}b_{-}^{*}$	Р	$\cos heta$
2	$a_+a_+^*-aa^*-b_+b_+^*+bb^*$	$lpha_\Lambda$	$\cos \theta_1$
3	$a_{+}a_{+}^{*} + a_{-}a_{-}^{*} - b_{+}b_{+}^{*} - b_{-}b_{-}^{*}$	$P lpha_\Lambda$	$\cos\theta\cos\theta_1$
4	$-a_+a_+^* - aa^* + \frac{1}{2}b_+b_+^* + \frac{1}{2}bb^*$	1	$\frac{1}{2}(3\cos^2\theta_2 - 1)$
5	$-a_+a_+^*+aa^*+rac{1}{2}b_+b_+^*-rac{1}{2}bb^*$	Р	$\frac{1}{2}(3\cos^2\theta_2-1)\cos\theta$
6	$-a_+a_+^*+aa^*-rac{1}{2}b_+b_+^*+rac{1}{2}bb^*$	$lpha_\Lambda$	$\frac{1}{2}(3\cos^2\theta_2 - 1)\cos\theta_1$
7	$-a_+a_+^* - aa^* - \frac{1}{2}b_+b_+^* - \frac{1}{2}bb^*$	$P lpha_\Lambda$	$\frac{1}{2}(3\cos^2\theta_2 - 1)\cos\theta\cos\theta_1$
8	$-3\operatorname{Re}(a_+a^*)$	$P lpha_\Lambda$	$\sin\theta\sin\theta_1\sin^2\theta_2\cos\phi_1$
9	$3 \operatorname{Im}(a_+ a^*)$	$P lpha_\Lambda$	$\sin\theta\sin\theta_1\sin^2\theta_2\sin\phi_1$
10	$-\frac{3}{2} \operatorname{Re}(b_{-}b_{+}^{*})$	$P lpha_\Lambda$	$\sin\theta\sin\theta_1\sin^2\theta_2\cos(\phi_1+2\phi_2)$
11	$rac{3}{2} \operatorname{Im}(b_{-}b_{+}^{*})$	$P lpha_\Lambda$	$\sin\theta\sin\theta_1\sin^2\theta_2\sin(\phi_1+2\phi_2)$
12	$-\frac{3}{\sqrt{2}}\operatorname{Re}(b_{-}a_{+}^{*}+a_{-}b_{+}^{*})$	$Plpha_\Lambda$	$\sin\theta\cos\theta_1\sin\theta_2\cos\theta_2\cos\phi_2$
13	$\frac{3}{\sqrt{2}} \operatorname{Im}(b_{-}a_{+}^{*} + a_{-}b_{+}^{*})$	$P lpha_\Lambda$	$\sin\theta\cos\theta_1\sin\theta_2\cos\theta_2\sin\phi_2$
14	$-\frac{3}{\sqrt{2}} \operatorname{Re}(b_{-}a_{-}^{*}+a_{+}b_{+}^{*})$	$P lpha_\Lambda$	$\cos\theta\sin\theta_1\sin\theta_2\cos\theta_2\cos(\phi_1+\phi_2)$
15	$\frac{3}{\sqrt{2}}$ Im $(b_{-}a_{-}^{*}+a_{+}b_{+}^{*})$	$P lpha_\Lambda$	$\cos\theta\sin\theta_1\sin\theta_2\cos\theta_2\sin(\phi_1+\phi_2)$
16	$\frac{3}{\sqrt{2}} \operatorname{Re}(a_{-}b_{+}^{*}-b_{-}a_{+}^{*})$	Р	$\sin\theta\sin\theta_2\cos\theta_2\cos\phi_2$
17	$-\frac{3}{\sqrt{2}} \operatorname{Im}(a_{-}b_{+}^{*}-b_{-}a_{+}^{*})$	Р	$\sin\theta\sin\theta_2\cos\theta_2\sin\phi_2$
18	$\frac{3}{\sqrt{2}}$ Re $(b_{-}a_{-}^{*}-a_{+}b_{+}^{*})$	$lpha_\Lambda$	$\sin\theta_1\sin\theta_2\cos\theta_2\cos(\phi_1+\phi_2)$
19	$-\frac{3}{\sqrt{2}}$ Im $(b_{-}a_{-}^{*}-a_{+}b_{+}^{*})$	$lpha_\Lambda$	$\sin\theta_1\sin\theta_2\cos\theta_2\sin(\phi_1+\phi_2)$

TABLE I. The coefficients f_{1i} , f_{2i} , and F_i of the probability density function in Eq. (3) [15].

i	f_{1i}
0	1
2	$(k_+^2 + k^2 - 1) + \alpha_b (k_+^2 - k^2)$
4	$\frac{1}{4}[(3k_{-}^2 - 3k_{+}^2 - 1) + 3\alpha_b(1 - k_{-}^2 - k_{+}^2)]$
6	$-\tfrac{1}{4}[(k_+^2+k^2-1)+\alpha_b(3+k_+^2-k^2)]$
18	$\frac{3}{\sqrt{2}} \left[\frac{1-a_b}{2} \sqrt{k^2(1-k^2)} \cos(-\Delta) - \frac{1+a_b}{2} \sqrt{k_+^2(1-k_+^2)} \cos(\Delta_+) \right]$
19	$-\frac{3}{\sqrt{2}} \left[\frac{1-\alpha_b}{2} \sqrt{k^2 (1-k^2)} \sin(-\Delta) - \frac{1+\alpha_b}{2} \sqrt{k_+^2 (1-k_+^2)} \sin(\Delta_+) \right]$

TABLE II. The coefficients f_{1i} of the remaining six terms of the simplified PDF expressed using the five free parameters defined in Eq. (5).

each with a magnitude and a phase, and the polarization P. However, only six out of the eight helicity amplitude parameters are independent, taking into account the normalization constraint [Eq. (2)] and, due to the arbitrary value of the common phase, only differences between the four phases are relevant.

The angular PDF is further simplified due to the symmetry of the initial state at a *pp* collider. Since the arbitrary choice of the beam direction cannot bear on the physics result, the polarization must be an odd function of the Λ_b^0 pseudorapidity: $P(p_T, \eta) = -P(p_T, -\eta)$. Therefore, for a sample of Λ_h^0 produced over a symmetric interval in pseudorapidity, which is satisfied in the ATLAS detector, the average polarization must be zero. As a result, only six terms in Table I which are not dependent on P are retained in the PDF and they depend only on five independent parameters: three magnitudes of the helicity amplitudes and two relative phases. The remaining phase cannot be resolved with a zero-polarization sample, but α_h can be determined from the magnitudes of the helicity amplitudes as in Eq. (4). The following choice of the fit model parametrization is found to have only a small correlation of uncertainties and is used in this analysis:

$$\begin{aligned} \alpha_{b} &= |a_{+}|^{2} - |a_{-}|^{2} + |b_{+}|^{2} - |b_{-}|^{2}, \\ k_{+} &= \frac{|a_{+}|}{\sqrt{|a_{+}|^{2} + |b_{+}|^{2}}}, \\ k_{-} &= \frac{|b_{-}|}{\sqrt{|a_{-}|^{2} + |b_{-}|^{2}}}, \\ \Delta_{+} &= \rho_{+} - \omega_{+}, \\ \Delta_{-} &= \rho_{-} - \omega_{-}, \end{aligned}$$
(5)

where k_+ and k_- are two ratio parameters of the magnitudes while Δ_+ and Δ_- are the two relative phases. Table II shows the explicit dependence of the f_{1i} functions on the chosen parameters.

If *CP* is conserved, the PDFs of the Λ_b^0 and $\bar{\Lambda}_b^0$ decays have exactly the same form. Therefore, assuming *CP*

conservation, the Λ_b^0 and $\bar{\Lambda}_b^0$ samples are combined to measure α_b and the helicity amplitudes.

III. DATA SAMPLES AND TRIGGER SELECTION

ATLAS [20] covers nearly the entire solid angle around the interaction point with layers of tracking detectors, calorimeters, and muon chambers. This analysis uses two subsystems: the inner detector (ID) and the muon spectrometer (MS). The ID consists of three types of detectors: a silicon pixel detector (Pixel), a silicon microstrip detector (SCT), and a transition radiation tracker (TRT). These detectors are surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field. The MS measures the deflection of muons in a magnetic field produced by three large superconducting air-core toroid systems, each with eight superconducting coils, and it consists of four subdetectors. Monitored drift tube chambers and cathode strip chambers are used for precision muon measurements, while resistive plate chambers (RPCs) and thin gap chambers (TGCs) are used by the muon trigger system. The MS and ID provide a pseudorapidity coverage up to $|\eta| = 2.5$. Tracks reconstructed in the ID with $p_{\rm T} > 400$ MeV are used in this analysis.

This analysis uses 7 TeV collision data collected in 2011 with single-muon triggers and the dimuon triggers used to select $J/\psi \rightarrow \mu^+ \mu^-$. The corresponding integrated luminosity is 4.6 fb⁻¹ [21]. The ATLAS trigger system [22] has three levels: the hardware-based level-1 trigger and the twostage high-level trigger (HLT). At level-1, the muon trigger uses RPCs and TGCs to search for patterns of hits corresponding to muons passing different $p_{\rm T}$ thresholds. Regions of interest around these level-1 hit patterns then serve as seeds for the HLT muon reconstruction. When the rate from the low- $p_{\rm T}$ muon triggers exceeded the allotted trigger bandwidth, prescale factors were applied to reduce the output rate. The transverse momentum threshold for unprescaled single-muon triggers was 18 GeV. The $J/\psi \rightarrow$ $\mu^+\mu^-$ triggers are dimuon triggers that require the muons to have opposite charge and the dimuon mass to be in the interval $2.5 < m_{\mu\mu} < 4.3$ GeV. Most of the sample was collected by the $J/\psi \rightarrow \mu^+\mu^-$ trigger with a p_T threshold of 4 GeV applied to both muons. This is the lowest $p_{\rm T}$ threshold trigger unprescaled in the 2011 data-taking period.

IV. MONTE CARLO SAMPLES

A Monte Carlo (MC) sample of signal events is used to study the efficiency and acceptance of the detector. Inclusive inelastic events are generated using the PYTHIA 6.4 MC generator [23] and filtered such that each event contains a signal decay, $\Lambda_b^0 \rightarrow J/\psi(\mu^+\mu^-)\Lambda^0$, with the muons having transverse momenta above 2.5 GeV. In addition to the Λ_b^0 MC sample, $B_d^0 \rightarrow J/\psi(\mu^+\mu^-)K_s^0$ and $b\bar{b} \rightarrow J/\psi(\mu^+\mu^-) + X$ MC samples are also generated with the same generator-level muon cuts in order to optimize the selection cuts and understand the sources of background. The MC events are passed through the ATLAS simulation and reconstruction software [24] based on the GEANT 4 [25] package for the detector simulation. The MC simulation and reconstruction software is configured to reproduce the detector conditions during data taking.

V. RECONSTRUCTION AND SIGNAL SELECTION

A. Muon reconstruction

Two types of muons are used in the analysis, known as tagged muons and combined muons [26]. A chargedparticle track reconstructed in the MS is matched to one reconstructed in the ID to form a combined muon. The pseudorapidity coverage of combined muons is $|\eta| < 2.5$. Tagged muons, consisting of tracks reconstructed in the ID and matched to patterns of hits in the MS, cover the pseudorapidity range $|\eta| < 2.2$ and contribute to the muon reconstruction efficiency in the low- $p_{\rm T}$ range. Although both the ID and the MS provide a momentum measurement separately, only the ID measurement is used because of its better resolution in the $p_{\rm T}$ range relevant for this analysis, and the MS is used only to identify muons. The reconstructed muon tracks are required to have a sufficient number of hits in the Pixel, SCT, and TRT detectors to ensure accurate ID measurements.

B. J/ψ and Λ^0 preselection

The decay $\Lambda_b^0 \to J/\psi(\mu^+\mu^-)\Lambda^0(p\pi^-)$ has a cascade topology, as the J/ψ decays instantly at the same point as the Λ_b^0 (forming a secondary vertex) while Λ^0 lives long enough to form a displaced tertiary vertex.

The J/ψ candidates are selected by fitting dimuon pairs to a common vertex [27] and requiring that their invariant mass lies in the range 2.8 < $m_{\mu\mu}$ < 3.4 GeV. The dihadron pairs are also fitted to a common vertex and accepted as Λ^0 candidates if the invariant mass is in the range 1.08 < $m_{p\pi}$ < 1.15 GeV. The tracks used for the primary vertex reconstruction are excluded from the Λ^0 vertex fit to reduce the large combinatorial background. The masses of a proton and a pion are assigned to the tracks when the invariant mass is calculated; $p\pi^-$ and $\bar{p}\pi^+$ combinations are considered so that both the Λ^0 and $\bar{\Lambda}^0$ candidates are accepted.

C. Reconstruction of $\Lambda_b^0 \to J/\psi(\mu^+\mu^-)\Lambda^0(p\pi^-)$

The preselected muon and hadron track pairs are then refitted with a constraint to the $\Lambda_b^0 \to J/\psi(\mu^+\mu^-)\Lambda^0(p\pi^-)$ topology. The muons are required to intersect at a single vertex and their invariant mass is constrained to the mass of the J/ψ , $m_{J/\psi} = 3096.9$ MeV [19]. The two hadron tracks are forced to intersect in a second vertex and their invariant mass is fixed to the mass of the Λ^0 , $m_{\Lambda^0} = 1115.7$ MeV [19]. The combined momentum direction of the refitted Λ^0 track pair is constrained to point to the dimuon vertex. Two mass hypotheses are considered: the first assigns the proton mass to the positive track and the pion mass to the negative track, and the second hypothesis makes the opposite mass assignment. These hypotheses correspond to Λ_h^0 and $\bar{\Lambda}_h^0$ decays, respectively. The fit is performed on all four tracks simultaneously, taking into account the constraints described above [27]. The quality of the fit is characterized by the value of χ^2 divided by the number of degrees of freedom N_{dof} . Furthermore, for each track quadruplet that can be successfully fitted to the Λ_b^0 decay topology, a fit to the $B_d^0 \to J/\psi(\mu^+\mu^-)K_S^0(\pi^+\pi^-)$ decay topology is attempted (i.e. the pion mass is assigned to the hadron tracks and the dihadron mass is constrained to the mass of K_{S}^{0} , $m_{K_{S}} = 497.6$ MeV [19]). The B_{d}^{0} fit is needed to identify possible B_d^0 decays misidentified as Λ_b^0 .

The fitted Λ_b^0 are further required to pass the following selection criteria (see Ref. [28] for details):

- (i) The fit quality $\chi^2/N_{\rm dof} < 3$.
- (ii) The transverse momentum of the refitted Λ^0 , $p_{T,\Lambda^0} > 3.5$ GeV.



FIG. 2 (color online). The reconstructed mass of Λ_b^0 and $\bar{\Lambda}_b^0$ candidates, fitted with a three-component PDF (blue solid curve) consisting of signal (blue dashed curve), combinatorial (magenta long-dashed straight line), and B_d^0 background (red dot-dashed curve, bottom).

TABLE III. The numbers of signal candidates N_{sig} , combinatorial background N_{Comb} , and B_d^0 background candidates $N_{B_d^0}$, extracted by the extended binned maximum likelihood fit in the mass range from 5340 to 5900 MeV. The number of events from each component in the SR mass window is given by scaling the values from the fit.

Parameter	[5340, 5900] MeV	[5560,5680] MeV
N _{sig}	1400 ± 50	1240 ± 40
N _{Comb}	1090 ± 80	234 ± 16
$N_{B_d^0}$	210 ± 90	73 ± 30

- (iii) The transverse decay length of the refitted Λ^0 vertex measured from the Λ^0_b vertex, $L_{xy,\Lambda^0} > 10$ mm.
- (iv) If the four tracks forming a Λ_b^0 candidate also result in an acceptable B_d^0 fit, the candidate must have a larger cumulative χ^2 probability for the Λ_b^0 fit: $\mathcal{P}_{\Lambda^0} > \mathcal{P}_{B^0}$.
- $\begin{array}{l} \mathcal{P}_{\Lambda_b^0} > \mathcal{P}_{B_d^0}. \\ (\text{v}) \mbox{ The reconstructed } \Lambda_b^0 \mbox{ proper decay time [28],} \\ \tau > 0.35 \mbox{ ps.} \end{array}$

Figure 2 shows the invariant mass distribution of events passing these selection cuts in the range from 5340 to 5900 MeV. There is no track quadruplet simultaneously satisfying both the Λ_b^0 and $\bar{\Lambda}_b^0$ hypotheses. Background events can be divided into two categories: the combinatorial background and the peaking background. The combinatorial background consists of real or fake J/ψ and Λ^0 candidates randomly combined to create a Λ_{h}^{0} -like topology. This is the main component of the background, whose mass distribution is nonresonant and assumed to be linear in the vicinity of the Λ_b^0 mass. The peaking background is due to residual $B_d^0 \to J/\psi(\mu^+\mu^-)K_S^0(\pi^+\pi^-)$ decays passing the requirement $\mathcal{P}_{\Lambda^0_L} > \mathcal{P}_{B^0_d}$. The invariant mass distribution is fitted with a three-component PDF to estimate the number of signal, combinatorial background, and B_d^0 background events. The shapes of the Λ_b^0 signal component and the B_d^0 background are modeled using onedimensional Gaussian-kernel estimation PDFs [29] of the MC events. The Gaussian-kernel estimators are nonparametric PDFs describing the shape of the invariant mass distribution of the MC candidates (i.e. MC templates). The advantage of using MC templates is that they accurately describe the non-Gaussian tails of the Λ_b^0 peak as well as the asymmetry of the B_d^0 background, which is important in correctly estimating the number of events in the fit. The effect of possible mismodeling of the shape of $m_{J/w\Lambda^0}$ in the signal MC sample is discussed in Sec. VII. The combinatorial background is parametrized by a first-order polynomial. An extended binned maximum likelihood fit [30] is performed with the number of events corresponding to each PDF component $(N_{sig}, N_{Comb}, and N_{B_{1}})$ and the slope of the linear background PDF as free parameters.

The numbers of events extracted by the invariant mass fit are summarized in Table III. A mass window around the nominal Λ_b^0 mass [19], 5560 < $m_{J/\psi\Lambda^0}$ < 5680 MeV, is defined as the signal region (SR) for this measurement. In the SR, the number of B_d^0 events is nearly one fourth of the total number of background events, and it has a large relative uncertainty due to its small size and the broad distribution of the B_d^0 peak.

VI. PARAMETER EXTRACTION

A. Least squares fit

The average values of the angular distributions $F_i(\Omega)$ defined in Table I:

$$\langle F_i \rangle = \frac{1}{N^{\text{data}}} \sum_{n=1}^{N^{\text{data}}} F_i(\Omega_n) \tag{6}$$

are used to extract the helicity parameters. As the PDF of the background events is not well understood in the limited data sample size, the averages provide the basic and stable information of the shapes of these variables. By definition, $\langle F_0 \rangle$ is identical to one.

The expected values of $\langle F_i \rangle$ depend on the helicity parameters \vec{A} and can be obtained by convolving these functions with the PDF [Eq. (3)] and integrating over the full angular range:

$$\langle F_i \rangle^{\text{expected}} = \sum_j f_{1j}(\vec{A}) f_{2j}(\alpha_\Lambda) C_{ij},$$
 (7)

with

$$C_{ij} = \frac{1}{(4\pi)^3} \iint F_i(\Omega') T(\Omega', \Omega) F_j(\Omega) d\Omega' d\Omega, \quad (8)$$

where Ω stands for the true decay angles and Ω' for the measured ones. The acceptance, efficiency, and resolution of the detector are represented by $T(\Omega', \Omega)$. These detector effects are encoded in the matrix **C**, whose elements do not depend on the helicity parameters, \vec{A} .

Ideally, the helicity amplitude parameters can be calculated by solving the system of five equations with five parameters:

$$\langle F_i \rangle^{\text{expected}} = \langle F_i \rangle$$
, for $i = 2, 4, 6, 18, \text{ and } 19$. (9)

However, with the measured values of $\langle F_i \rangle$ in current data (given in Sec. VID), Eq. (9) has no solution with real parameters, which may be due to the statistical fluctuation of data. Therefore, the set of real parameters that are statistically closest to the exact solution is found by minimizing the χ^2 function with respect to the five real parameters:

$$\chi^{2} = \sum_{i} \sum_{j} (\langle F_{i} \rangle^{\text{expected}} - \langle F_{i} \rangle) V_{ij}^{-1} (\langle F_{j} \rangle^{\text{expected}} - \langle F_{j} \rangle),$$
(10)

where i, j = 2, 4, 6, 18, and 19, and V is the covariance matrix of the measured $\langle F_i \rangle$ values. The correlations between the five averages are accounted for by the covariance matrix.

B. Background subtraction

As the combinatorial background can be described by the linear function, its contribution to the measured $\langle F_i \rangle$ values can be estimated by using events in the invariant mass sidebands. Two mass windows define the sidebands: $5400 < m_{J/\psi\Lambda^0} < 5520$ MeV is chosen as the left sideband and $5720 < m_{J/\psi\Lambda^0} < 5840$ MeV as the right one. The background contribution to the $\langle F_i \rangle$ values in the signal region is estimated as an average of the values in the two sidebands and is subtracted from the measured value of $\langle F_i \rangle$.

The similarity of the left and right sidebands can be verified by comparing the F_i distributions. Figure 3 shows that the distributions for F_i are similar in the two sidebands while the distributions in the signal region are different. The only significant difference between the occupancy of



FIG. 3 (color online). The F_i (i = 2, 4, 6, 18, 19) distribution for events in the sidebands (red open circles for the left sideband and blue open triangles for the right sideband), together with the distribution for events in the signal region (black filled circles).

the two sidebands is when the value of F_6 is close to zero and is due to B_d^0 background.

The B_d^0 MC sample, together with the estimated number of B_d^0 events (Sec. V C), is used to calculate the contribution of the B_d^0 events to the averaged $\langle F_i \rangle$ values and the estimated contribution is subtracted.

C. Detector effects correction

In the case of an ideal detector, there are no acceptance and resolution effects, i.e. $T(\Omega', \Omega) = \delta(\Omega', \Omega)$, where $\delta(\Omega', \Omega)$ is the Dirac delta function. In this case, **C** is a simple diagonal matrix **D** with elements



FIG. 4 (color online). Event distribution for each angular variable in simulated data after acceptance, efficiency, and resolution effects are taken into account. The red filled points show the distributions in the default MC sample, where the generated distributions are uniform in all angular variables. For illustration of the sensitivity, the default MC events weighted using PDFs with $\alpha_b = \pm 1$ (green filled down triangles and blue open squares) and the measured value $\alpha_b = 0.3$ (open up triangles) are also shown. Other parameters are set to $k_+ = 0.21$ and $k_- = 0.13$ (measured values), and $\Delta_+ = \Delta_- = 0$.

$$D_{ij} = \frac{1}{(4\pi)^3} \int F_i(\Omega) F_j(\Omega) d\Omega$$

= diag $\left\{ 1, \frac{1}{3}, \frac{1}{5}, \frac{1}{15}, \frac{2}{45}, \frac{2}{45} \right\}$ (11)

due to the orthogonality of the terms $F_i(\Omega)$.

The $T(\Omega', \Omega)$ is subject to the detector effects (the limited acceptance of the detector, the detection and reconstruction efficiencies, and the resolution of the angular variables) that could affect the measured average of F_i . Figure 4 shows the detector effects in the distribution of some angular variables for the reconstructed MC events. At the MC generator level, without any simulation of the detector effects, the shown variables are uniformly distributed. Therefore, any structure observed in the distributions is due to detector effects. The distributions of $\cos\theta$ and $\cos\theta_1$ are shaped by the $p_{\rm T}$ cut on pion, similarly $\cos \theta_2$ and ϕ_2 by $p_{\rm T}$ cut on muons. The effect of pion $p_{\rm T}$ cut to the distribution of ϕ_1 is negligible, and the bump mainly reflects the nonuniformity of the reconstruction efficiency. The flat $\phi_1 + \phi_2$ distribution confirms that there is no correlation between ϕ_1 and ϕ_2 . To illustrate the sensitivity, additional distributions in this figure show the same MC events reweighted by three different PDFs with the values of the parameters as given in the figure caption.

As shown in Eq. (8), the matrix **C** is independent of the helicity amplitude parameters A and can therefore be estimated using MC simulation, provided the detector is correctly described. For every reconstructed MC event, values of the true and reconstructed decay angles, Ω and Ω' , are known. Their PDF can be written as

$$w^{\rm mc}(\Omega',\Omega) = \frac{1}{\epsilon_{\rm T}}T(\Omega',\Omega)w^{\rm gen}(\Omega),$$
 (12)

where $w^{\text{gen}}(\Omega)$ is the generator-level PDF and ϵ_{T} is the overall normalization factor. Since a uniform angular distribution is used to generate the MC sample, $w^{\text{gen}}(\Omega) = 1$, the distribution of angles Ω' and Ω for the reconstructed events is given solely by the detector effects. Therefore, the function $T(\Omega', \Omega)$ is also the PDF for the reconstructed MC events (except for the overall normalization factor $\epsilon_{\rm T}$), and Eq. (8) becomes a calculation of the mean of the expression $F_i(\Omega')F_i(\Omega)$ for variables Ω' and Ω distributed according to $T(\Omega', \Omega)$. The MC integration method is used to estimate the value of the coefficients C_{ij} by replacing the integral with a summation:

$$C_{ij} = \frac{1}{(4\pi)^3} \iint F_i(\Omega') F_j(\Omega) T(\Omega', \Omega) d\Omega' d\Omega$$

$$= \frac{\epsilon_{\rm T}}{(4\pi)^3} \iint F_i(\Omega') F_j(\Omega) w^{\rm mc}(\Omega', \Omega) d\Omega' d\Omega$$

$$\approx \frac{\epsilon_{\rm T}}{N^{\rm mc}} \sum_{n=1}^{N^{\rm mc}} F_i(\Omega'_n) F_j(\Omega_n).$$
(13)

The unknown normalization factor, $\epsilon_{\rm T}$, can be determined from the constraint $\langle F_0 \rangle^{\text{expected}} \equiv 1$. The MC events used in the matrix C calculation are required to satisfy the same selection criteria as data. In order to have the same kinematics as data, two types of weights are applied to the MC events. The first type is used to reproduce the same trigger configuration. The second one is used to reproduce the measured $(p_{\rm T}, \eta)$ distribution of Λ_b^0 candidates. The latter weight is called the kinematic weight and it is derived by comparing the two-dimensional 15×10 binned $(p_{\rm T},\eta)$ distribution of Λ_b^0 in MC simulation and sideband-subtracted data.

The matrix C used in this analysis after weighting is

1	/ 1	-0.113	-0.033	0.0074	0.0223	-0.0028		
	-0.112	0.3091	0.0071	-0.0133	0.0029	-0.0010		
	-0.033	0.0074	0.1775	-0.0186	0.0041	-0.0001		(1.4)
	0.0071	-0.0133	-0.0185	0.0545	0.00013	0.00029	. ((14)
	0.0221	0.0026	0.0040	0.00015	0.0465	0.0005		
	-0.0031	-0.0008	-0.0003	0.00034	0.0005	0.0450)	

The MC statistical uncertainty of the elements on the diagonal is about 1%, while the relative uncertainty of some of the off-diagonal elements is larger due to their small value. The impact of these uncertainties is discussed in Sec. VII.

D. Fit results

The measured values of the averages $\langle F_i \rangle$ after the sideband subtraction and B_d^0 background correction are

TABLE IV. Correlation matrix of the $\langle F_i \rangle$ measurements.

$\langle F_i \rangle$	$\langle F_2 \rangle$	$\langle F_4 \rangle$	$\langle F_6 \rangle$	$\langle F_{18} \rangle$	$\langle F_{19} \rangle$
$\langle F_2 \rangle$	1	-0.066	-0.121	0.028	0.003
$\langle F_4 \rangle$		1	-0.503	0.088	0.000
$\langle F_6 \rangle$			1	-0.025	-0.008
$\langle F_{18} \rangle$				1	0.048
$\langle F_{19} \rangle$					1

$$\langle F_2 \rangle = -0.282 \pm 0.021,$$

 $\langle F_4 \rangle = -0.044 \pm 0.017,$
 $\langle F_6 \rangle = 0.001 \pm 0.010,$
 $\langle F_{18} \rangle = 0.019 \pm 0.009,$
 $\langle F_{19} \rangle = -0.002 \pm 0.009.$ (15)

The correlations between these measurements are listed in Table IV. In general, the correlations are small, except for the correlation of $\langle F_4 \rangle$ and $\langle F_6 \rangle$.

The χ^2 fit [Eq. (10)] is applied to data and yields

$$\begin{aligned} \alpha_b &= 0.30 \pm 0.16, \\ k_+ &= 0.21^{+0.14}_{-0.21}, \\ k_- &= 0.13^{+0.20}_{-0.13}. \end{aligned} \tag{16}$$

The statistical uncertainty of the parameters are calculated by finding the range that satisfies $\chi^2 - \chi^2_{\min} < 1$. Negative values of k_+ and k_- are allowed but they will give identical χ^2 , because the real values used in fit are $|k_+|$ and $|k_-|$. Thus, negative-value parts of their uncertainty bands are truncated. With the limited data sample size, values of the relative phases Δ_+ and Δ_- , obtained from the fit, are consistent with the entire allowed range, $[-\pi, \pi]$. The effect of their large uncertainties on the determination of α_b , k_+ , and k_- is checked in an alternative fit. Since the phase parameters are not well determined, and the efficiency of the measurement does not have a strong dependence on $\phi_1 + \phi_2$ as shown in Fig. 4, only the first four terms in



FIG. 5. The conditional $\chi^2_{\rm min}$ as a function of α_b .

TABLE V. Correlation matrix of the fitted parameters.

Parameter	α_b	k_+	k_
α_b	1	0.41	-0.19
k_{+}		1	0.20
k_{\perp}			1

Table II are considered in the alternative fit and only the parameters α_b , k_+ , and k_- are determined. The results of this fit, both the central values and the statistical uncertainties, are very similar to those of the main analysis. In particular, the differences between the central values are smaller than the statistical errors and comparable to the systematic uncertainties discussed in Sec. VII. Figure 5 shows the χ^2_{min} as a function of the assumed α_b parameter with the condition that the α_b parameter is fixed in the nominal fit. The minimum of this conditional χ^2_{min} curve gives the central value of α_b (α_b^{best}) and the corresponding χ^2 value is 3.15. The correlation matrix of the fitted parameters is shown in Table V. There are no strong correlations between these parameters. The corresponding absolute values of the helicity amplitudes are

$$|a_{+}| = 0.17^{+0.12}_{-0.17},$$

$$|a_{-}| = 0.59^{+0.06}_{-0.07},$$

$$|b_{+}| = 0.79^{+0.04}_{-0.05},$$

$$|b_{-}| = 0.08^{+0.13}_{-0.08}.$$
 (17)

To check the fit results, the MC events are further weighted using the signal PDF with parameters determined from the fit and normalized to the number of events of the sideband-subtracted data. These weighted MC events and sideband background distributions of F_i are added and compared with data. Figure 6 shows good agreement between the weighted MC events and data.

The polarization of Λ_b^0 and $\bar{\Lambda}_b^0$ is checked with data and is found consistent with the expected value of zero (Sec. II). The combination of Λ_b^0 and $\bar{\Lambda}_b^0$ samples is also justified by the consistent results from the separate fits for the two samples.

VII. SYSTEMATIC UNCERTAINTIES

The systematic uncertainty in this measurement mainly comes from two sources: the measurement of the $\langle F_i \rangle$ moments and the calculation of the matrix **C**. The systematic uncertainties considered in this analysis are listed below. The first two items refer to the first category, and the other items are related to the calculation of the matrix **C** and other uncertainties:

(i) The shape of background. The effect of a possible nonlinearity of the combinatorial background is checked by using the left or right sideband separately, instead of the average of the two sidebands, to estimate the background contribution in the central



FIG. 6 (color online). The predicted distributions of F_i variables from the sum of the weighted MC events (red line) and the background (blue area) are compared with data (black points). The background is estimated by adding the left and right sidebands and scaling by 0.5. The χ^2 -test probability of each comparison is shown in the top right corner of the plot. The predictions of the unweighted MC events (black dashed line) are also shown.

region. This gives a maximum difference of 0.034 in the α_b value.

- (ii) The B_d^0 background estimation. The number of B_d^0 background candidates is varied by one standard deviation. The impact of this variation on the α_b value is 0.011.
- (iii) The resolution of decay angles. The effect of decay angles' measurement resolution is accounted for by

the matrix **C**; however, it relies on the MC simulation. An uncertainty due to the angular resolution is conservatively estimated by replacing the generator-level decay angles with the reconstructed ones (and vice versa) in the matrix **C** calculation. The effect on α_b is found to be 0.005.

(iv) The modeling of the mass resolution. The mass resolution scale factor is found to be 0.99 ± 0.06 by

Source	α_b	k_+	<i>k</i> _	$ a_+ $	$ a_{-} $	$ b_+ $	<i>b</i> _
Background shape	0.034	0.020	0.042	0.018	0.017	0.010	0.024
B_d^0 background	0.011	0.085	0.061	0.069	0.008	0.008	0.036
Angles resolution	0.005	0.017	0.026	0.014	0.004	0.002	0.015
MC mass resolution modeling	0.020	0.004	0.004	0.002	0.008	0.007	0.002
MC kin. weighting (MC parametrization)	0.007	0.010	0.008	0.008	0.007	0.002	0.005
MC kin. weighting (data sample size)	0.011	0.017	0.014	0.014	0.005	0.003	0.008
MC sample size	0.047	0.090	0.121	0.039	0.016	0.013	0.037
Value of α_{Λ}	0.009	0.023	0.023	0.019	0.005	0.001	0.014
Total	0.064	0.130	0.147	0.086	0.028	0.020	0.061

TABLE VI. Systematic uncertainties.

fitting the MC simulation to data. The scale factor in the MC simulation used in the matrix C calculation is varied from 0.93 to 1.05 to study the effect of possible mismodeling. The maximum of the deviation from the nominal α_b is 0.020 and is taken as a systematic uncertainty.

- (v) MC kinematic weight calculation uncertainty due to helicity parameters in MC simulation. The kinematic weight of each MC event is calculated by comparing the distributions of (p_T, η) in the MC sample and background-subtracted data. The distribution of (p_T, η) in the MC sample may slightly depend on values of the helicity amplitudes used in the MC production. To study this effect, the helicity parameters are varied and the fit is repeated using the new kinematic weights. The α_b parameter is varied from -1 to 1 and k_+, k_- parameters are varied from 0 to 1. The maximum change in α_b caused by this variation is 0.007, and this is taken as a systematic uncertainty.
- (vi) MC kinematic weight calculation uncertainty due to limited data sample size. The effect of the limited data sample size in the kinematic weight calculation is estimated by varying the number of data events in each (p_T, η) bin in the kinematic weight calculation. In each variation, Poisson samplings of the numbers of data events in the signal region and in sidebands are used instead of the numbers themselves in each (p_T, η) bin. The test is repeated 2000 times and the root mean square of the fit results is considered as a systematic uncertainty. The resulting uncertainty on α_b is 0.011.
- (vii) MC statistics. The statistical uncertainty of the measured moments, $\langle F_i \rangle$, is contained in the covariance matrix **V** in Eq. (10). However, this matrix does not contain the statistical uncertainty of the expected moments, $\langle F_i \rangle^{\text{expected}}$, which arises from the limited MC sample size in the matrix **C** calculation. In order to parametrize the effect of this uncertainty, the covariance matrix **V**^{MC} of the $\langle F_i \rangle^{\text{expected}}$ moments is calculated using the MC events and is added to the covariance matrix in Eq. (10). The fit is repeated and the new uncertainties in the fitted parameters are estimated, this time including the uncertainty from

both the data and MC sample statistics. The default values of the statistical uncertainties are subtracted in quadrature from the new ones to isolate the contribution of the limited MC sample size. In case of the α_b parameter, this uncertainty is estimated to be 0.047.

(viii) The value of α_{Λ} , taken from Ref. [19], is varied by one standard deviation to check the effect on the extracted parameters. The differences are taken as a systematic uncertainty, which is 0.009 for the value of α_b .

The contributions of these sources to the systematic uncertainties of the measured parameters are summarized in Table VI. The total systematic uncertainty is calculated by adding individual contributions in quadrature. The total uncertainty for α_b is 0.064.

VIII. CONCLUSIONS

A measurement of the parity-violating decay asymmetry parameter α_b and the helicity amplitudes for the decay $\Lambda_b^0 \rightarrow J/\psi(\mu^+\mu^-)\Lambda^0(p\pi^-)$ has been performed using the 4.6 fb⁻¹ pp collisions at a center-of-mass energy of 7 TeV recorded by the ATLAS detector at the LHC in 2011. The measured values of α_b , k_+ and k_- are

$$\begin{aligned} \alpha_b &= 0.30 \pm 0.16(\text{stat}) \pm 0.06(\text{syst}), \\ k_+ &= 0.21^{+0.14}_{-0.21}(\text{stat}) \pm 0.13(\text{syst}), \\ k_- &= 0.13^{+0.20}_{-0.13}(\text{stat}) \pm 0.15(\text{syst}), \end{aligned} \tag{18}$$

corresponding to the value of helicity parameters

$$\begin{aligned} |a_{+}| &= 0.17^{+0.12}_{-0.17}(\text{stat}) \pm 0.09(\text{syst}), \\ |a_{-}| &= 0.59^{+0.06}_{-0.07}(\text{stat}) \pm 0.03(\text{syst}), \\ |b_{+}| &= 0.79^{+0.04}_{-0.05}(\text{stat}) \pm 0.02(\text{syst}), \\ |b_{-}| &= 0.08^{+0.13}_{-0.08}(\text{stat}) \pm 0.06(\text{syst}). \end{aligned}$$
(19)

The Λ_b^0 decay has large amplitudes $|a_-|$ and $|b_+|$, which means the negative-helicity states for Λ^0 are preferred. The Λ^0 and J/ψ from Λ_b^0 decay are highly polarized. Adding in quadrature the statistical and systematic uncertainties, the observed value of α_b is consistent with the recent measurement $\alpha_b = 0.05 \pm 0.17(\text{stat}) \pm 0.07(\text{syst})$ by LHCb [14] at the level of one standard deviation. However, it is not consistent with the expectation from pQCD [11] (α_b in the range from -0.17 to -0.14), and HQET [12,13] ($\alpha_b = 0.78$) at a level of about 2.6 and 2.8 standard deviations, respectively.

ACKNOWLEDGMENTS

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently. We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC, and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST, and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR, and VSC CR, Czech Republic; DNRF, DNSRC, and Lundbeck Foundation, Denmark; EPLANET, ERC, and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG, and

AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF, and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America. The crucial computing support from all WLCG partners is acknowledged gratefully, in particular, from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK), and BNL (USA) and in the Tier-2 facilities worldwide.

- [1] T. Lee and C.-N. Yang, Phys. Rev. 104, 254 (1956).
- [2] C. Wu, E. Ambler, R. Hayward, D. Hoppes, and R. Hudson, Phys. Rev. 105, 1413 (1957).
- [3] R. Garwin, L. Lederman, and M. Weinrich, Phys. Rev. 105, 1415 (1957).
- [4] F. Eisler, R. Plano, A. Prodell, N. Samios, M. Schwartz et al., Phys. Rev. 108, 1353 (1957).
- [5] J. W. Cronin and O. E. Overseth, Phys. Rev. 129, 1795 (1963).
- [6] H.-Y. Cheng, Phys. Rev. D 56, 2799 (1997).
- [7] Fayyazuddin and Riazuddin, Phys. Rev. D 58, 014016 (1998).
- [8] R. Mohanta, M. P. Khanna, M. Ishida, S. Ishida, and M. Oda, Prog. Theor. Phys. 101, 959 (1999).
- [9] Z.-T. Wei, H.-W. Ke, and X.-Q. Li, Phys. Rev. D 80, 094016 (2009).
- [10] T. Gutsche, M. A. Ivanov, J. G. Korner, V. E. Lyubovitskij, and P. Santorelli, Phys. Rev. D 88, 114018 (2013).
- [11] C.-H. Chou, H.-H. Shih, S.-C. Lee, and H.-n. Li, Phys. Rev. D 65, 074030 (2002).
- [12] O. Leitner, Z. Ajaltouni, and E. Conte, Nucl. Phys. A755, 435 (2005).
- [13] Z. Ajaltouni, E. Conte, and O. Leitner, Phys. Lett. B 614, 165 (2005).
- [14] R. Aaij et al. (LHCb Collaboration), Phys. Lett. B 724, 27 (2013).
- [15] J. Hrivnac, R. Lednicky, and M. Smizanska, J. Phys. G 21, 629 (1995).

- [16] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the *z* axis along the beam pipe. The *x* axis points from the IP to the center of the LHC ring, and the *y* axis points upward. Cylindrical coordinates (r, Φ) are used in the transverse plane, Φ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle Θ as $\eta = -\ln \tan(\Theta/2)$.
- [17] R. Lednicky, Sov. J. Nucl. Phys. 43, 817 (1986).
- [18] P. Bialas, J. Korner, M. Kramer, and K. Zalewski, Z. Phys. C 57, 115 (1993).
- [19] J. Beringer *et al.* (Particle Data Group), Phys. Rev. D 86, 010001 (2012).
- [20] ATLAS Collaboration, JINST 3, S08003 (2008).
- [21] ATLAS Collaboration, Eur. Phys. J. C 73, 2518 (2013).
- [22] ATLAS Collaboration, Eur. Phys. J. C 72, 1849 (2012).
- [23] T. Sjostrand, S. Mrenna, and P.Z. Skands, J. High Energy Phys. 05 (2006) 026.
- [24] ATLAS Collaboration, Eur. Phys. J. C 70, 823 (2010).
- [25] S. Agostinelli *et al.* (GEANT4 Collaboration), Nucl. Instrum. Methods Phys. Res., Sect. A 506, 250 (2003).
- [26] ATLAS Collaboration, Phys. Lett. B 707, 438 (2012).
- [27] V. Kostyukhin, Report No. ATL-PHYS-2003-031, 2003, http://cds.cern.ch/record/685551.
- [28] ATLAS Collaboration, Phys. Rev. D 87, 032002 (2013).
- [29] K. S. Cranmer, Comput. Phys. Commun. 136, 198 (2001).
- [30] W. Verkerke and D. P. Kirkby, eConf C0303241, MOLT007 (2003).

G. Aad,⁸⁴ T. Abajyan,²¹ B. Abbott,¹¹² J. Abdallah,¹⁵² S. Abdel Khalek,¹¹⁶ O. Abdinov,¹¹ R. Aben,¹⁰⁶ B. Abi,¹¹³ M. Abolins,⁸⁹ O. S. AbouZeid,¹⁵⁹ H. Abramowicz,¹⁵⁴ H. Abreu,¹³⁷ Y. Abulaiti,^{147a,147b} B. S. Acharya,^{165a,165b,b} L. Adamczyk,^{38a} D. L. Adams,²⁵ J. Adelman,¹⁷⁷ S. Adomeit,⁹⁹ T. Adye,¹³⁰ T. Agatonovic-Jovin,^{13b} J. A. Aguilar-Saavedra,^{125f,125a} M. Agustoni,¹⁷ S. P. Ahlen,²² A. Ahmad,¹⁴⁹ F. Ahmadov,^{64,c} G. Aielli,^{134a,134b} T. P. A. Åkesson,⁸⁰ G. Akimoto,¹⁵⁶ A. V. Akimov,⁹⁵ J. Albert,¹⁷⁰ S. Albrand,⁵⁵ M. J. Alconada Verzini,⁷⁰ M. Aleksa,³⁰ I. N. Aleksandrov,⁶⁴ C. Alexa,^{26a} G. Alexander,¹⁵⁴ G. Alexandre,⁴⁹ T. Alexopoulos,¹⁰ M. Alhroob,^{165a,165c} G. Alimonti,^{90a} L. Alio,⁸⁴ J. Alison,³¹ B. M. M. Allbrooke,¹⁸ L. J. Allison,⁷¹ P. P. Allport,⁷³ S. E. Allwood-Spiers,⁵³ J. Almond,⁸³ A. Aloisio,^{103a,103b} R. Alon,¹⁷³ A. Alonso,³⁶ F. Alonso,⁷⁰ C. Alpigiani,⁷⁵ A. Altheimer,³⁵ B. Alvarez Gonzalez,⁸⁹ M. G. Alviggi,^{103a,103b} K. Amako,⁶⁵ Y. Amaral Coutinho,^{24a} C. Amelung,²³ D. Amidei,⁸⁸ V. V. Ammosov,^{129,a} S. P. Amor Dos Santos, ^{125a,125c} A. Amorim, ^{125a,125b} S. Amoroso, ⁴⁸ N. Amram, ¹⁵⁴ G. Amundsen, ²³ C. Anastopoulos, ¹⁴⁰ L. S. Ancu, ¹⁷ N. Andari, ³⁰ T. Andeen, ³⁵ C. F. Anders, ^{58b} G. Anders, ³⁰ K. J. Anderson, ³¹ A. Andreazza, ^{90a,90b} V. Andrei, ^{58a} K. S. Anderson, A. Anderson, A. Anderson, A. Anderson, A. Anderson, A. Anderzza, V. Anderson, X. S. Anderzza, V. Anderson, X. S. Anderson, A. Anderzza, V. Anderson, X. S. Anderzon, X. S. Anderzza, V. Anderson, X. S. Anderzza, V. Anderson, X. S. Anderzon, ¹⁰⁸ N. Anjos, ^{125a} A. Annovi,⁴⁷ A. Antonaki,⁹ M. Antonelli,⁴⁷ A. Antonov,⁹⁷ J. Antos, ^{145b} F. Anulli, ^{133a} M. Aoki,⁶⁵ L. Aperio Bella,¹⁸ R. Apolle,^{119,d} G. Arabidze,⁸⁹ I. Aracena,¹⁴⁴ Y. Arai,⁶⁵ J. P. Araque,^{125a} A. T. H. Arce,⁴⁵ J-F. Arguin,⁹⁴ S. Argyropoulos,⁴² M. Arik,^{19a} A. J. Armbruster,³⁰ O. Arnaez,⁸² V. Arnal,⁸¹ O. Arslan,²¹ A. Artamonov,⁹⁶ G. Artoni,²³ S. Asai,¹⁵⁶ N. Asbah,⁹⁴ A. Ashkenazi,¹⁵⁴ S. Ask,²⁸ B. Åsman,^{147a,147b} L. Asquith,⁶ K. Assamagan,²⁵ R. Astalos,^{145a} M. Atkinson,¹⁶⁶ N. B. Atlay,¹⁴²
B. Auerbach,⁶ E. Auge,¹¹⁶ K. Augsten,¹²⁷ M. Aurousseau,^{146b} G. Avolio,³⁰ G. Azuelos,^{94,e} Y. Azuma,¹⁵⁶ M. A. Baak,³⁰ C. Bacci,^{135a,135b} H. Bachacou,¹³⁷ K. Bachas,¹⁵⁵ M. Backes,³⁰ M. Backhaus,³⁰ J. Backus Mayes,¹⁴⁴ E. Badescu,^{26a} P. Bagiacchi,^{133a,133b} P. Bagnaia,^{133a,133b} Y. Bai,^{33a} D. C. Bailey,¹⁵⁹ T. Bain,³⁵ J. T. Baines,¹³⁰ O. K. Baker,¹⁷⁷ S. Baker,⁷⁷ P. Balek,¹²⁸ F. Balli,¹³⁷ E. Banas,³⁹ Sw. Banerjee,¹⁷⁴ D. Banfi,³⁰ A. Bangert,¹⁵¹ A. A. E. Bannoura,¹⁷⁶ V. Bansal,¹⁷⁰ H. S. Bansil,¹⁸ L. Barak,¹⁷³ S. P. Baranov,⁹⁵ T. Barber,⁴⁸ E. L. Barberio,⁸⁷ D. Barberis,^{50a,50b} M. Barbero,⁸⁴ T. Barillari,¹⁰⁰ M. Barisonzi,¹⁷⁶ T. Barklow,¹⁴⁴ N. Barlow,²⁸ B. M. Barnett,¹³⁰ R. M. Barnett,¹⁵ Z. Barnovska,⁵ A. Baroncelli,^{135a} G. Barone,⁴⁹ A. J. Barr,¹¹⁹ F. Barreiro,⁸¹ J. Barreiro Guimarães da Costa,⁵⁷ R. Bartoldus,¹⁴⁴ A. E. Barton,⁷¹ P. Bartos,^{145a} V. Bartsch,¹⁵⁰ A. Bassalat,¹¹⁶ A. Basye,¹⁶⁶ R. L. Bates,⁵³ L. Batkova,^{145a} J. R. Batley,²⁸ M. Battistin,³⁰ F. Bauer,¹³⁷
H. S. Bawa,^{144,f} T. Beau,⁷⁹ P. H. Beauchemin,¹⁶² R. Beccherle,^{123a,123b} P. Bechtle,²¹ H. P. Beck,¹⁷ K. Becker,¹⁷⁶ S. Becker,⁹⁹
M. Beckingham,¹³⁹ C. Becot,¹¹⁶ A. J. Beddall,^{19c} A. Beddall,^{19c} S. Bedikian,¹⁷⁷ V. A. Bednyakov,⁶⁴ C. P. Bee,¹⁴⁹ L. J. Beemster,¹⁰⁶ T. A. Beermann,¹⁷⁶ M. Begel,²⁵ K. Behr,¹¹⁹ C. Belanger-Champagne,⁸⁶ P. J. Bell,⁴⁹ W. H. Bell,⁴⁹ G. Bella,¹⁵⁴ L. Bellagamba,^{20a} A. Bellerive,²⁹ M. Bellomo,⁸⁵ A. Belloni,⁵⁷ O. L. Beloborodova,^{108,g} K. Belotskiy,⁹⁷ O. Beltramello,³⁰ O. Benary,¹⁵⁴ D. Benchekroun,^{136a} K. Bendtz,^{147a,147b} N. Benekos,¹⁶⁶ Y. Benhammou,¹⁵⁴ E. Benhar Noccioli,⁴⁹ J. A. Benitez Garcia,^{160b} D. P. Benjamin,⁴⁵ J. R. Bensinger,²³ K. Benslama,¹³¹ S. Bentvelsen,¹⁰⁶ D. Berge,¹⁰⁶ E. Bergeaas Kuutmann,¹⁶ N. Berger,⁵ F. Berghaus,¹⁷⁰ E. Berglund,¹⁰⁶ J. Beringer,¹⁵ C. Bernard,²² P. Bernat,⁷⁷ C. Bernius,⁷⁸ F. U. Bernlochner,¹⁷⁰ T. Berry,⁷⁶ P. Berta,¹²⁸ C. Bertella,⁸⁴ F. Bertolucci,^{123a,123b} M. I. Besana,^{90a} G. J. Besjes, ¹⁰⁵ O. Bessidskaia, ^{147a,147b} N. Besson, ¹³⁷ C. Betancourt, ⁴⁸ S. Bethke, ¹⁰⁰ W. Bhimji, ⁴⁶ R. M. Bianchi, ¹²⁴ L. Bianchini, ²³ M. Bianco, ³⁰ O. Biebel, ⁹⁹ S. P. Bieniek, ⁷⁷ K. Bierwagen, ⁵⁴ J. Biesiada, ¹⁵ M. Biglietti, ^{135a} J. Bilbao De Mendizabal,⁴⁹ H. Bilokon,⁴⁷ M. Bindi,⁵⁴ S. Binet,¹¹⁶ A. Bingul,^{19c} C. Bini,^{133a,133b} C. W. Black,¹⁵¹ J. E. Black,¹⁴⁴ K. M. Black,²² D. Blackburn,¹³⁹ R. E. Blair,⁶ J.-B. Blanchard,¹³⁷ T. Blazek,^{145a} I. Bloch,⁴² C. Blocker,²³ W. Blum,^{82,a} U. Blumenschein,⁵⁴ G. J. Bobbink,¹⁰⁶ V. S. Bobrovnikov,¹⁰⁸ S. S. Bocchetta,⁸⁰ A. Bocci,⁴⁵ C. R. Boddy,¹¹⁹
M. Boehler,⁴⁸ J. Boek,¹⁷⁶ T. T. Boek,¹⁷⁶ J. A. Bogaerts,³⁰ A. G. Bogdanchikov,¹⁰⁸ A. Bogouch,^{91,a} C. Bohm,^{147a} J. Bohm,¹²⁶
V. Boisvert,⁷⁶ T. Bold,^{38a} V. Boldea,^{26a} A. S. Boldyrev,⁹⁸ N. M. Bolnet,¹³⁷ M. Bomben,⁷⁹ M. Bona,⁷⁵ M. Boonekamp,¹³⁷
A. Borisov,¹²⁹ G. Borissov,⁷¹ M. Borri,⁸³ S. Borroni,⁴² J. Bortfeldt,⁹⁹ V. Bortolotto,^{135a,135b} K. Bos,¹⁰⁶ D. Boscherini,^{20a}
M. Bosman,¹² H. Boterenbrood,¹⁰⁶ J. Boudreau,¹²⁴ J. Bouffard,² E. V. Bouhova-Thacker,⁷¹ D. Boumediene,³⁴ C. Bourdarios,¹¹⁶ N. Bousson,¹¹³ S. Boutouil,^{136d} A. Boveia,³¹ J. Boyd,³⁰ I. R. Boyko,⁶⁴ I. Bozovic-Jelisavcic,^{13b} J. Bracinik,¹⁸ P. Branchini,^{135a} A. Brandt,⁸ G. Brandt,¹⁵ O. Brandt,^{58a} U. Bratzler,¹⁵⁷ B. Brau,⁸⁵ J. E. Brau,¹¹⁵ H. M. Braun,^{176,a} S. F. Brazzale,^{165a,165c} B. Brelier,¹⁵⁹ K. Brendlinger,¹²¹ A. J. Brennan,⁸⁷ R. Brenner,¹⁶⁷ S. Bressler,¹⁷³ K. Bristow,^{146c} T. M. Bristow,⁴⁶ D. Britton,⁵³ F. M. Brochu,²⁸ I. Brock,²¹ R. Brock,⁸⁹ C. Bromberg,⁸⁹ J. Bronner,¹⁰⁰ G. Brooijmans,³⁵ T. Brooks,⁷⁶ W. K. Brooks,^{32b} J. Brosamer,¹⁵ E. Brost,¹¹⁵ G. Brown,⁸³ J. Brown,⁵⁵ P. A. Bruckman de Renstrom,³⁹ D. Bruncko,^{145b} R. Bruneliere,⁴⁸ S. Brunet,⁶⁰ A. Bruni,^{20a} G. Bruni,^{20a} M. Bruschi,^{20a} L. Bryngemark,⁸⁰ T. Buanes,¹⁴ Q. Buat,¹⁴³ F. Bucci,⁴⁹ P. Buchholz,¹⁴² R. M. Buckingham,¹¹⁹ A. G. Buckley,⁵³ S. I. Buda,^{26a} I. A. Budagov,⁶⁴ F. Buehrer,⁴⁸ L. Bugge,¹¹⁸ M. K. Bugge,¹¹⁸ O. Bulekov,⁹⁷ A. C. Bundock,⁷³ H. Burckhart,³⁰ S. Burdin,⁷³

B. Burghgrave,¹⁰⁷ S. Burke,¹³⁰ I. Burmeister,⁴³ E. Busato,³⁴ V. Büscher,⁸² P. Bussey,⁵³ C. P. Buszello,¹⁶⁷ B. Butler,⁵⁷ J. M. Butler,²² A. I. Butt,³ C. M. Buttar,⁵³ J. M. Butterworth,⁷⁷ P. Butti,¹⁰⁶ W. Buttinger,²⁸ A. Buzatu,⁵³ M. Byszewski,¹⁰ S. Cabrera Urbán,¹⁶⁸ D. Caforio,^{20a,20b} O. Cakir,^{4a} P. Calafiura,¹⁵ G. Calderini,⁷⁹ P. Calfayan,⁹⁹ R. Calkins,¹⁰⁷ L. P. Caloba,^{24a} D. Calvet,³⁴ S. Calvet,³⁴ R. Camacho Toro,⁴⁹ S. Camarda,⁴² D. Cameron,¹¹⁸ L. M. Caminada,¹⁵ R. Caminal Armadans,¹² S. Campana,³⁰ M. Campanelli,⁷⁷ A. Campoverde,¹⁴⁹ V. Canale,^{103a,103b} A. Canepa,^{160a} J. Cantero,⁸¹ R. Cantrill,⁷⁶ T. Cao,⁴⁰ M. D. M. Capeans Garrido,³⁰ I. Caprini,^{26a} M. Caprini,^{26a} M. Capua,^{37a,37b} R. Caputo,⁸² R. Cardarelli,^{134a} T. Carli,³⁰ G. Carlino,^{103a} L. Carminati,^{90a,90b} S. Caron,¹⁰⁵ E. Carquin,^{32a} G. D. Carrillo-Montoya,^{146c} A. A. Carter,⁷⁵ J. R. Carter,²⁸ J. Carvalho,^{125a,125c} D. Casadei,⁷⁷ M. P. Casado,¹² E. Castaneda-Miranda,^{146b} A. Castelli,¹⁰⁶ V. Castillo Gimenez,¹⁶⁸ N. F. Castro,^{125a} P. Catastini,⁵⁷ A. Catinaccio,³⁰ J. R. Catmore,⁷¹ A. Cattai,³⁰ G. Cattani,^{134a,134b} S. Caughron,⁸⁹ V. Cavaliere,¹⁶⁶ D. Cavalli,^{90a} M. Cavalli-Sforza,¹² V. Cavasinni,^{123a,123b} F. Ceradini,^{135a,135b} B. Cerio,⁴⁵ K. Cerny,¹²⁸ A. S. Cerqueira,^{24b} A. Cerri,¹⁵⁰ L. Cerrito,⁷⁵ F. Cerutti,¹⁵ M. Cerv,³⁰ A. Cervelli,¹⁷ S. A. Cetin,^{19b} A. Chafaq,^{136a} D. Chakraborty,¹⁰⁷ I. Chalupkova,¹²⁸ K. Chan,³ P. Chang,¹⁶⁶ B. Chapleau,⁸⁶ J. D. Chapman,²⁸ D. Charfeddine,¹¹⁶ D. G. Charlton,¹⁸ C. C. Chau,¹⁵⁹ C. A. Chavez Barajas,¹⁵⁰ S. Cheatham,⁸⁶ A. Chegwidden,⁸⁹ S. Chekanov,⁶ S. V. Chekulaev,^{160a} G. A. Chelkov,⁶⁴ M. A. Chelstowska,⁸⁸ C. Chen,⁶³ H. Chen,²⁵ K. Chen,¹⁴⁹ L. Chen,^{33d,h} S. Chen,^{33c} X. Chen,^{146c} Y. Chen,³⁵ H. C. Cheng,⁸⁸ Y. Cheng,³¹ A. Cheplakov,⁶⁴ R. Cherkaoui El Moursli,^{136e} V. Chernyatin,^{25,a} E. Cheu,⁷ L. Chevalier,¹³⁷ V. Chiarella,⁴⁷ G. Chiefari,^{103a,103b} J. T. Childers,⁶ A. Chilingarov,⁷¹ G. Chiodini,^{72a} A. S. Chisholm,¹⁸ R. T. Chislett,⁷⁷ A. Chitan,^{26a} M. V. Chizhov,⁶⁴ S. Chouridou,⁹ B. K. B. Chow,⁹⁹ I. A. Christidi,⁷⁷ D. Chromek-Burckhart,³⁰ M. L. Chu,¹⁵² J. Chudoba,¹²⁶ L. Chytka,¹¹⁴ G. Ciapetti,^{133a,133b} A. K. Ciftci,^{4a} R. Ciftci,^{4a} D. Cinca,⁶² V. Cindro,⁷⁴ A. Ciocio,¹⁵ P. Cirkovic,^{13b} Z. H. Citron,¹⁷³ M. Citterio,^{90a} M. Ciubancan,^{26a} A. Clark,⁴⁹ P. J. Clark,⁴⁶ R. N. Clarke,¹⁵ W. Cleland,¹²⁴ J. C. Clemens,⁸⁴ B. Clement,⁵⁵ C. Clement,^{147a,147b} Y. Coadou,⁸⁴ M. Cobal,^{165a,165c} A. Coccaro,¹³⁹ J. Cochran,⁶³ L. Coffey,²³ J. G. Cogan,¹⁴⁴ J. Coggeshall,¹⁶⁶ B. Cole,³⁵ S. Cole,¹⁰⁷ A. P. Colijn,¹⁰⁶ C. Collins-Tooth,⁵³ J. Collot,⁵⁵ T. Colombo,^{58c} G. Colon,⁸⁵ G. Compostella,¹⁰⁰ P. Conde Muiño,^{125a,125b} E. Coniavitis,¹⁶⁷ M. C. Conidi,¹² S. H. Connell,^{146b} I. A. Connelly,⁷⁶ S. M. Consonni,^{90a,90b} V. Consorti,⁴⁸
S. Constantinescu,^{26a} C. Conta,^{120a,120b} G. Conti,⁵⁷ F. Conventi,^{103a,i} M. Cooke,¹⁵ B. D. Cooper,⁷⁷ A. M. Cooper-Sarkar,¹¹⁹ N. J. Cooper-Smith,⁷⁶ K. Copic,¹⁵ T. Cornelissen,¹⁷⁶ M. Corradi,^{20a} F. Corriveau,^{86,j} A. Corso-Radu,¹⁶⁴ A. Cortes-Gonzalez,¹² G. Cortiana,¹⁰⁰ G. Costa,^{90a} M. J. Costa,¹⁶⁸ D. Costanzo,¹⁴⁰ D. Côté,⁸ G. Cottin,²⁸ G. Cowan,⁷⁶ B. E. Cox,⁸³ K. Cranmer,¹⁰⁹ G. Cree,²⁹ S. Crépé-Renaudin,⁵⁵ F. Crescioli,⁷⁹ M. Crispin Ortuzar,¹¹⁹ M. Cristinziani,²¹ G. Crosetti, ^{37a,37b} C.-M. Cuciuc, ^{26a} C. Cuenca Almenar, ¹⁷⁷ T. Cuhadar Donszelmann, ¹⁴⁰ J. Cummings, ¹⁷⁷ M. Curatolo, ⁴⁷ C. Cuthbert,¹⁵¹ H. Czirr,¹⁴² P. Czodrowski,³ Z. Czyczula,¹⁷⁷ S. D'Auria,⁵³ M. D'Onofrio,⁷³ M. J. Da Cunha Sargedas De Sousa,^{125a,125b} C. Da Via,⁸³ W. Dabrowski,^{38a} A. Dafinca,¹¹⁹ T. Dai,⁸⁸ O. Dale,¹⁴ F. Dallaire,⁹⁴ C. Dallapiccola,⁸⁵ M. Dam,³⁶ A. C. Daniells,¹⁸ M. Dano Hoffmann,¹³⁷ V. Dao,¹⁰⁵ G. Darbo,^{50a} G. L. Darlea,^{26c} S. Darmora,⁸ J. A. Dassoulas,⁴² W. Davey,²¹ C. David,¹⁷⁰ T. Davidek,¹²⁸ E. Davies,^{119,d} M. Davies,⁹⁴ O. Davignon,⁷⁹ A. R. Davison,⁷⁷ P. Davison,⁷⁷ Y. Davygora,^{58a} E. Dawe,¹⁴³ I. Dawson,¹⁴⁰ R. K. Daya-Ishmukhametova,²³ K. De,⁸ R. de Asmundis,^{103a} S. De Castro, ^{20a,20b} S. De Cecco,⁷⁹ J. de Graat,⁹⁹ N. De Groot,¹⁰⁵ P. de Jong,¹⁰⁶ C. De La Taille,¹¹⁶ H. De la Torre,⁸¹ F. De Lorenzi,⁶³ L. De Nooij,¹⁰⁶ D. De Pedis,^{133a} A. De Salvo,^{133a} U. De Sanctis,^{165a,165c} A. De Santo,¹⁵⁰ J. B. De Vivie De Regie,¹¹⁶ G. De Zorzi,^{133a,133b} W. J. Dearnaley,⁷¹ R. Debbe,²⁵ C. Debenedetti,⁴⁶ B. Dechenaux,⁵⁵ D. V. Dedovich,⁶⁴ J. Degenhardt,¹²¹ I. Deigaard,¹⁰⁶ J. Del Peso,⁸¹ T. Del Prete,^{123a,123b} F. Deliot,¹³⁷ C. M. Delitzsch,⁴⁹ M. Deliyergiyev,⁷⁴ A. Dell'Acqua,³⁰ L. Dell'Asta,²² M. Dell'Orso,^{123a,123b} M. Della Pietra,^{103a,i} D. della Volpe,⁴⁹ M. Delmastro,⁵ P. A. Delsart,⁵⁵ C. Deluca,¹⁰⁶ S. Demers,¹⁷⁷ M. Demichev,⁶⁴ A. Demilly,⁷⁹ S. P. Denisov,¹²⁹ D. Derendarz,³⁹ J. E. Derkaoui,^{136d} F. Derue,⁷⁹ P. Dervan,⁷³ K. Desch,²¹ C. Deterre,⁴² P. O. Deviveiros,¹⁰⁶ A. Dewhurst,¹³⁰ S. Dhaliwal,¹⁰⁶ A. Di Ciaccio,^{134a,134b} L. Di Ciaccio,⁵ A. Di Domenico,^{133a,133b} C. Di Donato,^{103a,103b} A. Di Girolamo,³⁰ B. Di Girolamo,³⁰ A. Di Mattia,¹⁵³ B. Di Micco,^{135a,135b} R. Di Nardo,⁴⁷ A. Di Simone,⁴⁸ R. Di Sipio,^{20a,20b} D. Di Valentino,²⁹ M. A. Diaz,^{32a} E. B. Diehl,⁸⁸ J. Dietrich,⁴² T. A. Dietzsch,^{58a} S. Diglio,⁸⁷ A. Dimitrievska,^{13a} J. Dingfelder,²¹ C. Dionisi,^{133a,133b} P. Dita,^{26a} S. Dita,^{26a} F. Dittus,³⁰ F. Djama,⁸⁴ T. Djobava,^{51b} M. A. B. do Vale,^{24c} A. Do Valle Wemans,^{125a,125g} T. K. O. Doan,⁵ D. Dobos,³⁰ E. Dobson,⁷⁷ C. Doglioni,⁴⁹ T. Doherty,⁵³ T. Dohmae,¹⁵⁶ J. Dolejsi,¹²⁸ Z. Dolezal,¹²⁸ B. A. Dolgoshein,^{97,a} M. Donadelli,^{24d} S. Donati,^{123a,123b} P. Dondero,^{120a,120b} J. Donini,³⁴ J. Dopke,³⁰ A. Doria,^{103a} A. Dos Anjos,¹⁷⁴ M. T. Dova,⁷⁰ A. T. Doyle,⁵³ M. Dris,¹⁰ J. Dubbert,⁸⁸ S. Dube,¹⁵ E. Dubreuil,³⁴ E. Duchovni,¹⁷³ G. Duckeck,⁹⁹ O. A. Ducu,^{26a} D. Duda,¹⁷⁶ A. Dudarev,³⁰ F. Dudziak,⁶³ L. Duflot,¹¹⁶ L. Duguid,⁷⁶ M. Dührssen,³⁰ M. Dunford,^{58a} H. Duran Yildiz,^{4a} M. Düren,⁵² A. Durglishvili,^{51b} M. Dwuznik,^{38a} M. Dyndal,^{38a} J. Ebke,⁹⁹ W. Edson,² N. C. Edwards,⁴⁶ W. Ehrenfeld,²¹ T. Eifert,¹⁴⁴

G. Eigen,¹⁴ K. Einsweiler,¹⁵ T. Ekelof,¹⁶⁷ M. El Kacimi,^{136c} M. Ellert,¹⁶⁷ S. Elles,⁵ F. Ellinghaus,⁸² N. Ellis,³⁰ J. Elmsheuser,⁹⁹ M. Elsing,³⁰ D. Emeliyanov,¹³⁰ Y. Enari,¹⁵⁶ O. C. Endner,⁸² M. Endo,¹¹⁷ R. Engelmann,¹⁴⁹ J. Erdmann,¹⁷⁷ A. Ereditato,¹⁷ D. Eriksson,^{147a} G. Ernis,¹⁷⁶ J. Ernst,² M. Ernst,²⁵ J. Ernwein,¹³⁷ D. Errede,¹⁶⁶ S. Errede,¹⁶⁶ E. Ertel,⁸² M. Escalier,¹¹⁶ H. Esch,⁴³ C. Escobar,¹²⁴ B. Esposito,⁴⁷ A. I. Etienvre,¹³⁷ E. Etzion,¹⁵⁴ H. Evans,⁶⁰ L. Fabbri,^{20a,20b} G. Facini,³⁰ R. M. Fakhrutdinov,¹²⁹ S. Falciano,^{133a} Y. Fang,^{33a} M. Fanti,^{90a,90b} A. Farbin,⁸ A. Farilla,^{135a} T. Farooque,¹² S. Farrell,¹⁶⁴ S. M. Farrington,¹⁷¹ P. Farthouat,³⁰ F. Fassi,¹⁶⁸ P. Fassnacht,³⁰ D. Fassouliotis,⁹ A. Favareto,^{50a,50b} L. Fayard,¹¹⁶ P. Federic,^{145a} O. L. Fedin,^{122,k} W. Fedorko,¹⁶⁹ M. Fehling-Kaschek,⁴⁸ S. Feigl,³⁰ L. Feligioni,⁸⁴ C. Feng,^{33d} E. J. Feng,⁶ H. Feng,⁸⁸ A. B. Fenyuk,¹²⁹ S. Fernandez Perez,³⁰ S. Ferrag,⁵³ J. Ferrando,⁵³ V. Ferrara,⁴² A. Ferrari,¹⁶⁷ P. Ferrari,¹⁰⁶ R. Ferrari,^{120a} D. E. Ferreira de Lima,⁵³ A. Ferrer,¹⁶⁸ D. Ferrere,⁴⁹ C. Ferretti,⁸⁸ A. Ferretto Parodi,^{50a,50b} M. Fiascaris,³¹ F. Fiedler,⁸² A. Filipčič,⁷⁴ M. Filipuzzi,⁴² F. Filthaut,¹⁰⁵ M. Fincke-Keeler,¹⁷⁰ K. D. Finelli,¹⁵¹ M. C. N. Fiolhais,^{125a,125c} L. Fiorini,¹⁶⁸ A. Firan,⁴⁰ J. Fischer,¹⁷⁶ M. J. Fisher,¹¹⁰ W. C. Fisher,⁸⁹ E. A. Fitzgerald,²³ M. Flechl,⁴⁸ I. Fleck,¹⁴² P. Fleischmann,¹⁷⁵ S. Fleischmann,¹⁷⁶ G. T. Fletcher,¹⁴⁰ G. Fletcher,⁷⁵ T. Flick,¹⁷⁶ A. Floderus,⁸⁰ L. R. Flores Castillo,¹⁷⁴ A. C. Florez Bustos,^{160b} M. J. Flowerdew,¹⁰⁰ A. Formica,¹³⁷ A. Forti,⁸³ D. Fortin,^{160a} D. Fournier,¹¹⁶ H. Fox,⁷¹ S. Fracchia,¹² P. Francavilla,⁷⁹ M. Franchini,^{20a,20b} S. Franchino,³⁰ D. Francis,³⁰ M. Franklin,⁵⁷ S. Franz,⁶¹ M. Fraternali,^{120a,120b} S. T. French,²⁸ C. Friedrich,⁴² F. Friedrich,⁴⁴ D. Froidevaux,³⁰ J. A. Frost,²⁸ C. Fukunaga,¹⁵⁷ E. Fullana Torregrosa,⁸² B. G. Fulsom,¹⁴⁴ J. Fuster,¹⁶⁸ C. Gabaldon,⁵⁵ O. Gabizon,¹⁷³ A. Gabrielli,^{20a,20b} A. Gabrielli,^{133a,133b} S. Gadatsch,¹⁰⁶ S. Gadomski,⁴⁹ G. Gagliardi,^{50a,50b} P. Gagnon,⁶⁰ C. Galea,¹⁰⁵ B. Galhardo,^{125a,125c} E. J. Gallas,¹¹⁹ V. Gallo,¹⁷ B. J. Gallop,¹³⁰ P. Gallus,¹²⁷ G. Galster,³⁶ K. K. Gan,¹¹⁰ R. P. Gandrajula,⁶² J. Gao,^{33b,h} Y. S. Gao,^{144,f} F. M. Garay Walls,⁴⁶ F. Garberson,¹⁷⁷ C. García,¹⁶⁸ J. E. García Navarro,¹⁶⁸ M. Garcia-Sciveres,¹⁵ R. W. Gardner,³¹ N. Garelli,¹⁴⁴ V. Garonne,³⁰ C. Gatti,⁴⁷ G. Gaudio, ^{120a} B. Gaur, ¹⁴² L. Gauthier, ⁹⁴ P. Gauzzi, ^{133a,133b} I. L. Gavrilenko, ⁹⁵ C. Gay, ¹⁶⁹ G. Gaycken, ²¹ E. N. Gazis, ¹⁰ P. Ge, ^{33d} Z. Gecse, ¹⁶⁹ C. N. P. Gee, ¹³⁰ D. A. A. Geerts, ¹⁰⁶ Ch. Geich-Gimbel, ²¹ K. Gellerstedt, ^{147a,147b} C. Gemme, ^{50a} A. Gemmell,⁵³ M. H. Genest,⁵⁵ S. Gentile,^{133a,133b} M. George,⁵⁴ S. George,⁷⁶ D. Gerbaudo,¹⁶⁴ A. Gershon,¹⁵⁴ H. Ghazlane,^{136b} N. Ghodbane,³⁴ B. Giacobbe,^{20a} S. Giagu,^{133a,133b} V. Giangiobbe,¹² P. Giannetti,^{123a,123b} F. Gianotti,³⁰ B. Gibbard,²⁵ S. M. Gibson,⁷⁶ M. Gilchriese,¹⁵ T. P. S. Gillam,²⁸ D. Gillberg,³⁰ G. Gilles,³⁴ D. M. Gingrich,^{3,e} N. Giokaris,⁹ M. P. Giordani,^{165a,165c} R. Giordano,^{103a,103b} F. M. Giorgi,¹⁶ P. F. Giraud,¹³⁷ D. Giugni,^{90a} C. Giuliani,⁴⁸ M. Giulini,^{58b} B. K. Gjelsten,¹¹⁸ I. Gkialas,^{155,1} L. K. Gladilin,⁹⁸ C. Glasman,⁸¹ J. Glatzer,³⁰ P. C. F. Glaysher,⁴⁶ A. Glazov,⁴² G. L. Glonti,⁶⁴ M. Goblirsch-Kolb,¹⁰⁰ J. R. Goddard,⁷⁵ J. Godfrey,¹⁴³ J. Godlewski,³⁰ C. Goeringer,⁸² S. Goldfarb,⁸⁸ T. Golling,¹⁷⁷ D. Golubkov,¹²⁹ A. Gomes,^{125a,125b,125d} L. S. Gomez Fajardo,⁴² R. Gonçalo,^{125a} J. Goncalves Pinto Firmino Da Costa,⁴² L. Gonella,²¹ S. González de la Hoz,¹⁶⁸ G. Gonzalez Parra,¹² M. L. Gonzalez Silva,²⁷ S. Gonzalez-Sevilla,⁴⁹ L. Goossens,³⁰ P. A. Gorbounov,⁹⁶ H. A. Gordon,²⁵ I. Gorelov,¹⁰⁴ G. Gorfine,¹⁷⁶ B. Gorini,³⁰ E. Gorini,^{72a,72b} A. Gorišek,⁷⁴ E. Gornicki,³⁹ A. T. Goshaw,⁶ C. Gössling,⁴³ M. I. Gostkin,⁶⁴ M. Gouighri,¹³⁶ D. Goujdami,¹³⁶ M. P. Goulette,⁴⁹ A. G. Goussiou,¹³⁹ C. Goy,⁵ S. Gozpinar,²³ H. M. X. Grabas,¹³⁷ L. Graber,⁵⁴ I. Grabowska-Bold,^{38a} P. Grafström,^{20a,20b} K-J. Grahn,⁴² J. Gramling,⁴⁹ E. Gramstad,¹¹⁸ F. Grancagnolo,^{72a} S. Grancagnolo,¹⁶ V. Grassi,¹⁴⁹ V. Gratchev,¹²² H. M. Gray,³⁰ E. Graziani,^{135a} O. G. Grebenyuk,¹²² Z. D. Greenwood,^{78,m} K. Gregersen,³⁶ I. M. Gregor,⁴² P. Grenier,¹⁴⁴ J. Griffiths,⁸ N. Grigalashvili,⁶⁴ A. A. Grillo,¹³⁸ K. Grimm,⁷¹ S. Grinstein,^{12,n} Ph. Gris,³⁴ Y. V. Grishkevich,⁹⁸ J.-F. Grivaz,¹¹⁶ J. P. Grohs,⁴⁴ A. Grohsjean,⁴² E. Gross,¹⁷³ J. Grosse-Knetter,⁵⁴ G. C. Grossi,^{134a,134b} J. Groth-Jensen,¹⁷³ Z. J. Grout,¹⁵⁰ K. Grybel,¹⁴² L. Guan,^{33b} F. Guescini,⁴⁹ D. Guest,¹⁷⁷ O. Gueta,¹⁵⁴ C. Guicheney,³⁴ E. Guido,^{50a,50b} T. Guillemin,¹¹⁶ S. Guindon,² U. Gul,⁵³ C. Gumpert,⁴⁴ J. Gunther,¹²⁷ J. Guo,³⁵ S. Gupta,¹¹⁹ P. Gutierrez,¹¹² N. G. Gutierrez Ortiz,⁵³ C. Gutschow,⁷⁷ N. Guttman,¹⁵⁴ C. Guyot,¹³⁷ C. Gwenlan,¹¹⁹ C. B. Gwilliam,⁷³ A. Haas,¹⁰⁹ C. Haber,¹⁵ H. K. Hadavand,⁸ N. Haddad,^{136e} P. Haefner,²¹ S. Hageboeck,²¹ Z. Hajduk,³⁹ H. Hakobyan,¹⁷⁸ M. Haleem,⁴² D. Hall,¹¹⁹ G. Halladjian,⁸⁹ K. Hamacher,¹⁷⁶ P. Hamal,¹¹⁴ K. Hamano,⁸⁷ M. Hamer,⁵⁴ A. Hamilton,^{146a} S. Hamilton,¹⁶² P. G. Hamnett,⁴² L. Han,^{33b} K. Hanagaki,¹¹⁷ K. Hanawa,¹⁵⁶ M. Hance,¹⁵ P. Hanke,^{58a} J. R. Hansen,³⁶ J. B. Hansen,³⁶ J. D. Hansen,³⁶ P. H. Hansen,³⁶ K. Hara,¹⁶¹ A. S. Hard,¹⁷⁴ T. Harenberg,¹⁷⁶ S. Harkusha,⁹¹ D. Harper,⁸⁸ R. D. Harrington,⁴⁶ O. M. Harris,¹³⁹ P. F. Harrison,¹⁷¹ F. Hartjes,¹⁰⁶ S. Hasegawa,¹⁰² Y. Hasegawa,¹⁴¹ A Hasib,¹¹² S. Hassani,¹³⁷ S. Haug,¹⁷ M. Hauschild,³⁰ R. Hauser,⁸⁹ M. Havranek,¹²⁶ C. M. Hawkes,¹⁸ R. J. Hawkings,³⁰ A. D. Hawkins,⁸⁰ T. Hayashi,¹⁶¹ D. Hayden,⁸⁹ C. P. Hays,¹¹⁹ H. S. Hayward,⁷³ S. J. Haywood,¹³⁰ S. J. Head,¹⁸ T. Heck,⁸² V. Hedberg,⁸⁰ L. Heelan,⁸ S. Heim,¹²¹ T. Heim,¹⁷⁶ B. Heinemann,¹⁵ L. Heinrich,¹⁰⁹ S. Heisterkamp,³⁶ J. Hejbal,¹²⁶ L. Helary,²² C. Heller,⁹⁹ M. Heller,³⁰ S. Hellman,^{147a,147b} D. Hellmich,²¹ C. Helsens,³⁰ J. Henderson,¹¹⁹ R. C. W. Henderson,⁷¹ C. Hengler,⁴² A. Henrichs,¹⁷⁷ A. M. Henriques Correia,³⁰ S. Henrot-Versille,¹¹⁶ C. Hensel,⁵⁴ G. H. Herbert,¹⁶ Y. Hernández Jiménez,¹⁶⁸

R. Herrberg-Schubert,¹⁶ G. Herten,⁴⁸ R. Hertenberger,⁹⁹ L. Hervas,³⁰ G. G. Hesketh,⁷⁷ N. P. Hessey,¹⁰⁶ R. Hickling,⁷⁵ E. Higón-Rodriguez,¹⁶⁸ J. C. Hill,²⁸ K. H. Hiller,⁴² S. Hillert,²¹ S. J. Hillier,¹⁸ I. Hinchliffe,¹⁵ E. Hines,¹²¹ M. Hirose,¹¹⁷ D. Hirschbuehl,¹⁷⁶ J. Hobbs,¹⁴⁹ N. Hod,¹⁰⁶ M. C. Hodgkinson,¹⁴⁰ P. Hodgson,¹⁴⁰ A. Hoecker,³⁰ M. R. Hoeferkamp,¹⁰⁴ J. Hoffman,⁴⁰ D. Hoffmann,⁸⁴ J. I. Hofmann,^{58a} M. Hohlfeld,⁸² T. R. Holmes,¹⁵ T. M. Hong,¹²¹ L. Hooft van Huysduynen,¹⁰⁹ J-Y. Hostachy,⁵⁵ S. Hou,¹⁵² A. Hoummada,^{136a} J. Howard,¹¹⁹ J. Howarth,⁴² M. Hrabovsky,¹¹⁴ I. Hristova,¹⁶ J. Hrivnac,¹¹⁶ T. Hryn'ova,⁵ P. J. Hsu,⁸² S.-C. Hsu,¹³⁹ D. Hu,³⁵ X. Hu,²⁵ Y. Huang,⁴² Z. Hubacek,³⁰ F. Hubaut,⁸⁴ F. Huegging,²¹ T. B. Huffman,¹¹⁹ E. W. Hughes,³⁵ G. Hughes,⁷¹ M. Huhtinen,³⁰ T. A. Hülsing,⁸² M. Hurwitz,¹⁵ N. Huseynov,^{64,c} J. Huston,⁸⁹ J. Huth,⁵⁷ G. Iacobucci,⁴⁹ G. Iakovidis,¹⁰ I. Ibragimov,¹⁴² L. Iconomidou-Fayard,¹¹⁶ J. Idarraga,¹¹⁶ E. Ideal,¹⁷⁷ P. Iengo, ^{103a} O. Igonkina, ¹⁰⁶ T. Iizawa, ¹⁷² Y. Ikegami, ⁶⁵ K. Ikematsu, ¹⁴² M. Ikeno, ⁶⁵ D. Iliadis, ¹⁵⁵ N. Ilic, ¹⁵⁹ Y. Inamaru, ⁶⁶ T. Ince, ¹⁰⁰ P. Ioannou, ⁹ M. Iodice, ^{135a} K. Iordanidou, ⁹ V. Ippolito, ⁵⁷ A. Irles Quiles, ¹⁶⁸ C. Isaksson, ¹⁶⁷ M. Ishino, ⁶⁷ M. Ishitsuka, ¹⁵⁸ R. Ishmukhametov, ¹¹⁰ C. Issever, ¹¹⁹ S. Istin, ^{19a} J. M. Iturbe Ponce, ⁸³ A. V. Ivashin, ¹²⁹ W. Iwanski, ³⁹ H. Iwasaki,⁶⁵ J. M. Izen,⁴¹ V. Izzo,^{103a} B. Jackson,¹²¹ J. N. Jackson,⁷³ M. Jackson,⁷³ P. Jackson,¹ M. R. Jaekel,³⁰ V. Jain,² K. Jakobs,⁴⁸ S. Jakobsen,³⁶ T. Jakoubek,¹²⁶ J. Jakubek,¹²⁷ D. O. Jamin,¹⁵² D. K. Jana,⁷⁸ E. Jansen,⁷⁷ H. Jansen,³⁰ J. Janssen,²¹ M. Janus,¹⁷¹ G. Jarlskog,⁸⁰ T. Javůrek,⁴⁸ L. Jeanty,¹⁵ G.-Y. Jeng,¹⁵¹ D. Jennens,⁸⁷ P. Jenni,^{48,0} J. Jentzsch,⁴³ C. Jeske,¹⁷¹ S. Jézéquel,⁵ H. Ji,¹⁷⁴ W. Ji,⁸² J. Jia,¹⁴⁹ Y. Jiang,^{33b} M. Jimenez Belenguer,⁴² S. Jin,^{33a} A. Jinaru,^{26a} O. Jinnouchi,¹⁵⁸ M. D. Joergensen,³⁶ K. E. Johansson,^{147a} P. Johansson,¹⁴⁰ K. A. Johns,⁷ K. Jon-And,^{147a,147b} G. Jones,¹⁷¹ R. W. L. Jones,⁷¹ T. J. Jones,⁷³ J. Jongmanns,^{58a} P. M. Jorge,^{125a,125b} K. D. Joshi,⁸³ J. Jovicevic,¹⁴⁸ X. Ju,¹⁷⁴ C. A. Jung,⁴³ R. M. Jungst,³⁰ P. Jussel,⁶¹ A. Juste Rozas,^{12,n} M. Kaci,¹⁶⁸ A. Kaczmarska,³⁹ M. Kado,¹¹⁶ H. Kagan,¹¹⁰ M. Kagan,¹⁴⁴ E. Kajomovitz,⁴⁵ S. Kama,⁴⁰ N. Kanaya,¹⁵⁶ M. Kaneda,³⁰ S. Kaneti,²⁸ T. Kanno,¹⁵⁸ V. A. Kantserov,⁹⁷ J. Kanzaki,⁶⁵ B. Kaplan,¹⁰⁹ A. Kapliy,³¹ D. Kar,⁵³ K. Karakostas,¹⁰ N. Karastathis,¹⁰ M. Karnevskiy,⁸² S. N. Karpov,⁶⁴ K. Karthik,¹⁰⁹ V. Kartvelishvili,⁷¹ A. N. Karyukhin,¹²⁹ L. Kashif,¹⁷⁴ G. Kasieczka,^{58b} R. D. Kass,¹¹⁰ A. Kastanas,¹⁴ Y. Kataoka,¹⁵⁶ A. Katre,⁴⁹ J. Katzy,⁴² V. Kaushik,⁷ K. Kawagoe,⁶⁹ T. Kawamoto,¹⁵⁶ G. Kawamura,⁵⁴ S. Kazama,¹⁵⁶ V. F. Kazanin,¹⁰⁸ M. Y. Kazarinov,⁶⁴ R. Keeler,¹⁷⁰ P. T. Keener,¹²¹ R. Kehoe,⁴⁰ M. Keil,⁵⁴ J. S. Keller,⁴² H. Keoshkerian,⁵ O. Kepka,¹²⁶ B. P. Kerševan,⁷⁴ S. Kersten,¹⁷⁶ K. Kessoku,¹⁵⁶ J. Keung,¹⁵⁹ F. Khalil-zada,¹¹ H. Khandanyan,^{147a,147b} A. Khanov,¹¹³ A. Khodinov,⁹⁷ A. Khomich,^{58a} T. J. Khoo,²⁸ G. Khoriauli,²¹ A. Khoroshilov,¹⁷⁶ V. Khovanskiy,⁹⁶ E. Khramov,⁶⁴ J. Khubua,^{51b} H. Y. Kim,⁸ H. Kim,^{147a,147b} S. H. Kim,¹⁶¹ N. Kimura,¹⁷² O. Kind,¹⁶ B. T. King,⁷³ M. King,¹⁶⁸ R. S. B. King,¹¹⁹ S. B. King,¹⁶⁹ J. Kirk,¹³⁰ A. E. Kiryunin,¹⁰⁰ T. Kishimoto,⁶⁶ D. Kisielewska,^{38a} F. Kiss,⁴⁸ T. Kitamura,⁶⁶ T. Kittelmann,¹²⁴ K. Kiuchi,¹⁶¹ E. Kladiva,^{145b} M. Klein,⁷³ U. Klein,⁷³ K. Kleinknecht,⁸² P. Klimek,^{147a,147b} A. Klimentov,²⁵ R. Klingenberg,⁴³ J. A. Klinger,⁸³ E. B. Klinkby,³⁶ T. Klioutchnikova,³⁰ P. F. Klok,¹⁰⁵ E.-E. Kluge,^{58a} P. Kluit,¹⁰⁶ S. Kluth,¹⁰⁰ E. Kneringer,⁶¹ E. B. F. G. Knoops,⁸⁴ A. Knue,⁵³ T. Kobayashi,¹⁵⁶ M. Kobel,⁴⁴ M. Kocian,¹⁴⁴ P. Kodys,¹²⁸ P. Koevesarki,²¹ T. Koffas,²⁹ E. Koffeman,¹⁰⁶ L. A. Kogan,¹¹⁹ S. Kohlmann,¹⁷⁶ Z. Kohout,¹²⁷ T. Kohriki,⁶⁵ T. Koi,¹⁴⁴ H. Kolanoski,¹⁶ I. Koletsou,⁵ J. Koll,⁸⁹ A. A. Komar,^{95,a} Y. Komori,¹⁵⁶ T. Kondo,⁶⁵ N. Kondrashova,⁴² K. Köneke,⁴⁸ A. C. König,¹⁰⁵ S. König,⁸² T. Kono,^{65,p} R. Konoplich,^{109,q} N. Konstantinidis,⁷⁷ R. Kopeliansky,¹⁵³ S. Koperny,^{38a} L. Köpke,⁸² A. K. Kopp,⁴⁸ K. Korcyl,³⁹ K. Kordas,¹⁵⁵ A. Korn,⁷⁷ A. A. Korol,¹⁰⁸ I. Korolkov,¹² E. V. Korolkova,¹⁴⁰ V. A. Korotkov,¹²⁹ O. Kortner,¹⁰⁰ S. Kortner,¹⁰⁰ V. V. Kostyukhin,²¹ S. Kotov,¹⁰⁰ V. M. Kotov,⁶⁴ A. Kotwal,⁴⁵ C. Kourkoumelis,⁹ V. Kouskoura,¹⁵⁵ A. Koutsman,^{160a} R. Kowalewski,¹⁷⁰ T. Z. Kowalski,^{38a} W. Kozanecki,¹³⁷ A. S. Kozhin,¹²⁹ V. Kral,¹²⁷ V. A. Kramarenko,⁹⁸ G. Kramberger,⁷⁴ D. Krasnopevtsev,⁹⁷ M. W. Krasny,⁷⁹ A. Krasznahorkay,³⁰ J. K. Kraus,²¹ A. Kravchenko,²⁵ S. Kreiss,¹⁰⁹ M. Kretz,^{58c} J. Kretzschmar,⁷³ K. Kreutzfeldt,⁵² P. Krieger,¹⁵⁹ K. Kroeninger,⁵⁴ H. Kroha,¹⁰⁰ J. Kroll,¹²¹ J. Kroseberg,²¹ J. Krstic,^{13a} U. Kruchonak,⁶⁴ H. Krüger,²¹ T. Kruker,¹⁷ N. Krumnack,⁶³ Z. V. Krumshteyn,⁶⁴ A. Kruse,¹⁷⁴ M. C. Kruse,⁴⁵ M. Kruskal,²² T. Kubota,⁸⁷ S. Kuday,^{4a} S. Kuehn,⁴⁸ A. Kugel,^{58c} A. Kuhl,¹³⁸ T. Kuhl,⁴² V. Kukhtin,⁶⁴ Y. Kulchitsky,⁹¹ S. Kuleshov,^{32b} M. Kuna,^{133a,133b} J. Kunkle,¹²¹ A. Kupco,¹²⁶ H. Kurashige,⁶⁶ Y. A. Kurochkin,⁹¹ R. Kurumida,⁶⁶ V. Kus,¹²⁶ E. S. Kuwertz,¹⁴⁸ M. Kuze,¹⁵⁸ J. Kvita,¹⁴³ A. La Rosa,⁴⁹ L. La Rotonda,^{37a,37b} L. Labarga,⁸¹ C. Lacasta,¹⁶⁸ F. Lacava,^{133a,133b} J. Lacey,²⁹ H. Lacker,¹⁶ D. Lacour,⁷⁹ V. R. Lacuesta,¹⁶⁸ E. Ladygin,⁶⁴ R. Lafaye,⁵ B. Laforge,⁷⁹ T. Lagouri,¹⁷⁷ S. Lai,⁴⁸ H. Laier,^{58a} L. Lambourne,⁷⁷ S. Lammers,⁶⁰ C. L. Lampen,⁷ W. Lampl,⁷ E. Lançon,¹³⁷ U. Landgraf,⁴⁸ M. P. J. Landon,⁷⁵ V. S. Lang,^{58a} C. Lange,⁴² A. J. Lankford,¹⁶⁴ F. Lanni,²⁵ K. Lantzsch,³⁰ A. Lanza,^{120a} S. Laplace,⁷⁹ C. Lapoire,²¹ J. F. Laporte,¹³⁷ T. Lari,^{90a} M. Lassnig,³⁰ P. Laurelli,⁴⁷ V. Lavorini,^{37a,37b} W. Lavrijsen,¹⁵ A. T. Law,¹³⁸ P. Laycock,⁷³ B. T. Le,⁵⁵ O. Le Dortz,⁷⁹ E. Le Guirriec,⁸⁴ E. Le Menedeu,¹² T. LeCompte,⁶ F. Ledroit-Guillon,⁵⁵ C. A. Lee,¹⁵² H. Lee,¹⁰⁶ J. S. H. Lee,¹¹⁷ S. C. Lee,¹⁵² L. Lee,¹⁷⁷ G. Lefebvre,⁷⁹ M. Lefebvre,¹⁷⁰ F. Legger,⁹⁹ C. Leggett,¹⁵ A. Lehan,⁷³ M. Lehmacher,²¹ G. Lehmann Miotto,³⁰ X. Lei,⁷ A. G. Leister,¹⁷⁷ M. A. L. Leite,^{24d} R. Leitner,¹²⁸ D. Lellouch,¹⁷³

B. Lemmer,⁵⁴ K. J. C. Leney,⁷⁷ T. Lenz,¹⁰⁶ G. Lenzen,¹⁷⁶ B. Lenzi,³⁰ R. Leone,⁷ K. Leonhardt,⁴⁴ S. Leontsinis,¹⁰ C. Leroy,⁹⁴ C. G. Lester,²⁸ C. M. Lester,¹²¹ J. Levêque,⁵ D. Levin,⁸⁸ L. J. Levinson,¹⁷³ M. Levy,¹⁸ A. Lewis,¹¹⁹ G. H. Lewis,¹⁰⁹ A. M. Leyko,²¹ M. Leyton,⁴¹ B. Li,^{33b,r} B. Li,⁸⁴ H. Li,¹⁴⁹ H. L. Li,³¹ S. Li,⁴⁵ X. Li,⁸⁸ Y. Li,^{116,s} Z. Liang,^{119,t} H. Liao,³⁴ B. Liberti,^{134a} P. Lichard,³⁰ K. Lie,¹⁶⁶ J. Liebal,²¹ W. Liebig,¹⁴ C. Limbach,²¹ A. Limosani,⁸⁷ M. Limper,⁶² S. C. Lin,^{152,u}
F. Linde,¹⁰⁶ B. E. Lindquist,¹⁴⁹ J. T. Linnemann,⁸⁹ E. Lipeles,¹²¹ A. Lipniacka,¹⁴ M. Lisovyi,⁴² T. M. Liss,¹⁶⁶ D. Lissauer,²⁵ A. Lister,¹⁶⁹ A. M. Litke,¹³⁸ B. Liu,¹⁵² D. Liu,¹⁵² J. B. Liu,^{33b} K. Liu,^{33b,v} L. Liu,⁸⁸ M. Liu,⁴⁵ M. Liu,^{33b} Y. Liu,^{33b}
M. Livan,^{120a,120b} S. S. A. Livermore,¹¹⁹ A. Lleres,⁵⁵ J. Llorente Merino,⁸¹ S. L. Lloyd,⁷⁵ F. Lo Sterzo,¹⁵² E. Lobodzinska,⁴² P. Loch,⁷ W. S. Lockman,¹³⁸ T. Loddenkoetter,²¹ F. K. Loebinger,⁸³ A. E. Loevschall-Jensen,³⁶ A. Loginov,¹⁷⁷ C. W. Loh,¹⁶⁹ T. Lohse,¹⁶ K. Lohwasser,⁴⁸ M. Lokajicek,¹²⁶ V. P. Lombardo,⁵ J. D. Long,⁸⁸ R. E. Long,⁷¹ L. Lopes,^{125a} D. Lopez Mateos,⁵⁷ B. Lopez Paredes,¹⁴⁰ J. Lorenz,⁹⁹ N. Lorenzo Martinez,⁶⁰ M. Losada,¹⁶³ P. Loscutoff,¹⁵ X. Lou,⁴¹ A. Lounis,¹¹⁶ J. Love,⁶ P. A. Love,⁷¹ A. J. Lowe,^{144,f} F. Lu,^{33a} H. J. Lubatti,¹³⁹ C. Luci,^{133a,133b} A. Lucotte,⁵⁵ F. Luehring,⁶⁰ W. Lukas,⁶¹ L. Luminari,^{133a} O. Lundberg,^{147a,147b} B. Lund-Jensen,¹⁴⁸ M. Lungwitz,⁸² D. Lynn,²⁵ R. Lysak,¹²⁶ E. Lytken,⁸⁰ H. Ma,²⁵ L. L. Ma,^{33d} G. Maccarrone,⁴⁷ A. Macchiolo,¹⁰⁰ B. Maček,⁷⁴ J. Machado Miguens,^{125a,125b} D. Macina,³⁰ D. Madaffari,⁸⁴ R. Madar,⁴⁸ H. J. Maddocks,⁷¹ W. F. Mader,⁴⁴ A. Madsen,¹⁶⁷ M. Maeno,⁸ T. Maeno,²⁵ E. Magradze,⁵⁴ K. Mahboubi,⁴⁸ J. Mahlstedt,¹⁰⁶ S. Mahmoud,⁷³ C. Maiani,¹³⁷ C. Maidantchik,^{24a} A. Maio,^{125a,125b,125d} S. Majewski,¹¹⁵ Y. Makida,⁶⁵
 N. Makovec,¹¹⁶ P. Mal,^{137,w} B. Malaescu,⁷⁹ Pa. Malecki,³⁹ V. P. Maleev,¹²² F. Malek,⁵⁵ U. Mallik,⁶² D. Malon,⁶ C. Malone,¹⁴⁴ S. Maltezos,¹⁰ V. M. Malyshev,¹⁰⁸ S. Malyukov,³⁰ J. Mamuzic,^{13b} B. Mandelli,³⁰ L. Mandelli,^{90a} I. Mandić,⁷⁴ R. Mandrysch,⁶² J. Maneira,^{125a,125b} A. Manfredini,¹⁰⁰ L. Manhaes de Andrade Filho,^{24b} J. A. Manjarres Ramos,^{160b} A. Mann,⁹⁹ P. M. Manning,¹³⁸ A. Manousakis-Katsikakis,⁹ B. Mansoulie,¹³⁷ R. Mantifel,⁸⁶ L. Mapelli,³⁰ L. March,¹⁶⁸ J. F. Marchand,²⁹ G. Marchiori,⁷⁹ M. Marcisovsky,¹²⁶ C. P. Marino,¹⁷⁰ C. N. Marques,^{125a} F. Marroquim,^{24a} S. P. Marsden,⁸³ Z. Marshall,¹⁵ L. F. Marti,¹⁷ S. Marti-Garcia,¹⁶⁸ B. Martin,³⁰ B. Martin,⁸⁹ J. P. Martin,⁹⁴ T. A. Martin,¹⁷¹ V. J. Martin,⁴⁶ B. Martin dit Latour,¹⁴ H. Martinez,¹³⁷ M. Martinez,^{12,n} S. Martin-Haugh,¹³⁰ A. C. Martyniuk,⁷⁷ M. Marx,¹³⁹ F. Marzano,^{133a} A. Marzin,³⁰ L. Masetti,⁸² T. Mashimo,¹⁵⁶ R. Mashinistov,⁹⁵ J. Masik,⁸³ A. L. Maslennikov,¹⁰⁸ I. Massa,^{20a,20b} N. Massol,⁵ P. Mastrandrea,¹⁴⁹ A. Mastroberardino,^{37a,37b} T. Masubuchi,¹⁵⁶ P. Matricon,¹¹⁶ H. Matsunaga,¹⁵⁶ T. Matsushita,⁶⁶ P. Mättig,¹⁷⁶ S. Mättig,⁴² J. Mattmann,⁸² J. Maurer,^{26a} S. J. Maxfield,⁷³ D. A. Maximov,^{108,g} R. Mazini,¹⁵² L. Mazzaferro,^{134a,134b} G. Mc Goldrick,¹⁵⁹ S. P. Mc Kee,⁸⁸ A. McCarn,⁸⁸ R. L. McCarthy,¹⁴⁹ T. G. McCarthy,²⁹ N. A. McCubbin,¹³⁰ K. W. McFarlane,^{56,a} J. A. Mcfayden,⁷⁷ G. Mchedlidze,⁵⁴ T. Mclaughlan,¹⁸ S. J. McMahon,¹³⁰ R. A. McPherson,^{170,j} A. Meade,⁸⁵ J. Mechnich,¹⁰⁶ M. Medinnis,⁴² S. Meehan,³¹ R. Meera-Lebbai,¹¹² S. Mehlhase,³⁶ A. Mehta,⁷³ K. Meier,^{58a} C. Meineck,⁹⁹ B. Meirose,⁸⁰ C. Melachrinos,³¹ B. R. Mellado Garcia,^{146c} F. Meloni,^{90a,90b} A. Mengarelli,^{20a,20b} S. Menke,¹⁰⁰ E. Meoni,¹⁶² K. M. Mercurio,⁵⁷ S. Mergelmeyer,²¹ N. Meric,¹³⁷ P. Mermod,⁴⁹ L. Merola, ^{103a,103b} C. Meroni, ^{90a} F. S. Merritt, ³¹ H. Merritt, ¹¹⁰ A. Messina, ^{30,x} J. Metcalfe, ²⁵ A. S. Mete, ¹⁶⁴ C. Meyer, ⁸² C. Meyer,³¹ J-P. Meyer,¹³⁷ J. Meyer,³⁰ R. P. Middleton,¹³⁰ S. Migas,⁷³ L. Mijović,¹³⁷ G. Mikenberg,¹⁷³ M. Mikestikova,¹²⁶ M. Mikuž,⁷⁴ D. W. Miller,³¹ C. Mills,⁴⁶ A. Milov,¹⁷³ D. A. Milstead,^{147a,147b} D. Milstein,¹⁷³ A. A. Minaenko,¹²⁹ M. Miñano Moya,¹⁶⁸ I. A. Minashvili,⁶⁴ A. I. Mincer,¹⁰⁹ B. Mindur,^{38a} M. Mineev,⁶⁴ Y. Ming,¹⁷⁴ L. M. Mir,¹² G. Mirabelli,^{133a} T. Mitani,¹⁷² J. Mitrevski,⁹⁹ V. A. Mitsou,¹⁶⁸ S. Mitsui,⁶⁵ A. Miucci,⁴⁹ P. S. Miyagawa,¹⁴⁰ J. U. Mjörnmark,⁸⁰ T. Moa,^{147a,147b} K. Mochizuki,⁸⁴ V. Moeller,²⁸ S. Mohapatra,³⁵ W. Mohr,⁴⁸ S. Molander,^{147a,147b} R. Moles-Valls,¹⁶⁸ K. Mönig,⁴² C. Monini,⁵⁵ J. Monk,³⁶ E. Monnier,⁸⁴ J. Montejo Berlingen,¹² F. Monticelli,⁷⁰ S. Monzani,^{133a,133b} R. W. Moore,³ C. Mora Herrera,⁴⁹ A. Moraes,⁵³ N. Morange,⁶² J. Morel,⁵⁴ D. Moreno,⁸² M. Moreno Llácer,⁵⁴ P. Morettini,^{50a} M. Morgenstern,⁴⁴ M. Morii,⁵⁷ S. Moritz,⁸² A. K. Morley,¹⁴⁸ G. Mornacchi,³⁰ J. D. Morris,⁷⁵ L. Morvaj,¹⁰² H. G. Moser,¹⁰⁰ M. Mosidze,^{51b} J. Moss,¹¹⁰ R. Mount,¹⁴⁴ E. Mountricha,²⁵ S. V. Mouraviev,^{95,a} E. J. W. Moyse,⁸⁵ S. Muanza,⁸⁴ R. D. Mudd,¹⁸ F. Mueller,^{58a} J. Mueller,¹²⁴ K. Mueller,²¹ T. Mueller,²⁸ T. Mueller,⁸² D. Muenstermann,⁴⁹ Y. Munwes,¹⁵⁴ J. A. Murillo Quijada,¹⁸ W. J. Murray,^{171,130} H. Musheghyan,⁵⁴ E. Musto,¹⁵³ A. G. Myagkov,^{129,y} M. Myska,¹²⁶ O. Nackenhorst,⁵⁴ J. Nadal,⁵⁴ K. Nagai,⁶¹ R. Nagai,¹⁵⁸ Y. Nagai,⁸⁴ K. Nagano,⁶⁵ A. Nagarkar,¹¹⁰ Y. Nagasaka,⁵⁹ M. Nagel,¹⁰⁰ A. M. Nairz,³⁰ Y. Nakahama,³⁰ K. Nakamura,⁶⁵ T. Nakamura,¹⁵⁶ I. Nakano,¹¹¹ H. Namasivayam,⁴¹ G. Nanava,²¹ R. Narayan,^{58b} T. Nattermann,²¹ T. Naumann,⁴² G. Navarro,¹⁶³ R. Nayyar,⁷ H. A. Neal,⁸⁸ P. Yu. Nechaeva,⁹⁵ T. J. Neep,⁸³ A. Negri,^{120a,120b} G. Negri,³⁰ M. Negrini,^{20a} S. Nektarijevic,⁴⁹ A. Nelson,¹⁶⁴ T. K. Nelson,¹⁴⁴ S. Nemecek,¹²⁶ P. Nemethy,¹⁰⁹ A. A. Nepomuceno,^{24a} M. Nessi,^{30,z} M. S. Neubauer,¹⁶⁶ M. Neumann,¹⁷⁶ R. M. Neves,¹⁰⁹ P. Nevski,²⁵ F. M. Newcomer,¹²¹ P. R. Newman,¹⁸ D. H. Nguyen,⁶ R. B. Nickerson,¹¹⁹ R. Nicolaidou,¹³⁷ B. Nicquevert,³⁰ J. Nielsen,¹³⁸ N. Nikiforou,³⁵ A. Nikiforov,¹⁶ V. Nikolaenko,^{129,y} I. Nikolic-Audit,⁷⁹ K. Nikolics,⁴⁹ K. Nikolopoulos,¹⁸

P. Nilsson,⁸ Y. Ninomiya,¹⁵⁶ A. Nisati,^{133a} R. Nisius,¹⁰⁰ T. Nobe,¹⁵⁸ L. Nodulman,⁶ M. Nomachi,¹¹⁷ I. Nomidis,¹⁵⁵ S. Norberg,¹¹² M. Nordberg,³⁰ J. Novakova,¹²⁸ S. Nowak,¹⁰⁰ M. Nozaki,⁶⁵ L. Nozka,¹¹⁴ K. Ntekas,¹⁰ G. Nunes Hanninger,⁸⁷ T. Nunnemann,⁹⁹ E. Nurse,⁷⁷ F. Nuti,⁸⁷ B. J. O'Brien,⁴⁶ F. O'grady,⁷ D. C. O'Neil,¹⁴³ V. O'Shea,⁵³ F. G. Oakham,^{29,e} H. Oberlack,¹⁰⁰ T. Obermann,²¹ J. Ocariz,⁷⁹ A. Ochi,⁶⁶ M. I. Ochoa,⁷⁷ S. Oda,⁶⁹ S. Odaka,⁶⁵ H. Ogren,⁶⁰ A. Oh,⁸³ S. H. Oh,⁴⁵ C. C. Ohm,³⁰ H. Ohman,¹⁶⁷ T. Ohshima,¹⁰² W. Okamura,¹¹⁷ H. Okawa,²⁵ Y. Okumura,³¹ T. Okuyama,¹⁵⁶ A. Olariu,^{26a} A. G. Olchevski,⁶⁴ S. A. Olivares Pino,⁴⁶ D. Oliveira Damazio,²⁵ E. Oliver Garcia,¹⁶⁸ D. Olivito,¹²¹ A. Olszewski,³⁹ J. Olszowska,³⁹ A. Onofre,^{125a,125e} P. U. E. Onyisi,^{31,aa} C. J. Oram,^{160a} M. J. Oreglia,³¹ Y. Oren,¹⁵⁴ D. Orestano,^{135a,135b} N. Orlando,^{72a,72b} C. Oropeza Barrera,⁵³ R. S. Orr,¹⁵⁹ B. Osculati,^{50a,50b} R. Ospanov,¹²¹ G. Otero y Garzon,²⁷ H. Otono,⁶⁹ M. Ouchrif,^{136d} E. A. Ouellette,¹⁷⁰ F. Ould-Saada,¹¹⁸ A. Ouraou,¹³⁷ K. P. Oussoren,¹⁰⁶ Q. Ouyang,^{33a} A. Ovcharova,¹⁵ M. Owen,⁸³ V. E. Ozcan,^{19a} N. Ozturk,⁸ K. Pachal,¹¹⁹ A. Pacheco Pages,¹² C. Padilla Aranda,¹² M. Pagáčová,⁴⁸ S. Pagan Griso,¹⁵ E. Paganis,¹⁴⁰ C. Pahl,¹⁰⁰ F. Paige,²⁵ P. Pais,⁸⁵ K. Pajchel,¹¹⁸ G. Palacino,^{160b} S. Palestini,³⁰ D. Pallin,³⁴ A. Palma,^{125a,125b} J. D. Palmer,¹⁸ Y. B. Pan,¹⁷⁴ E. Panagiotopoulou,¹⁰ J. G. Panduro Vazquez,⁷⁶ P. Pani,¹⁰⁶ N. Panikashvili,⁸⁸ S. Panitkin,²⁵ D. Pantea,^{26a} L. Paolozzi,^{134a,134b} Th. D. Papadopoulou,¹⁰ K. Papageorgiou,^{155,1} A. Paramonov,⁶ D. Paredes Hernandez, ³⁴ M. A. Parker, ²⁸ F. Parodi, ^{50a,50b} J. A. Parsons, ³⁵ U. Parzefall, ⁴⁸ E. Pasqualucci, ^{133a} S. Passaggio, ^{50a} A. Passeri, ^{135a} F. Pastore, ^{135a,135b,a} Fr. Pastore, ⁷⁶ G. Pásztor, ^{49,bb} S. Pataraia, ¹⁷⁶ N. D. Patel, ¹⁵¹ J. R. Pater, ⁸³
S. Patricelli, ^{103a,103b} T. Pauly, ³⁰ J. Pearce, ¹⁷⁰ M. Pedersen, ¹¹⁸ S. Pedraza Lopez, ¹⁶⁸ R. Pedro, ^{125a,125b} S. V. Peleganchuk, ¹⁰⁸ D. Pelikan,¹⁶⁷ H. Peng,^{33b} B. Penning,³¹ J. Penwell,⁶⁰ D. V. Perepelitsa,²⁵ E. Perez Codina,^{160a} M. T. Pérez García-Estañ,¹⁶⁸ V. Perez Reale,³⁵ L. Perini,^{90a,90b} H. Pernegger,³⁰ R. Perrino,^{72a} R. Peschke,⁴² V. D. Peshekhonov,⁶⁴ K. Peters,³⁰ R. F. Y. Peters,⁸³ B. A. Petersen,⁸⁷ J. Petersen,³⁰ T. C. Petersen,³⁶ E. Petit,⁴² A. Petridis,^{147a,147b} C. Petridou,¹⁵⁵ E. Petrolo,^{133a} F. Petrucci,^{135a,135b} M. Petteni,¹⁴³ N. E. Pettersson,¹⁵⁸ R. Pezoa,^{32b} P. W. Phillips,¹³⁰ G. Piacquadio,¹⁴⁴ E. Pianori,¹⁷¹ A. Picazio,⁴⁹ E. Piccaro,⁷⁵ M. Piccinini,^{20a,20b} S. M. Piec,⁴² R. Piegaia,²⁷ D. T. Pignotti,¹¹⁰ J. E. Pilcher,³¹ A. D. Pilkington,⁷⁷ J. Pina,^{125a,125b,125d} M. Pinamonti,^{165a,165c,cc} A. Pinder,¹¹⁹ J. L. Pinfold,³ A. Pingel,³⁶ B. Pinto,^{125a} S. Pires,⁷⁹ C. Pizio,^{90a,90b} M.-A. Pleier,²⁵ V. Pleskot,¹²⁸ E. Plotnikova,⁶⁴ P. Plucinski,^{147a,147b} S. Poddar,^{58a} F. Podlyski,³⁴ R. Poettgen,⁸² L. Poggioli,¹¹⁶ D. Pohl,²¹ M. Pohl,⁴⁹ G. Polesello,^{120a} A. Policicchio,^{37a,37b} R. Polifka,¹⁵⁹ A. Polini,^{20a} C. S. Pollard,⁴⁵ V. Polychronakos,²⁵ K. Pommès,³⁰ L. Pontecorvo,^{133a} B. G. Pope,⁸⁹ G. A. Popeneciu,^{26b} D. S. Popovic,^{13a} A. Poppleton,³⁰ X. Portell Bueso,¹² G. E. Pospelov,¹⁰⁰ S. Pospisil,¹²⁷ K. Potamianos,¹⁵ I. N. Potrap,⁶⁴ C. J. Potter,¹⁵⁰ C. T. Potter,¹¹⁵ G. Poulard,³⁰ J. Poveda,⁶⁰ V. Pozdnyakov,⁶⁴ R. Prabhu,⁷⁷ P. Pralavorio,⁸⁴ A. Pranko,¹⁵ S. Prasad,³⁰ R. Pravahan,⁸ S. Prell,⁶³ D. Price,⁸³ J. Price,⁷³ L. E. Price,⁶ D. Prieur,¹²⁴ M. Primavera,^{72a} M. Proissl,⁴⁶ K. Prokofiev,⁴⁷ F. Prokoshin,^{32b} E. Protopapadaki,¹³⁷ S. Protopopescu,²⁵ J. Proudfoot,⁶ M. Przybycien,^{38a} H. Przysiezniak,⁵ E. Ptacek,¹¹⁵ E. Pueschel,⁸⁵ D. Puldon,¹⁴⁹ M. Purohit,^{25,dd} P. Puzo,¹¹⁶ Y. Pylypchenko,⁶² J. Qian,⁸⁸ G. Qin,⁵³ A. Quadt,⁵⁴ D. R. Quarrie,¹⁵ W. B. Quayle,^{165a,165b} D. Quilty,⁵³ A. Qureshi,^{160b} V. Radeka,²⁵ V. Radescu,⁴² S. K. Radhakrishnan,¹⁴⁹ P. Radloff,¹¹⁵ P. Rados,⁸⁷ F. Ragusa,^{90a,90b} G. Rahal,¹⁷⁹ S. Rajagopalan,²⁵ M. Rammensee,³⁰ M. Rammes,¹⁴² A. S. Randle-Conde,⁴⁰ C. Rangel-Smith,⁷⁹ K. Rao,¹⁶⁴ F. Rauscher,⁹⁹ T. C. Rave,⁴⁸ T. Ravenscroft,⁵³ M. Raymond,³⁰ A. L. Read,¹¹⁸ D. M. Rebuzzi,^{120a,120b} A. Redelbach,¹⁷⁵ G. Redlinger,²⁵ R. Reece,¹³⁸ K. Reeves,⁴¹ L. Rehnisch,¹⁶ A. Reinsch,¹¹⁵ H. Reisin,²⁷ M. Relich,¹⁶⁴ C. Rembser,³⁰ Z. L. Ren,¹⁵² A. Renaud,¹¹⁶ M. Rescigno,^{133a} S. Resconi,^{90a} B. Resende,¹³⁷ P. Reznicek,¹²⁸ R. Rezvani,⁹⁴ R. Richter,¹⁰⁰ M. Ridel,⁷⁹ P. Rieck,¹⁶ M. Rijssenbeek,¹⁴⁹ A. Rimoldi,^{120a,120b} L. Rinaldi,^{20a} E. Ritsch,⁶¹ I. Riu,¹² F. Rizatdinova,¹¹³ E. Rizvi,⁷⁵ S. H. Robertson,^{86,j} A. Robichaud-Veronneau,¹¹⁹ D. Robinson,²⁸ J. E. M. Robinson,⁸³ A. Robson,⁵³ C. Roda,^{123a,123b} L. Rodrigues,³⁰ S. Roe,³⁰ O. Røhne,¹¹⁸ S. Rolli,¹⁶² A. Romaniouk,⁹⁷ M. Romano,^{20a,20b} G. Romeo,²⁷ E. Romero Adam,¹⁶⁸ N. Rompotis,¹³⁹ L. Roos,⁷⁹ E. Ros,¹⁶⁸ S. Rosati,^{133a} K. Rosbach,⁴⁹ M. Rose,⁷⁶ P. L. Rosendahl,¹⁴
O. Rosenthal,¹⁴² V. Rossetti,^{147a,147b} E. Rossi,^{103a,103b} L. P. Rossi,^{50a} R. Rosten,¹³⁹ M. Rotaru,^{26a} I. Roth,¹⁷³ J. Rothberg,¹³⁹ D. Rousseau,¹¹⁶ C. R. Royon,¹³⁷ A. Rozanov,⁸⁴ Y. Rozen,¹⁵³ X. Ruan,^{146c} F. Rubbo,¹² I. Rubinskiy,⁴² V. I. Rud,⁹⁸ C. Rudolph,⁴⁴ M. S. Rudolph,¹⁵⁹ F. Rühr,⁴⁸ A. Ruiz-Martinez,⁶³ Z. Rurikova,⁴⁸ N. A. Rusakovich,⁶⁴ A. Ruschke,⁹⁹ J. P. Rutherfoord,⁷ N. Ruthmann,⁴⁸ Y. F. Ryabov,¹²² M. Rybar,¹²⁸ G. Rybkin,¹¹⁶ N. C. Ryder,¹¹⁹ A. F. Saavedra,¹⁵¹ S. Sacerdoti,²⁷ A. Saddique,³ I. Sadeh,¹⁵⁴ H. F-W. Sadrozinski,¹³⁸ R. Sadykov,⁶⁴ F. Safai Tehrani,^{133a} H. Sakamoto,¹⁵⁶ Y. Sakurai,¹⁷² G. Salamanna,⁷⁵ A. Salamon,^{134a} M. Saleem,¹¹² D. Salek,¹⁰⁶ P. H. Sales De Bruin,¹³⁹ D. Salihagic,¹⁰⁰ A. Salnikov,¹⁴⁴ J. Salt,¹⁶⁸ B. M. Salvachua Ferrando,⁶ D. Salvatore,^{37a,37b} F. Salvatore,¹⁵⁰ A. Salvucci,¹⁰⁵ A. Salzburger,³⁰ D. Sampsonidis,¹⁵⁵ A. Sanchez,^{103a,103b} J. Sánchez,¹⁶⁸ V. Sanchez Martinez,¹⁶⁸ H. Sandaker,¹⁴ H. G. Sander,⁸² M. P. Sanders,⁹⁹ M. Sandhoff,¹⁷⁶ T. Sandoval,²⁸ C. Sandoval,¹⁶³ R. Sandstroem,¹⁰⁰ D. P. C. Sankey,¹³⁰ A. Sansoni,⁴⁷ C. Santoni,³⁴ R. Santonico,^{134a,134b} H. Santos,^{125a} I. Santoyo Castillo,¹⁵⁰ K. Sapp,¹²⁴ A. Sapronov,⁶⁴ J. G. Saraiva,^{125a,125d}

B. Sarrazin,²¹ G. Sartisohn,¹⁷⁶ O. Sasaki,⁶⁵ Y. Sasaki,¹⁵⁶ I. Satsounkevitch,⁹¹ G. Sauvage,^{5,a} E. Sauvan,⁵ P. Savard,^{159,e} D. O. Savu,³⁰ C. Sawyer,¹¹⁹ L. Sawyer,^{78,m} D. H. Saxon,⁵³ J. Saxon,¹²¹ C. Sbarra,^{20a} A. Sbrizzi,³ T. Scanlon,³⁰ D. A. Scannicchio,¹⁶⁴ M. Scarcella,¹⁵¹ J. Schaarschmidt,¹⁷³ P. Schacht,¹⁰⁰ D. Schaefer,¹²¹ R. Schaefer,⁴² A. Schaelicke,⁴⁶ S. Schaepe,²¹ S. Schaetzel,^{58b} U. Schäfer,⁸² A. C. Schaffer,¹¹⁶ D. Schaile,⁹⁹ R. D. Schamberger,¹⁴⁹ V. Scharf,^{58a} V. A. Schegelsky,¹²² D. Scheirich,¹²⁸ M. Schernau,¹⁶⁴ M. I. Scherzer,³⁵ C. Schiavi,^{50a,50b} J. Schieck,⁹⁹ C. Schillo,⁴⁸ M. Schioppa, ^{37a,37b} S. Schlenker, ³⁰ E. Schmidt, ⁴⁸ K. Schmieden, ³⁰ C. Schmitt, ⁸² C. Schmitt, ⁹⁹ S. Schmitt, ^{58b} B. Schneider, ¹⁷ Y. J. Schnellbach,⁷³ U. Schnoor,⁴⁴ L. Schoeffel,¹³⁷ A. Schoening,^{58b} B. D. Schoenrock,⁸⁹ A. L. S. Schorlemmer,⁵⁴ M. Schott,⁸² D. Schouten,^{160a} J. Schovancova,²⁵ M. Schram,⁸⁶ S. Schramm,¹⁵⁹ M. Schreyer,¹⁷⁵ C. Schroeder,⁸² N. Schuh,⁸² M. J. Schultens,²¹ H.-C. Schultz-Coulon,^{58a} H. Schulz,¹⁶ M. Schumacher,⁴⁸ B. A. Schumm,¹³⁸ Ph. Schune,¹³⁷ A. Schwartzman,¹⁴⁴ Ph. Schwegler,¹⁰⁰ Ph. Schwemling,¹³⁷ R. Schwienhorst,⁸⁹ J. Schwindling,¹³⁷ T. Schwindt,²¹ M. Schwoerer, ⁵ F. G. Sciacca, ¹⁷ E. Scifo, ¹¹⁶ G. Sciolla, ²³ W. G. Scott, ¹³⁰ F. Scuri, ^{123a,123b} F. Scutti, ²¹ J. Searcy, ⁸⁸ G. Sedov, ⁴² E. Sedykh,¹²² S. C. Seidel,¹⁰⁴ A. Seiden,¹³⁸ F. Seifert,¹²⁷ J. M. Seixas,^{24a} G. Sekhniaidze,^{103a} S. J. Sekula,⁴⁰ K. E. Selbach,⁴⁶ D. M. Seliverstov, ^{122,a} G. Sellers, ⁷³ N. Semprini-Cesari, ^{20a,20b} C. Serfon, ³⁰ L. Serin, ¹¹⁶ L. Serkin, ⁵⁴ T. Serre, ⁸⁴ R. Seuster, ^{160a} H. Severini, ¹¹² F. Sforza, ¹⁰⁰ A. Sfyrla, ³⁰ E. Shabalina, ⁵⁴ M. Shamin, ¹¹⁵ L. Y. Shan, ^{33a} J. T. Shank, ²² Q. T. Shao, ⁸⁷ M. Shapiro, ¹⁵ P. B. Shatalov, ⁹⁶ K. Shaw, ^{165a,165b} P. Sherwood, ⁷⁷ S. Shimizu, ⁶⁶ C. O. Shimmin, ¹⁶⁴ M. Shimojima, ¹⁰¹ T. Shin, ⁵⁶ M. Shapiro, ¹⁶⁴ M. Shapiro, ¹⁶⁴ M. Shapiro, ¹⁶⁵ P. Sherwood, ⁷⁷ S. Shimizu, ⁶⁶ C. O. Shimmin, ¹⁶⁴ M. Shimojima, ¹⁰¹ T. Shin, ⁵⁶ M. Shapiro, ¹⁶⁵ P. Sherwood, ⁷⁷ S. Shimizu, ⁶⁶ C. O. Shimmin, ¹⁶⁴ M. Shimojima, ¹⁰¹ T. Shin, ⁵⁶ M. Shapiro, ¹⁶⁵ P. ¹⁶⁵ M. Shapiro, ¹⁶⁵ P. Sherwood, ⁷⁷ S. Shimizu, ⁶⁶ C. O. Shimmin, ¹⁶⁴ M. Shimojima, ¹⁰¹ T. Shin, ⁵⁶ M. ¹⁶⁵ M. M. Shiyakova,⁶⁴ A. Shmeleva,⁹⁵ M. J. Shochet,³¹ D. Short,¹¹⁹ S. Shrestha,⁶³ E. Shulga,⁹⁷ M. A. Shupe,⁷ S. Shushkevich,⁴² P. Sicho, ¹²⁶ D. Sidorov, ¹¹³ A. Sidoti, ^{133a} F. Siegert, ⁴⁴ Dj. Sijacki, ^{13a} O. Silbert, ¹⁷³ J. Silva, ^{125a,125d} Y. Silver, ¹⁵⁴ D. Silverstein,¹⁴⁴ S. B. Silverstein,^{147a} V. Simak,¹²⁷ O. Simard,⁵ Lj. Simic,^{13a} S. Simion,¹¹⁶ E. Simioni,⁸² B. Simmons,⁷⁷ R. Simoniello,^{90a,90b} M. Simonyan,³⁶ P. Sinervo,¹⁵⁹ N. B. Sinev,¹¹⁵ V. Sipica,¹⁴² G. Siragusa,¹⁷⁵ A. Sircar,⁷⁸ A. N. Sisakyan,^{64,a} S. Yu. Sivoklokov,⁹⁸ J. Sjölin,^{147a,147b} T. B. Sjursen,¹⁴ L. A. Skinnari,¹⁵ H. P. Skottowe,⁵⁷ K. Yu. Skovpen,¹⁰⁸ P. Skubic,¹¹² M. Slater,¹⁸ T. Slavicek,¹²⁷ K. Sliwa,¹⁶² V. Smakhtin,¹⁷³ B. H. Smart,⁴⁶ L. Smestad,¹¹⁸ S. Yu. Smirnov,⁹⁷ Y. Smirnov,⁹⁷ L. N. Smirnova,^{98,ee} O. Smirnova,⁸⁰ K. M. Smith,⁵³ M. Smizanska,⁷¹ K. Smolek,¹²⁷ A. A. Snesarev,⁹⁵ G. Snidero,⁷⁵ J. Snow,¹¹² S. Snyder,²⁵ R. Sobie,^{170,j} F. Socher,⁴⁴ J. Sodomka,¹²⁷ A. Soffer,¹⁵⁴ D. A. Soh,^{152,t} C. A. Solans,³⁰ M. Solar,¹²⁷ J. Solc,¹²⁷ E. Yu. Soldatov,⁹⁷ U. Soldevila,¹⁶⁸ E. Solfaroli Camillocci,^{133a,133b} A. A. Solodkov,¹²⁹ O. V. Solovyanov,¹²⁹ V. Solovyev,¹²² P. Sommer,⁴⁸ H. Y. Song,^{33b} N. Soni,¹ A. Sood,¹⁵ V. Sopko,¹²⁷ B. Sopko,¹²⁷ V. Sorin,¹² M. Sosebee,⁸ R. Soualah,^{165a,165c} P. Soueid,⁹⁴ A. M. Soukharev,¹⁰⁸ D. South,⁴² S. Spagnolo,^{72a,72b} F. Spanò,⁷⁶ W. R. Spearman,⁵⁷ R. Spighi,^{20a} G. Spigo,³⁰ M. Spousta,¹²⁸ T. Spreitzer,¹⁵⁹ B. Spurlock,⁸ R. D. St. Denis,⁵³ S. Staerz,⁴⁴ J. Stahlman,¹²¹ R. Stamen,^{58a} E. Stanecka,³⁹ R. W. Stanek,⁶ C. Stanescu,^{135a} M. Stanescu-Bellu,⁴² M. M. Stanitzki,⁴² S. Stapnes,¹¹⁸ E. A. Starchenko,¹²⁹ J. Stark,⁵⁵ P. Staroba,¹²⁶ P. Starovoitov,⁴² R. Staszewski,³⁹ P. Stavina,^{145a,a} G. Steele,⁵³ P. Steinberg,²⁵ I. Stekl,¹²⁷ B. Stelzer,¹⁴³ H. J. Stelzer,³⁰ O. Stelzer-Chilton,^{160a} H. Stenzel,⁵² S. Stern,¹⁰⁰ G. A. Stewart,⁵³ J. A. Stillings,²¹ M. C. Stockton,⁸⁶ M. Stoebe,⁸⁶ K. Stoerig,⁴⁸ G. Stoicea,^{26a} P. Stolte,⁵⁴ S. Stonjek,¹⁰⁰ A. R. Stradling,⁸ A. Straessner,⁴⁴ J. Strandberg,¹⁴⁸ S. Strandberg,^{147a,147b} A. Strandlie,¹¹⁸ E. Strauss,¹⁴⁴ M. Strauss,¹¹² P. Strizenec,^{145b} R. Ströhmer,¹⁷⁵ D. M. Strom,¹¹⁵ R. Stroynowski,⁴⁰ S. A. Stucci,¹⁷ B. Stugu,¹⁴ N. A. Styles,⁴² D. Su,¹⁴⁴ J. Su,¹²⁴ HS. Subramania,³ R. Subramaniam,⁷⁸ A. Succurro,¹² Y. Sugaya,¹¹⁷ C. Suhr,¹⁰⁷ M. Suk,¹²⁷ V. V. Sulin,⁹⁵ S. Sultansoy,^{4c} T. Sumida,⁶⁷ X. Sun,^{33a} J. E. Sundermann,⁴⁸ K. Suruliz,¹⁴⁰ G. Susinno,^{37a,37b} M. R. Sutton,¹⁵⁰ Y. Suzuki,⁶⁵ M. Svatos,¹²⁶ S. Swedish,¹⁶⁹ M. Swiatlowski,¹⁴⁴ I. Sykora,^{145a} T. Sykora,¹²⁸ D. Ta,⁸⁹ K. Tackmann,⁴² J. Taenzer,¹⁵⁹ A. Taffard,¹⁶⁴ R. Tafirout,^{160a} N. Taiblum,¹⁵⁴ Y. Takahashi,¹⁰² H. Takai,²⁵ R. Takashima,⁶⁸ H. Takeda,⁶⁶ T. Takeshita,¹⁴¹ Y. Takubo,⁶⁵ M. Talby,⁸⁴ A. A. Talyshev,^{108,g} J. Y. C. Tam,¹⁷⁵ M. C. Tamsett,^{78,ff} K. G. Tan,⁸⁷ J. Tanaka,¹⁵⁶ R. Tanaka,¹¹⁶ S. Tanaka,¹³² S. Tanaka,⁶⁵ A. J. Tanasijczuk,¹⁴³ K. Tani,⁶⁶ N. Tannoury,⁸⁴ S. Tapprogge,⁸² S. Tarem,¹⁵³ F. Tarrade,²⁹ G. F. Tartarelli,^{90a} P. Tas,¹²⁸ M. Tasevsky,¹²⁶ T. Tashiro,⁶⁷ E. Tassi,^{37a,37b} A. Tavares Delgado,^{125a,125b} Y. Tayalati,^{136d} C. Taylor,⁷⁷ F. E. Taylor,⁹³ G. N. Taylor,⁸⁷ W. Taylor,^{160b} F. A. Teischinger,³⁰ M. Teixeira Dias Castanheira,⁷⁵ P. Teixeira-Dias,⁷⁶ K. K. Temming,⁴⁸ H. Ten Kate,³⁰ P. K. Teng,¹⁵² S. Terada,⁶⁵ K. Terashi,¹⁵⁶ J. Terron,⁸¹ S. Terzo,¹⁰⁰ M. Testa,⁴⁷ R. J. Teuscher,^{159,j} J. Therhaag,²¹ T. Theveneaux-Pelzer,³⁴ S. Thoma,⁴⁸ J. P. Thomas,¹⁸ J. Thomas-Wilsker,⁷⁶ E. N. Thompson,³⁵ P. D. Thompson,¹⁸ P. D. Thompson,¹⁵⁹ A. S. Thompson,⁵³ L. A. Thomsen,³⁶ E. Thomson,¹²¹ M. Thomson,²⁸ W. M. Thong,⁸⁷ R. P. Thun,^{88,a} F. Tian,³⁵ M. J. Tibbetts,¹⁵ V. O. Tikhomirov,^{95,gg} Yu. A. Tikhonov,^{108,g} S. Timoshenko,⁹⁷ E. Tiouchichine,⁸⁴ P. Tipton,¹⁷⁷ S. Tisserant,⁸⁴ T. Todorov,⁵ S. Todorova-Nova,¹²⁸ B. Toggerson,¹⁶⁴ J. Tojo,⁶⁹ S. Tokár,^{145a} K. Tokushuku,⁶⁵ K. Tollefson,⁸⁹ L. Tomlinson,⁸³ M. Tomoto,¹⁰² L. Tompkins,³¹ K. Toms,¹⁰⁴ N. D. Topilin,⁶⁴ E. Torrence,¹¹⁵ H. Torres,¹⁴³ E. Torró Pastor,¹⁶⁸ J. Toth,^{84,bb} F. Touchard,⁸⁴ D. R. Tovey,¹⁴⁰ H. L. Tran,¹¹⁶ T. Trefzger,¹⁷⁵ L. Tremblet,³⁰ A. Tricoli,³⁰ I. M. Trigger,^{160a} S. Trincaz-Duvoid,⁷⁹ M. F. Tripiana,⁷⁰ N. Triplett,²⁵ W. Trischuk,¹⁵⁹ B. Trocmé,⁵⁵ C. Troncon,^{90a} M. Trottier-McDonald,¹⁴³

M. Trovatelli,^{135a,135b} P. True,⁸⁹ M. Trzebinski,³⁹ A. Trzupek,³⁹ C. Tsarouchas,³⁰ J. C-L. Tseng,¹¹⁹ P. V. Tsiareshka,⁹¹ D. Tsionou,¹³⁷ G. Tsipolitis,¹⁰ N. Tsirintanis,⁹ S. Tsiskaridze,¹² V. Tsiskaridze,⁴⁸ E. G. Tskhadadze,^{51a} I. I. Tsukerman,⁹⁶ V. Tsulaia,¹⁵ S. Tsuno,⁶⁵ D. Tsybychev,¹⁴⁹ A. Tua,¹⁴⁰ A. Tudorache,^{26a} V. Tudorache,^{26a} A. N. Tuna,¹²¹ S. A. Tupputi,^{20a,20b} S. Turchikhin,^{98,ee} D. Turecek,¹²⁷ I. Turk Cakir,^{4d} R. Turra,^{90a,90b} P. M. Tuts,³⁵ A. Tykhonov,⁷⁴ M. Tylmad,^{147a,147b} M. Tyndel,¹³⁰ K. Uchida,²¹ I. Ueda,¹⁵⁶ R. Ueno,²⁹ M. Ughetto,⁸⁴ M. Ugland,¹⁴ M. Uhlenbrock,²¹ F. Ukegawa,¹⁶¹ G. Unal,³⁰ A. Undrus,²⁵ G. Unel,¹⁶⁴ F. C. Ungaro,⁴⁸ Y. Unno,⁶⁵ D. Urbaniec,³⁵ P. Urquijo,²¹ G. Usai,⁸ A. Usanova,⁶¹ L. Vacavant,⁸⁴ V. Vacek,¹²⁷ B. Vachon,⁸⁶ N. Valencic,¹⁰⁶ S. Valentinetti,^{20a,20b} A. Valero,¹⁶⁸ L. Valery,³⁴ S. Valkar,¹²⁸ E. Valladolid Gallego,¹⁶⁸ S. Vallecorsa,⁴⁹ J. A. Valls Ferrer,¹⁶⁸ R. Van Berg,¹²¹ P. C. Van Der Deijl,¹⁰⁶ R. van der Geer,¹⁰⁶ H. van der Graaf,¹⁰⁶ R. Van Der Leeuw,¹⁰⁶ D. van der Ster,³⁰ N. van Eldik,³⁰ P. van Gemmeren,⁶ J. Van Nieuwkoop,¹⁴³ I. van Vulpen,¹⁰⁶ M. C. van Woerden,³⁰ M. Vanadia,^{133a,133b} W. Vandelli,³⁰ R. Vanguri,¹²¹ A. Vaniachine,⁶ P. Vankov,⁴² F. Vannucci,⁷⁹ G. Vardanyan,¹⁷⁸ R. Vari,^{133a} E. W. Varnes,⁷ T. Varol,⁸⁵ D. Varouchas,⁷⁹ A. Vartapetian,⁸ K. E. Varvell,¹⁵¹ V. I. Vassilakopoulos,⁵⁶ F. Vazeille,³⁴ T. Vazquez Schroeder,⁵⁴ J. Veatch,⁷ F. Veloso,^{125a,125c} S. Veneziano,^{133a} A. Ventura,^{72a,72b} D. Ventura,⁸⁵ M. Venturi,⁴⁸ N. Venturi,¹⁵⁹ A. Venturini,²³ V. Vercesi,^{120a} M. Verducci,¹³⁹ W. Verkerke,¹⁰⁶ J. C. Vermeulen,¹⁰⁶ A. Vest,⁴⁴ M. C. Vetterli,^{143,e} O. Viazlo,⁸⁰ I. Vichou,¹⁶⁶ T. Vickey,^{146c,hh} O. E. Vickey Boeriu,^{146c} G. H. A. Viehhauser,¹¹⁹ S. Viel,¹⁶⁹ R. Vigne,³⁰ M. Villa,^{20a,20b} M. Villaplana Perez,¹⁶⁸ E. Vilucchi,⁴⁷ M. G. Vincter,²⁹ V. B. Vinogradov,⁶⁴ J. Virzi,¹⁵ O. Vitells,¹⁷³ I. Vivarelli,¹⁵⁰ F. Vives Vaque,³ S. Vlachos,¹⁰ D. Vladoiu,⁹⁹ M. Vlasak,¹²⁷ A. Vogel,²¹ P. Vokac,¹²⁷ G. Volpi,^{123a,123b} M. Volpi,⁸⁷ H. von der Schmitt,¹⁰⁰ H. von Radziewski,⁴⁸ E. von Toerne,²¹ V. Vorobel,¹²⁸ K. Vorobev,⁹⁷ M. Vos,¹⁶⁸ R. Voss,³⁰ J. H. Vossebeld,⁷³ N. Vranjes,¹³⁷ M. Vranjes Milosavljevic,¹⁰⁶ V. Vrba,¹²⁶ M. Vreeswijk,¹⁰⁶ T. Vu Anh,⁴⁸ R. Vuillermet,³⁰ I. Vukotic,³¹ Z. Vykydal,¹²⁷ W. Wagner,¹⁷⁶ P. Wagner,²¹ S. Wahrmund,⁴⁴ J. Wakabayashi, ¹⁰² J. Walder, ⁷¹ R. Walker, ⁹⁹ W. Walkowiak, ¹⁴² R. Wall, ¹⁷⁷ P. Waller, ⁷³ B. Walsh, ¹⁷⁷ C. Wang, ¹⁵² C. Wang, ⁴⁵
F. Wang, ¹⁷⁴ H. Wang, ¹⁵ H. Wang, ⁴⁰ J. Wang, ⁴² J. Wang, ^{33a} K. Wang, ⁸⁶ R. Wang, ¹⁰⁴ S. M. Wang, ¹⁵² T. Wang, ²¹ X. Wang, ¹⁷⁷
A. Warburton, ⁸⁶ C. P. Ward, ²⁸ D. R. Wardrope, ⁷⁷ M. Warsinsky, ⁴⁸ A. Washbrook, ⁴⁶ C. Wasicki, ⁴² I. Watanabe, ⁶⁶ P. M. Watkins,¹⁸ A. T. Watson,¹⁸ I. J. Watson,¹⁵¹ M. F. Watson,¹⁸ G. Watts,¹³⁹ S. Watts,⁸³ B. M. Waugh,⁷⁷ S. Webb,⁸³ M. S. Weber,¹⁷ S. W. Weber,¹⁷⁵ J. S. Webster,³¹ A. R. Weidberg,¹¹⁹ P. Weigell,¹⁰⁰ B. Weinert,⁶⁰ J. Weingarten,⁵⁴ C. Weiser,⁴⁸ H. Weits,¹⁰⁶ P. S. Wells,³⁰ T. Wenaus,²⁵ D. Wendland,¹⁶ Z. Weng,^{152,t} T. Wengler,³⁰ S. Wenig,³⁰ N. Wermes,²¹ M. Werner,⁴⁸ P. Werner,³⁰ M. Wessels,^{58a} J. Wetter,¹⁶² K. Whalen,²⁹ A. White,⁸ M. J. White,¹ R. White,^{32b} S. White,^{123a,123b} D. Whiteson,¹⁶⁴ D. Wicke,¹⁷⁶ F. J. Wickens,¹³⁰ W. Wiedenmann,¹⁷⁴ M. Wielers,¹³⁰ P. Wienemann,²¹ C. Wiglesworth,³⁶ L. A. M. Wiik-Fuchs,²¹ P. A. Wijeratne,⁷⁷ A. Wildauer,¹⁰⁰ M. A. Wildt,^{42,ii} H. G. Wilkens,³⁰ J. Z. Will,⁹⁹ H. H. Williams,¹²¹ L. A. M. WIIK-Fuchs, F. A. Wijerathe, A. Wildauer, W. A. Wildu, H. O. WIKens, J. Z. Win, H. H. Willams, S. Williams, ²⁸ C. Willis, ⁸⁹ S. Willocq, ⁸⁵ J. A. Wilson, ¹⁸ A. Wilson, ⁸⁸ I. Wingerter-Seez, ⁵ S. Winkelmann, ⁴⁸ F. Winklmeier, ¹¹⁵ M. Wittgen, ¹⁴⁴ T. Wittig, ⁴³ J. Wittkowski, ⁹⁹ S. J. Wollstadt, ⁸² M. W. Wolter, ³⁹ H. Wolters, ^{125a,125c} B. K. Wosiek, ³⁹ J. Wotschack, ³⁰ M. J. Woudstra, ⁸³ K. W. Wozniak, ³⁹ M. Wright, ⁵³ M. Wu, ⁵⁵ S. L. Wu, ¹⁷⁴ X. Wu, ⁴⁹ Y. Wu, ⁸⁸ E. Wulf, ³⁵ T. R. Wyatt, ⁸³ B. M. Wynne, ⁴⁶ S. Xella, ³⁶ M. Xiao, ¹³⁷ D. Xu, ^{33a} L. Xu, ^{33b,jj} B. Yabsley, ¹⁵¹ S. Yacoob, ^{146b,kk} M. Yamada,⁶⁵ H. Yamaguchi,¹⁵⁶ Y. Yamaguchi,¹⁵⁶ A. Yamamoto,⁶⁵ K. Yamamoto,⁶³ S. Yamamoto,¹⁵⁶ T. Yamamura,¹⁵⁶
T. Yamanaka,¹⁵⁶ K. Yamauchi,¹⁰² Y. Yamazaki,⁶⁶ Z. Yan,²² H. Yang,^{33e} H. Yang,¹⁷⁴ U. K. Yang,⁸³ Y. Yang,¹¹⁰ S. Yanush,⁹² L. Yao,^{33a} W-M. Yao,¹⁵ Y. Yasu,⁶⁵ E. Yatsenko,⁴² K. H. Yau Wong,²¹ J. Ye,⁴⁰ S. Ye,²⁵ A. L. Yen,⁵⁷ E. Yildirim,⁴² M. Yilmaz,^{4b} R. Yoosoofmiya,¹²⁴ K. Yorita,¹⁷² R. Yoshida,⁶ K. Yoshihara,¹⁵⁶ C. Young,¹⁴⁴ C. J. S. Young,³⁰ S. Youssef,²² D. R. Yu,¹⁵ J. Yu,⁸ J. Yu,⁸⁸ J. Yu,¹¹³ L. Yuan,⁶⁶ A. Yurkewicz,¹⁰⁷ B. Zabinski,³⁹ R. Zaidan,⁶² A. M. Zaitsev,^{129,y} A. Zaman,¹⁴⁹ S. Zambito,²³ L. Zanello,^{133a,133b} D. Zanzi,¹⁰⁰ A. Zaytsev,²⁵ C. Zeitnitz,¹⁷⁶ M. Zeman,¹²⁷ A. Zemla,^{38a} K. Zengel,²³ O. Zenin,¹²⁹ T. Ženiš,^{145a} D. Zerwas,¹¹⁶ G. Zevi della Porta,⁵⁷ D. Zhang,⁸⁸ F. Zhang,¹⁷⁴ H. Zhang,⁸⁹ J. Zhang,⁶ L. Zhang,¹⁵² X. Zhang,^{33d} Z. Zhang,¹¹⁶ Z. Zhao,^{33b} A. Zhemchugov,⁶⁴ J. Zhong,¹¹⁹ B. Zhou,⁸⁸ L. Zhou,³⁵ N. Zhou,¹⁶⁴ C. G. Zhu,^{33d} H. Zhu,^{33a} J. Zhu,⁸⁸ Y. Zhu,^{33b} X. Zhuang,^{33a} A. Zibell,⁹⁹ D. Zieminska,⁶⁰ N. I. Zimine,⁶⁴ C. Zimmermann,⁸² R. Zimmermann,²¹ S. Zimmermann,²¹ S. Zimmermann,⁴⁸ Z. Zinonos,⁵⁴ M. Ziolkowski,¹⁴² R. Zitoun,⁵ G. Zobernig,¹⁷⁴ A. Zoccoli,^{20a,20b} M. zur Nedden,¹⁶ G. Zurzolo,^{103a,103b} V. Zutshi¹⁰⁷ and L. Zwalinski³⁰

(ATLAS Collaboration)

¹Department of Physics, University of Adelaide, Adelaide, Australia ²Physics Department, SUNY Albany, Albany, New York, USA ³Department of Physics, University of Alberta, Edmonton, Alberta, Canada ^{4a}Department of Physics, Ankara University, Ankara, Turkey ^{4b}Department of Physics, Gazi University, Ankara, Turkey

^{4c}Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

^{4d}Turkish Atomic Energy Authority, Ankara, Turkey

⁵LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁶High Energy Physics Division, Argonne National Laboratory, Argonne, Illinois, USA

⁷Department of Physics, University of Arizona, Tucson, Arizona, USA

⁸Department of Physics, The University of Texas at Arlington, Arlington, Texas, USA

Physics Department, University of Athens, Athens, Greece

¹⁰Physics Department, National Technical University of Athens, Zografou, Greece

¹¹Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹²Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona,

Barcelona, Spain

^{13a}Institute of Physics, University of Belgrade, Belgrade, Serbia

^{13b}Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

¹⁴Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁵Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley,

California, USA

¹⁶Department of Physics, Humboldt University, Berlin, Germany

¹⁷Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of

Bern, Bern, Switzerland

¹⁸School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

^{19a}Department of Physics, Bogazici University, Istanbul, Turkey

^{19b}Department of Physics, Dogus University, Istanbul, Turkey

^{19c}Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey ^{20a}INFN Sezione di Bologna, Italy

^{20b}Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²¹Physikalisches Institut, University of Bonn, Bonn, Germany

²²Department of Physics, Boston University, Boston, Massachusetts, USA

²³Department of Physics, Brandeis University, Waltham, Massachusetts, USA ^{24a}Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil

^{24b}Federal University of Juiz de Fora (UFJF), Juiz de Fora, Brazil

^{24c}Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei, Brazil

^{24d}Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

²⁵Physics Department, Brookhaven National Laboratory, Upton, New York, USA

^{26a}National Institute of Physics and Nuclear Engineering, Bucharest, Romania

^{26b}Physics Department, National Institute for Research and Development of Isotopic and Molecular

Technologies, Cluj Napoca, Romania

^{26c}University Politehnica Bucharest, Bucharest, Romania

^{26d}West University in Timisoara, Timisoara, Romania

²⁷Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

²⁸Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

²⁹Department of Physics, Carleton University, Ottawa, Ontario, Canada

³⁰CERN, Geneva, Switzerland

³¹Enrico Fermi Institute, University of Chicago, Chicago, Illinois, USA

^{32a}Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile

^{32b}Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China

^{33b}Department of Modern Physics, University of Science and Technology of China, Anhui, China

^{33c}Department of Physics, Nanjing University, Jiangsu, China

^{33d}School of Physics, Shandong University, Shandong, China

^{33e}Physics Department, Shanghai Jiao Tong University, Shanghai, China

³⁴Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/

IN2P3, Clermont-Ferrand, France

³⁵Nevis Laboratory, Columbia University, Irvington, New York, USA

³⁶Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

^{37a}INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy

^{37b}Dipartimento di Fisica, Università della Calabria, Rende, Italy

^{38a}AGH University of Science and Technology, Faculty of Physics and Applied Computer Science,

Krakow, Poland

^{38b}Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

³⁹The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland

¹⁰Physics Department, Southern Methodist University, Dallas, Texas, USA

⁴¹Physics Department, University of Texas at Dallas, Richardson, Texas, USA

⁴²DESY, Hamburg and Zeuthen, Germany

⁴³Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁴Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

⁴⁵Department of Physics, Duke University, Durham, North Carolina, USA

⁴⁶SUPA—School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁴⁷INFN Laboratori Nazionali di Frascati, Frascati, Italy

⁴⁸Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

Section de Physique, Université de Genève, Geneva, Switzerland ^{50a}INFN Sezione di Genova, Italy

^{50b}Dipartimento di Fisica, Università di Genova, Genova, Italy

^{51a}E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia

^{51b}High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵²II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵³SUPA—School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁴II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁵Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3

and Institut National Polytechnique de Grenoble, Grenoble, France

⁵⁶Department of Physics, Hampton University, Hampton, Virginia, USA

⁵⁷Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, Massachusetts, USA

^aKirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

^{58b}Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

⁵⁸cZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

⁹Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

⁵⁰Department of Physics, Indiana University, Bloomington, Indiana, USA

⁶¹Institut für Astro–und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

⁶²University of Iowa, Iowa City, Iowa, USA

⁶³Department of Physics and Astronomy, Iowa State University, Ames, Iowa, USA

⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

⁶⁵KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

⁶⁶Graduate School of Science, Kobe University, Kobe, Japan

⁵⁷Faculty of Science, Kyoto University, Kyoto, Japan

⁶⁸Kyoto University of Education, Kyoto, Japan

⁶⁹Department of Physics, Kyushu University, Fukuoka, Japan

⁷⁰Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina

¹Physics Department, Lancaster University, Lancaster, United Kingdom ^{72a}INFN Sezione di Lecce, Italy

^{72b}Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy

⁷³Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom

⁷⁴Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia

⁷⁵School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom

¹⁶Department of Physics, Royal Holloway University of London, Surrey, United Kingdom

⁷⁷Department of Physics and Astronomy, University College London, London, United Kingdom

⁷⁸Louisiana Tech University, Ruston, Louisiana, USA

⁷⁹Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France

⁸⁰Fysiska institutionen, Lunds universitet, Lund, Sweden

⁸¹Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain

⁸²Institut für Physik, Universität Mainz, Mainz, Germany

⁸³School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom

⁴CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

⁸⁵Department of Physics, University of Massachusetts, Amherst, Massachusetts, USA

⁸⁶Department of Physics, McGill University, Montreal, Quebec, Canada

School of Physics, University of Melbourne, Victoria, Australia

⁸⁸Department of Physics, The University of Michigan, Ann Arbor, Michigan, USA

⁸⁹Department of Physics and Astronomy, Michigan State University, East Lansing, Michigan, USA ^{90a}INFN Sezione di Milano, Italy

^{90b}Dipartimento di Fisica, Università di Milano, Milano, Italy

⁹¹B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus ²National Scientific and Educational Centre for Particle and High Energy Physics, Minsk,

Republic of Belarus

⁹³Department of Physics, Massachusetts Institute of Technology, Cambridge, Massachusetts, USA

Group of Particle Physics, University of Montreal, Montreal, Quebec, Canada

⁹⁵P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia

⁹⁶Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia

⁹⁷Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia

⁹⁸D.V.Skobeltsyn Institute of Nuclear Physics, M.V.Lomonosov Moscow State University, Moscow, Russia

Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany

¹⁰⁰Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany

¹⁰¹Nagasaki Institute of Applied Science, Nagasaki, Japan

¹⁰²Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan ^{103a}INFN Sezione di Napoli, Italy

^{103b}Dipartimento di Fisica, Università di Napoli, Napoli, Italy

¹⁰⁴Department of Physics and Astronomy, University of New Mexico, Albuquerque, New Mexico, USA

¹⁰⁵Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands

¹⁰⁶Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands

¹⁰⁷Department of Physics, Northern Illinois University, DeKalb, Illinois, USA

⁰⁸Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia

¹⁰⁹Department of Physics, New York University, New York, New York, USA ¹¹⁰Ohio State University, Columbus, Ohio, USA

¹¹¹Faculty of Science, Okayama University, Okayama, Japan

¹¹²Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, Ohio, USA

¹¹³Department of Physics, Oklahoma State University, Stillwater, Oklahoma, USA

¹¹⁴Palacký University, RCPTM, Olomouc, Czech Republic

¹¹⁵Center for High Energy Physics, University of Oregon, Eugene, Oregon, USA ¹¹⁶LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France

¹¹⁷Graduate School of Science, Osaka University, Osaka, Japan

¹¹⁸Department of Physics, University of Oslo, Oslo, Norway

¹¹⁹Department of Physics, Oxford University, Oxford, United Kingdom

^{120a}INFN Sezione di Pavia, Italy

^{120b}Dipartimento di Fisica, Università di Pavia, Pavia, Italy

¹²¹Department of Physics, University of Pennsylvania, Philadelphia, Pennsylvania, USA

²²Petersburg Nuclear Physics Institute, Gatchina, Russia ^{123a}INFN Sezione di Pisa, Italy

^{123b}Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

¹²⁴Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, Pennsylvania, USA

^{125a}Laboratorio de Instrumentacao e Fisica Experimental de Particulas—LIP, Lisboa, Portugal ^{125b}Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal

¹²⁵cDepartment of Physics, University of Coimbra, Coimbra, Portugal

^{125d}Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal

¹²⁵eDepartamento de Fisica, Universidade do Minho, Braga, Portugal

^{125f}Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada,

Granada (Spain), Portugal

¹²⁵gDep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal

¹²⁶Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic

²⁷Czech Technical University in Prague, Praha, Czech Republic

¹²⁸Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic

¹²⁹State Research Center Institute for High Energy Physics, Protvino, Russia

¹³⁰Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

¹³¹Physics Department, University of Regina, Regina, Saskatchewan, Canada

¹³²Ritsumeikan University, Kusatsu, Shiga, Japan

^{133a}INFN Sezione di Roma, Italy

^{133b}Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy

^{134a}INFN Sezione di Roma Tor Vergata, Italy

^{134b}Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy ^{135a}INFN Sezione di Roma Tre, Italy

^{135b}Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy ^{136a}Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies—Université Hassan II, Casablanca, Morocco ^{136b}Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat, Morocco ¹³⁶cFaculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco ^{136d}Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda, Morocco ^{136e}Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco ¹³⁷DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France ¹³⁸Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, California, USA ¹³⁹Department of Physics, University of Washington, Seattle, Washington, USA ¹⁴⁰Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom ¹Department of Physics, Shinshu University, Nagano, Japan ¹⁴²Fachbereich Physik, Universität Siegen, Siegen, Germany ¹⁴³Department of Physics, Simon Fraser University, Burnaby, British Columbia, Canada ¹⁴⁴SLAC National Accelerator Laboratory, Stanford, California, USA ^{145a}Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava, Slovak Republic ^{145b}Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic ^{146a}Department of Physics, University of Cape Town, Cape Town, South Africa ^{146b}Department of Physics, University of Johannesburg, Johannesburg, South Africa ^{146c}School of Physics, University of the Witwatersrand, Johannesburg, South Africa ^{147a}Department of Physics, Stockholm University, Sweden ^{7b}The Oskar Klein Centre, Stockholm, Sweden ¹⁴⁸Physics Department, Royal Institute of Technology, Stockholm, Sweden ¹⁴⁹Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, New York, USA ¹⁵⁰Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom School of Physics, University of Sydney, Sydney, Australia ¹⁵²Institute of Physics, Academia Sinica, Taipei, Taiwan ¹⁵³Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel ¹⁵⁴Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel ¹⁵⁵Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece ¹⁵⁶International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan ¹⁵⁷Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan ⁵⁸Department of Physics, Tokyo Institute of Technology, Tokyo, Japan ¹⁵⁹Department of Physics, University of Toronto, Toronto, Ontario, Canada ^{160a}TRIUMF, Vancouver, British Columbia, Canada ^{160b}Department of Physics and Astronomy, York University, Toronto, Ontario, Canada ¹⁶¹Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan ¹⁶²Department of Physics and Astronomy, Tufts University, Medford, Massachusetts, USA ⁶³Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia ¹⁶⁴Department of Physics and Astronomy, University of California Irvine, Irvine, California, USA ^{165a}INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy ^{165b}ICTP, Trieste, Italy ^{165c}Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy ¹⁶⁶Department of Physics, University of Illinois, Urbana, Illinios, USA ¹⁶⁷Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden ¹⁶⁸Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain ¹⁶⁹Department of Physics, University of British Columbia, Vancouver, British Columbia, Canada ¹⁷⁰Department of Physics and Astronomy, University of Victoria, Victoria, British Columbia, Canada ¹⁷¹Department of Physics, University of Warwick, Coventry, United Kingdom ¹⁷²Waseda University, Tokyo, Japan

- ¹⁷³Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 - ¹⁷⁴Department of Physics, University of Wisconsin, Madison, Wisconsin, USA
- ¹⁷⁵Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany

¹⁷⁶Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany

⁷Department of Physics, Yale University, New Haven, Connecticut, USA

¹⁷⁸Yerevan Physics Institute, Yerevan, Armenia

¹⁷⁹Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3),

Villeurbanne, France

^aDeceased.

- ^bAlso at Department of Physics, King's College London, London, United Kingdom.
- ^cAlso at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
- ^dAlso at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.
- ^eAlso at TRIUMF, Vancouver BC, Canada.
- ^fAlso at Department of Physics, California State University, Fresno CA, United States of America.
- ^gAlso at Novosibirsk State University, Novosibirsk, Russia.
- ^hAlso at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
- ⁱAlso at Università di Napoli Parthenope, Napoli, Italy.
- ^jAlso at Institute of Particle Physics (IPP), Canada.
- ^kAlso at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.
- ¹Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.
- ^mAlso at Louisiana Tech University, Ruston, LA, United States of America.
- ⁿAlso at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
- ^oAlso at CERN, Geneva, Switzerland.
- ^pAlso at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.
- ^qAlso at Manhattan College, New York, NY, United States of America.
- ^rAlso at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^sAlso at Department of Physics, Nanjing University, Jiangsu, China.
- ^tAlso at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
- ^uAlso at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^vAlso at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.
- ^wAlso at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India.
- ^xAlso at Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy.
- ^yAlso at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- ^zAlso at Section de Physique, Université de Genève, Geneva, Switzerland.
- ^{aa}Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States of America.
- ^{bb}Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
- ^{cc}Also at International School for Advanced Studies (SISSA), Trieste, Italy.
- ^{dd}Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States of America.
- ee Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia
- ^{ff}Also at Physics Department, Brookhaven National Laboratory, Upton, NY, United States of America.
- ^{gg}Also at Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia.
- ^{hh}Also at Department of Physics, Oxford University, Oxford, United Kingdom.
- ⁱⁱAlso at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.
- ^{jj}Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States of America.
- ^{kk}Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.