



O'Connor, R. et al. (2020) Multidisciplinary research priorities for the COVID-19 pandemic: authors' reply. *Lancet Psychiatry*, 7(7), e44-e45.  
(doi: [10.1016/S2215-0366\(20\)30247-9](https://doi.org/10.1016/S2215-0366(20)30247-9))

There may be differences between this version and the published version. You are advised to consult the publisher's version if you wish to cite from it.

<http://eprints.gla.ac.uk/217028/>

Deposited on 29 May 2020

Enlighten – Research publications by members of the University of Glasgow  
<http://eprints.gla.ac.uk>

## **Multidisciplinary research priorities for the COVID-19 pandemic: authors' reply**

We are encouraged and stimulated by the response to our COVID-19 Mental Health Science Position Paper. Some key messages were consistent across the correspondence; namely, that the mental health impacts of COVID-19 are likely to be profound, long lasting, and will touch all sectors of society. There was also consensus that only by harnessing a truly multidisciplinary response will we be able to mitigate the mental health risks effectively. How best to do this will be a challenge that requires most of us to think and work differently, and for our scientific, research and practice communities to come together to create novel solutions. The correspondence complements the priorities outlined in the Position Paper and will stimulate further research employing diverse methods, including more perspectives from social sciences and focusing on additional vulnerable populations (e.g., young people with complex forensic mental health needs<sup>1</sup> and babies<sup>2</sup>).

In terms of the public discourse around the pandemic, the message in the UK – and North America as well – is that “we are all in this together” but such statements are not supported by the statistics. The virus itself affects groups of people differentially; mortality rates are socially patterned, with deaths being more common among the over 70s, members of Black, Asian and Minority Ethnic communities, and those who are most socially disadvantaged. When describing the consequences of COVID-19, as the writer Damian Barr wrote on Twitter recently, it is more accurate to say that although we are all navigating the same Coronavirus storm, we are in different types of boats: some people are in super-yachts and others have only a single oar. Those in the most affected boats are also more likely to be exposed to a clustering of socially structured disadvantage across generations resulting in increased morbidity and mortality from COVID-19. It is crucial, therefore, that research into the mental health effects of social and welfare policies and structural inequality is prioritised<sup>3</sup>. To address health paradoxes, history suggests we need to seek innovations to our existing approaches<sup>4</sup>. Mental health science must embrace the full range of scales at which initiatives can be targeted (i.e., societal, community as well as individual targets). We must consider mechanisms of change at all levels, irrespective of whether these are public health interventions, individual approaches or global initiatives. To achieve this, we need to find new ways to bring research communities together, because mental health science is best served when we join forces, complementing each other. Diversity will be our strength, and it is only through working together across disciplines that we will tackle the global challenge of COVID-19.

The correspondents raised a number of points that, although included in the Position Paper, are important to emphasise. First, co-design should be integral to everything done as part of the mental health science response—those affected by COVID-19 and those with mental health problems must have a voice. For example, young people should be included as equal partners in the design and implementation of mental health science solutions for them. Such collaboration will enrich the research process and may also lead to the inclusion of novel aspects of positive mental health such as resilience, courage and compassion<sup>5</sup>. Second, research into the COVID-19

pandemic should ensure that Black, Asian and Minority Ethnic communities are represented (both as participants in co-design and on study management groups), indeed we welcome the call for a race equality impact assessment being applied to all forthcoming research studies<sup>6</sup>. Research into the link between ethnicity and COVID-19 outcome is urgent<sup>7</sup> and mental health aspects need to be included here. To effectively identify the impact of the virus and interventions on different communities, such representation must be sufficiently granular and recognise the intersectionality of risks. Third, in the rush to understand the impact of COVID-19 on mental health and wellbeing, it is more important than ever that the highest standards of ethical research practice are maintained. Such standards include respecting confidentiality and recognising potential harms as well as focusing on issues around acceptability (of potential interventions) and trustworthiness (in terms of data collection and data sharing<sup>5</sup>). Townsend et al.<sup>8</sup> have published some useful guidance in this regard. For example, they recommend mood measurements, mood mitigation techniques as standard and stress the importance of conducting research that has clear benefits while keeping the risks low.

Fourth, the mental health science response must be truly multidisciplinary in implementation. In the Paper, we highlighted a wide range of disciplines and the original author group was drawn from diverse disciplinary backgrounds. However, many further professions need to be included, for example nursing is central to the COVID-19 research response<sup>9</sup>. Just under 40,000 mental health nurses make-up the largest component of the UK NHS psychiatric workforce and it is essential that mental health nurse researchers are included to ensure that any research is responsive to their concerns and priorities. Fifth, we also recognise that feeling distressed or anxious is understandable for many going through such unprecedented times<sup>10</sup>. It is therefore important that any mental health response is commensurate and tailored. Clearly, for those who are vulnerable, it is important to be vigilant to mitigate the risks to mental health difficulties. We also need to consider longer term preventive approaches more broadly so that we are more responsive to the chronic consequences of the current pandemic as well as being better prepared for future public health crises.

The Position Paper was pitched as a call for action and we warmly thank the correspondents for their energetic response which helps increase breadth and inclusion in the mental health research response to COVID-19. This is not only an important reminder to funding agencies but an even stronger incentive to advance the mobilisation and coordination of the whole community of mental health scholars. It has already provided a welcome platform for starting dialogue with researchers, research funders and the wider mental health science community, and a continued conversation is necessary. It is now a responsibility to include the voices of all those whose mental health is impacted by this pandemic and ensure that research findings are translated into practice.

Rory C O'Connor Suicidal Behaviour Research Laboratory, Institute of Health and Wellbeing, University of Glasgow, Glasgow, UK (Prof R C O'Connor PhD);

Matthew Hotopf, Institute of Psychiatry, Psychology and Neuroscience, King's College London, London, UK; NIHR Biomedical Research Centre at the Maudsley, Maudsley Hospital, London, UK (Prof M Hotopf PHD)

Carol M Worthman, Anthropology Faculty, Emory University, Atlanta, USA (Prof C M Worthman PhD);

V Hugh Perry, UK Dementia Research Institute (Prof V H Perry PhD),

Irene Tracey, Nuffield Department of Clinical Neurosciences, University of Oxford, Oxford, UK (Prof I Tracey PhD)

Simon Wessely Institute of Psychiatry, Psychology and Neuroscience, King's College London, London, UK (Prof S Wessely, MD)

Louise Arseneault Institute of Psychiatry, Psychology and Neuroscience, King's College London, London, UK (Prof L Arseneault PhD)

Clive Ballard University of Exeter Medical School, University of Exeter, Exeter, UK (Prof C Ballard PhD)

Helen Christensen Black Dog Institute, Sydney, Australia (Prof H Christensen PhD)

Roxane Cohen Silver, Department of Psychological Science, Department of Medicine, and Program in Public Health, University of California, Irvine, USA (Prof R Cohen Silver PhD)

Tamsin Ford, Department of Psychiatry, University of Cambridge, Cambridge, UK (Prof T Ford PhD)

Ann John, Swansea University Medical School, Swansea University, Swansea, UK (Prof A John PhD)

Thomas Kabir, The McPin Foundation, London, UK (T Kabir PhD)

Kate King, Independent, Cambridge, UK (K King, BSc)

Alan Simpson, Institute of Psychiatry, Psychology and Neuroscience, King's College London, London, UK; South London and Maudsley NHS Foundation Trust (Prof A Simpson PhD)

Ira Madan, Department of Occupational Health, Guy's and St Thomas' NHS Foundation Trust, London, UK (Prof I Madan MD)

Katherine Cowan, Katherine Cowan Consulting Ltd, St Leonards-on-Sea, UK (K Cowan MA)

Ed Bullmore, Department of Psychiatry, University of Cambridge, Cambridge, UK (Prof E Bullmore PhD); Department of Research and Development, Cambridgeshire & Peterborough NHS Foundation Trust, Cambridge, UK (Prof E Bullmore)

Emily A Holmes, Department of Psychology, Uppsala University, Uppsala, Sweden (Prof E A Holmes PhD); Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden

### **Correspondence:**

Rory C O'Connor, Suicidal Behaviour Research Laboratory, Institute of Health & Wellbeing, University of Glasgow, Glasgow, UK (Prof R C O'Connor PhD)  
[Rory.OConnor@glasgow.ac.uk](mailto:Rory.OConnor@glasgow.ac.uk)

### **References**

1. Hales et al Letter
2. McAlonan et al Letter
3. Morgan and Rose Letter
4. Worthman CM, Kohrt B. Receding horizons of health: biocultural approaches to public health paradoxes. *Soc Sci Med* 2005; **61**(4): 861-78.
5. Singh et al. Letter
6. Smith et al. Letter
7. Khunti K, Singh AK, Pareek M, Hanif W. Is ethnicity linked to incidence or outcomes of covid-19? Preliminary signals must be explored urgently. *Bmj-British Medical Journal* 2020; **369**.
8. Townsend E, Nielsen E, Allister R, Cassidy SA. Key ethical questions for research during the COVID-19 pandemic. *Lancet Psychiatry* 2020; **7**(5): 381-3.
9. Brennan Letter
10. Siddaway Letter (avoiding pathologizing distress)